

FACULTY OF HEALTH, NATURAL RESOURCES AND APPLIED SCIENCES

DEPARTMENT OF MATHEMATICS AND STATISTICS

QUALIFICATION: Bachelor of science; Bachelor of science in Applied Mathematics and Statistics						
QUALIFICATION CODE: 07BSOC; 07BSAM LEVEL: 5						
COURSE CODE: IASSO1S	COURSE NAME: INTRODUCTION TO APPLIED STATISTICS					
SESSION: JANUARY 2023	PAPER: THEORY					
DURATION: 3 HOURS	MARKS: 100					

SUPPLEMENTARY / SECOND OPPORTUNITY EXAMINATION QUESTION PAPER								
EXAMINER	Mr. A.J. ROUX							
MODERATOR:	Dr. D. Ntirampeba							

	INSTRUCTIONS
1.	Answer ALL the questions in the booklet provided.
2.	Show clearly all the steps used in the calculations.
3.	All written work must be done in blue or black ink and sketches must
	be done in pencil.

PERMISSIBLE MATERIALS

1. Non-programmable calculator without a cover.

ATTACHMENTS

1 The Standard Normal (z) Probability Distribution Table

THIS QUESTION PAPER CONSISTS OF 5 PAGES (Including this front page)

QUESTION 1 [20]

In questions	1.1 - 1.10	below, wri	te dowr	the	correct	word	which	completes	each
sentence.									

	ence.	- 1.10 Delow, v	viite down the co	nect word writer co	Impletes each
			propriate to repres given total:	sent categorical dat	a which indicates
	a. Line grapc. Bar chart	to a second	d. His	e chart stogram	[2]
1.2	Another term	for the media	n is:	i, d a	
101	a. Range	b . Average	c. 2 nd Qua	artile d. Quartile de	viation
[2] 1.3			observations that lass is equal to:	range between 38	and 138. The
	a. 20.00	b. 21.50	c. 8.80	d. 8.85	[2]
1.4	Eye colors of	students enro	lled in a statistics	class are called:	
	a. qualitativ		b. quantitative da d. class data	ta	[2]
1.5	are majorir	ng in Economi	cs, 20% in Financ	of Business Admin ce, 35% in Manager can be used to pres	ment, and 30% ir
	a. a line grac. only a pi	•	b. only a bar grad. both a bar grad.	aph aph and a pie chart	[2]
1.6	The 50th pe	ercentile is the			
	a. mode	b. median	c. mean d. t	hird quartile	[2]

- 1.7 The interquartile range is
 - a. the 50th percentile
 - **b.** another name for the variance

- c. the range for the middle 50% of the data values
- d. the difference between the largest and smallest values

[2]

- 1.8 The weight of an object is an example of
 - a. a continuous random variable
 - **b.** a discrete random variable
 - c. either a continuous or a discrete random variable, depending on the weight
 - d. either a continuous or a discrete random variable depending on the units of measurement [2]
- 1.9 In a frequency distribution, the sum of frequencies for all classes will always equal to:
 - **b.** the number of elements in a data set
 - c. the number of classes d. a value between 0 and 1

[2]

1.10 The semester test scores of 15 students enrolled in a Business Statistics class were recorded in ascending order as follows:

After calculating the mean, median, and mode, an error is discovered: one of the 15's should be a 17. The measures of central tendency which will change are:

- **a.** the mean only **b.** the mode only

- **c.** the median only **d.** the mean and mode

[2]

QUESTION

A manufacturer of car oil sells bottles that he claims to contain 500 ml each. A quality control inspector has recorded the actual contents of a random sample of 40 bottles. The results are shown below.

Contents (ml)	f
485 – under 490	4

490 – under 495	5
495 – under 500	13
500 – under 505	12
505 – under 510	6
Total	40

2.1)	Complete the table and estimate the mean contents of these bottles.	[4]
2.2)	Calculate the median content of these bottles.	[6]
2.3)	Calculate the modal content of these bottles	[6]

QUESTION 3 [40]

3.1) The outstanding accounts of people at Jet Stores are categorized by age of account and balance in account. We are going to select an account at random from this group of 2000 accounts.

Age of account/Balance	\$0-\$99	\$100-\$499	\$500 or more
Less than 3 years	700	100	400
3 or more years	200	400	200

Find the following probabilities:

3.1.1) P(\$500 or more <u>and</u> less than3 years) [2]

3.1.2) P[(\$0 - \$99) **or** (3 years or more)] [3]

3.1.3) What is the probability that the account has a balance of (\$0-99), **given** that it is (less than 3 years) old. [5]

3.2) Pulse rates of adult men are approximately normally distributed with a mean of 70 and a standard deviation of 8. What is the probability of selecting a man with pulse rate of :-

 3.2.1) Higher than 74.9
 [5]

 3.2.2) Lower than 64.1
 [5]

 3.2.3) Lower than 82.3
 [5]

4

3.3) A popular retail store receives, on average 6 calls per day.

What is the probability that on any given day:

3.3.1) No calls will be received

[3]

3.3.2) At most two calls will be received

[6]

3.3.3) At least four calls will be received

[6]

QUESTION 4 [9]

A shop owner has compiled the following information on the prices and quantities of fruit sales from December 2006 to December 2016

ITEM	P _b	P,	Q _b	Q,
	2016	2021	2016	2021
Apple	1.85	3.75	75	110
Orange	1.50	2.25	140	260
Avocado	3.40	5.40	250	335

Use December 2016 as the base period, and determine and interpret the simple price indexes for these three items in December 2021. [3 \times 3 = 9]

QUESTION 5 [15]

The table below shows maximum speed (km/h) obtained by 25 cyclists during a recent cycle challenge.

56	43	56	48	82	52	71	68	75	91	69	28	64	58
61	74	77	83	25	55	34	79	71	63	64		•	

5.1) Display the data using an ordered stem-and-leaf plot.

[5]

5.2) Comment on the distribution of the data

- [2]
- 5.3) Using classes 20 to less than 30, 30 to less than 40, and 40 to less than 50, ..., 90 to less than 100, construct <u>an absolute</u> and a <u>relative</u> frequency distribution table for the data. [6]
- 5.4) Compile a less than cumulative percentage frequency distribution

[2]

XXXXXXXXXXXXXX END OF QUESTION PAPER XXXXXXXXXXXXXXXXX



Standard Normal Distribution Tables



STANDARD NORMAL DISTRIBUTION: Table Values Represent AREA to the LEFT of the Z score.										
Z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
-3.9	.00005	.00005	.00004	.00004	.00004	.00004	.00004	.00004	.00003	.00003
-3.8	.00007	.00007	.00007	.00006	.00006	.00006	.00006	.00005	.00005	.00005
-3.7	.00011	.00010	.00010	.00010	.00009	.00009	.00008	.00008	.00008	.00008
-3.6	.00016	.00015	.00015	.00014	.00014	.00013	.00013	.00012	.00012	.00011
-3.5	.00023	.00022	.00022	.00021	.00020	.00019	.00019	.00018	.00017	.00017
-3.4	.00034	.00032	.00031	.00030	.00029	.00028	.00027	.00026	.00025	.00024
-3.3	.00048	.00047	.00045	.00043	.00042	.00040	.00039	.00038	.00036	.00035
-3.2	.00069	.00066	.00064	.00062	.00060	.00058	.00056	.00054	.00052	.00050
-3.1	.00097	.00094	.00090	.00087	.00084	.00082	.00079	.00076	.00074	.00071
-3.0	.00135	.00131	.00126	.00122	.00118	.00114	.00111	.00107	.00104	.00100
-2.9	.00187	.00181	.00175	.00169	.00164	.00159	.00154	.00149	.00144	.00139
-2.8	.00256	.00248	.00240	.00233	.00226	.00219	.00212	.00205	.00199	.00193
-2.7	.00347	.00336	.00326	.00317	.00307	.00298	.00289	.00280	.00272	.00264
-2.6	.00466	.00453	.00440	.00427	.00415	.00402	.00391	.00379	.00368	.00357
-2.5	.00621	.00604	.00587	.00570	.00554	.00539	.00523	.00508	.00494	.00480
-2.4	.00820	.00798	.00776	.00755	.00734	.00714	.00695	.00676	.00657	.00639
-2.3	.01072	.01044	.01017	.00990	.00964	.00939	.00914	.00889	.00866	.00842
-2.2	.01390	.01355	.01321	.01287	.01255	.01222	.01191	.01160	.01130	.01101
-2.1	.01786	.01743	.01700	.01659	.01618	.01578	.01539	.01500	.01463	.01426
-2.0	.02275	.02222	.02169	.02118	.02068	.02018	.01970	.01923	.01876	.01831
-1.9	.02872	.02807	.02743	.02680	.02619	.02559	.02500	.02442	.02385	.02330
-1.8	.03593	.03515	.03438	.03362	.03288	.03216	.03144	.03074	.03005	.02938
-1.7	.04457	.04363	.04272	.04182	.04093	.04006	.03920	.03836	.03754	.03673
-1.6	.05480	.05370	.05262	.05155	.05050	.04947	.04846	.04746	.04648	.04551
-1.5	.06681	.06552	.06426	.06301	.06178	.06057	.05938	.05821	.05705	.05592
-1.4	.08076	.07927	.07780	.07636	.07493	.07353	.07215	.07078	.06944	.06811
-1.3	.09680	.09510	.09342	.09176	.09012	.08851	.08691	.08534	.08379	.08226
-1.2	.11507	.11314	.11123	.10935	.10749	.10565	.10383	.10204	.10027	.09853
-1.1	.13567	.13350	.13136	.12924	.12714	.12507	.12302	.12100	.11900	.11702
-1.0	.15866	.15625	.15386	.15151	.14917	.14686	.14457	.14231	.14007	.13786
-0.9	.18406	.18141	.17879	.17619	.17361	.17106	.16853	.16602	.16354	.16109
-0.8	.21186	.20897	.20611	.20327	.20045	.19766	.19489	.19215	.18943	.18673
-0.7	.24196	.23885	.23576	.23270	.22965	.22663	.22363	.22065	.21770	.21476
-0.6	.27425	.27093	.26763	.26435	.26109	.25785	.25463	.25143	.24825	.24510
-0.5	.30854	.30503	.30153	.29806	.29460	.29116	.28774	.28434	.28096	.27760
-0.4	.34458	.34090	.33724	.33360	.32997	.32636	.32276	.31918	.31561	.31207
-0.3	.38209	.37828	.37448	.37070	.36693	.36317	.35942	.35569	.35197	.34827
-0.2	.42074	.41683	.41294	.40905	.40517	.40129	.39743	.39358	.38974	.38591
-0.1	.46017	.45620	.45224	.44828	.44433	.44038	.43644	.43251	.42858	.42465
-0.0	.50000	.49601	.49202	.48803	.48405	.48006	.47608	.47210	.46812	.46414
-0.0	.50000	. 1,7001	.17202	. 10005	.10103	.10000	.17000	, , , , , ,	.10012	.10111

STANDARD NORMAL DISTRIBUTION: Table Values Represent AREA to the LEFT of the Z score.

	TO INDIANAL DISTRIBUTION, Table Values Represent MREAL to the EDIT of the 2 store.									
 Z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.50000	.50399	.50798	.51197	.51595	.51994	.52392	.52790	.53188	.53586
0.1	.53983	.54380	.54776	.55172	.55567	.55962	.56356	.56749	.57142	.57535
 0.2	.57926	.58317	.58706	.59095	.59483	.59871	.60257	.60642	.61026	.61409
0.3	.61791	.62172	.62552	.62930	.63307	.63683	.64058	.64431	.64803	.65173
0.4	.65542	.65910	.66276	.66640	.67003	.67364	.67724	.68082	.68439	.68793
0.5	.69146	.69497	.69847	.70194	.70540	.70884	.71226	.71566	.71904	.72240
0.6	.72575	.72907	.73237	.73565	.73891	.74215	.74537	.74857	.75175	.75490
0.7	.75804	.76115	.76424	.76730	.77035	.77337	.77637	.77935	.78230	.78524
0.8	.78814	.79103	.79389	.79673	.79955	.80234	.80511	.80785	.81057	.81327
0.9	.81594	.81859	.82121	.82381	.82639	.82894	.83147	.83398	.83646	.83891
1.0	.84134	.84375	.84614	.84849	.85083	.85314	.85543	.85769	.85993	.86214
1.1	.86433	.86650	.86864	.87076	.87286	.87493	.87698	.87900	.88100	.88298
1.2	.88493	.88686	.88877	.89065	.89251	.89435	.89617	.89796	.89973	.90147
1.3	.90320	.90490	.90658	.90824	.90988	.91149	.91309	.91466	.91621	.91774
1.4	.91924	.92073	.92220	.92364	.92507	.92647	.92785	.92922	.93056	.93189
1.5	.93319	.93448	.93574	.93699	.93822	.93943	.94062	.94179	.94295	.94408
1.6	.94520	.94630	.94738	.94845	.94950	.95053	.95154	.95254	.95352	.95449
1.7	.95543	.95637	.95728	.95818	.95907	.95994	.96080	.96164	.96246	.96327
1.8	.96407	.96485	.96562	.96638	.96712	.96784	.96856	.96926	.96995	.97062
 1.9	.97128	.97193	.97257	.97320	.97381	.97441	.97500	.97558	.97615	.97670
2.0	.97725	.97778	.97831	.97882	.97932	.97982	.98030	.98077	.98124	.98169
2.1	.98214	.98257	.98300	.98341	.98382	.98422	.98461	.98500	.98537	.98574
2.2	.98610	.98645	.98679	.98713	.98745	.98778	.98809	.98840	.98870	.98899
2.3	.98928	.98956	.98983	.99010	.99036	.99061	.99086	.99111	.99134	.99158
2.4	.99180	.99202	.99224	.99245	.99266	.99286	.99305	.99324	.99343	.99361
2.5	.99379	.99396	.99413	.99430	.99446	.99461	.99477	.99492	.99506	.99520
2.6	.99534	.99547	.99560	.99573	.99585	.99598	.99609	.99621	.99632	.99643
2.7	.99653	.99664	.99674	.99683	.99693	.99702	.99711	.99720	.99728	.99736
2.8	.99744	.99752	.99760	.99767	.99774	.99781	.99788	.99795	.99801	.99807
2.9	.99813	.99819	.99825	.99831	.99836	.99841	.99846	.99851	.99856	.99861
3.0	.99865	.99869	.99874	.99878	.99882	.99886	.99889	.99893	.99896	.99900
3.1	.99903	.99906	.99910	.99913	.99916	.99918	.99921	.99924	.99926	.99929
3.2	.99931	.99934	.99936	.99938	.99940	.99942	.99944	.99946	.99948	.99950
3.3	.99952	.99953	.99955	.99957	.99958	.99960	.99961	.99962	.99964	.99965
 3.4	.99966	.99968	.99969	.99970	.99971	.99972	.99973	.99974	.99975	.99976
3.5	.99977	.99978	.99978	.99979	.99980	.99981	.99981	.99982	.99983	.99983
3.6	.99984	.99985	.99985	.99986	.99986	.99987	.99987	.99988	.99988	.99989
3.7	.99989	.99990	.99990	.99990	.99991	.99991	.99992	.99992	.99992	.99992
3.8	.99993	.99993	.99993	.99994	.99994	.99994	.99994	.99995	.99995	.99995
 3.9	.99995	.99995	.99996	.99996	.99996	.99996	.99996	.99996	.99997	.99997