



**NAMIBIA UNIVERSITY
OF SCIENCE AND TECHNOLOGY
FACULTY OF HEALTH AND APPLIED SCIENCES**

DEPARTMENT OF MATHEMATICS AND STATISTICS

QUALIFICATION: Bachelor of Science in Applied Mathematics and Statistics	
QUALIFICATION CODE: 07BAMS	LEVEL: 7
COURSE CODE: DAE702S	COURSE NAME: DESIGN AND ANALYSIS OF EXPERIMENTS
SESSION: NOVEMBER2019	PAPER: THEORY
DURATION: 3 HOURS	MARKS: 100

FIRST OPPORTUNITY EXAMINATION QUESTION PAPER	
EXAMINERS	DR C.R KIKAWA
MODERATOR:	PROF PETER NJUHO

INSTRUCTIONS
<ol style="list-style-type: none">1. Answer ALL the questions in the booklet provided.2. Show clearly all the steps used in the calculations.3. All written work must be done in blue or black ink and sketches must be done in pencil.

PERMISSIBLE MATERIALS

1. Non-programmable calculator without a cover.

ATTACHMENTS

Standard Normal Distribution table, Inverse Cum Freq Distribution table, t-table, f-tables
(T-12 to T 19)

THIS QUESTION PAPER CONSISTS OF 5 PAGES (including this front page)

NAMIBIA UNIVERSITY OF SCIENCE AND TECHNOLOGY
DEPARTMENT OF MATHEMATICS AND STATISTICS
DESIGN & ANALYSIS OF EXPERIMENTS: DAE702S

EXAMINATION FIRST OPPORTUNITY: NOVEMBER 2019

Time-3 Hrs

Attempt all Questions

Maximum Marks - 100

1. Question

(a) Discuss the following concepts as used in experimental design:

1. Blinding
2. Control Treatment
3. Responses
4. Randomization
5. Placebo

(15 marks, (3@))

(b) Briefly discuss two examples that could best distinguish an experimental unit and a measurement unit.

(Hint: One example should be agricultural and the other educational)

(5 marks)

2. Question

The diameters of steel shafts produced by a certain manufacturing process should have a mean diameter of 0.255 inches. The diameter is known to have a standard deviation of $\sigma = 0.0001$ inch. A random sample of 10 shafts has an average diameter of 0.2545 inches.

(a) Set up the appropriate hypotheses on the mean μ .

(2 marks)

(b) Test these hypotheses using $\alpha = 0.05$. What are your conclusions?

(10 marks)

(c) What is the p-value for the test in part (b)?

(3 marks)

(d) Find a 95% confidence interval on the mean.

(5 marks)

3. Question

A manufacturer of television sets is interested in the effect of tube conductivity of four different types of coating for color picture tubes. The following conductivity data are obtained:

Coating Type	Conductivity			
1	143	141	150	146
2	152	149	137	143
3	134	136	132	127
4	129	127	132	129

Figure 1: Data table

- (a) Is there a difference in conductivity due to coating type? Motivate your answer with reference to the output below. Use $\alpha = 0.05$. (5 marks)

ANOVA for Selected Factorial Model						
Analysis of variance table [Partial sum of squares]						
Source	Sum of Squares	DF	Mean Square	F Value	Prob > F	
Model	844.69	3	281.56	14.30	0.0003	significant
<i>A</i>	<i>844.69</i>	<i>3</i>	<i>281.56</i>	<i>14.30</i>	<i>0.0003</i>	
Residual	236.25	12	19.69			
<i>Lack of Fit</i>	<i>0.000</i>	<i>0</i>				
<i>Pure Error</i>	<i>236.25</i>	<i>12</i>	<i>19.69</i>			
Cor Total	1080.94	15				

Figure 2: ANOVA Table

- (b) Estimate the overall mean and the treatment effects. (10 marks)
- (c) Compute a 95 percent interval estimate of the mean of coating type 4. Compute a 99 percent interval estimate of the mean difference between coating types 1 and 4. (5 marks)

4. Question

The response time in milliseconds was determined for three different types of circuits that could be used in an automatic valve shutoff mechanism. The results are shown in the following table.

Circuit Type			Response Time		
1	9	12	10	8	15
2	20	21	23	17	30
3	6	5	8	16	7

Figure 3: Table of values

- (a) Test H_0 , that the three circuit types have the same response time at $\alpha = 0.01$. (10 marks)
- (b) Use Tukey's test to compare pairs of treatment means, $\alpha = 0.01$. The following information may be useful in your computations. (10 marks)

Treatment Means (Adjusted, If Necessary)		
	Estimated Mean	Standard Error
1-1	10.80	1.84
2-2	22.20	1.84
3-3	8.40	1.84

Figure 4: Tables of means

Also,

$$S_{\bar{y}_j} = \sqrt{MSE/n} \sqrt{1690/5} = 1.8385 \text{ and } t_0 = 9.266$$

5. Question

Here we quote an experiment that had been designed as a Latin square. The skins of rabbits' backs were inoculated with a diffusing factor in six separate sites. Six rabbits were therefore used and the order in which the sites were inoculated was done six different ways. The outcome measured was area of blister (*cm*). The overall objective was to see whether or not the order of administration affected this outcome. The experimental design and data are represented in the Latin square below.

- (a) Discuss the two main advantages and two disadvantages of the Latin square design. (8 marks)
- (b) From the Latin square test presented below, discuss the research findings (Strictly stick to the objective of the research as stated) (7 marks)

Factors: Rabbit, Position, Order.

<u>Source of Variation</u>	<u>Sum Squares</u>	<u>DF</u>	<u>Mean Squa</u>
Rows	3.833333	5	0.766667
Columns	12.833333	5	2.566667
Treatments	0.563333	5	0.112667
Residual	13.13	20	0.6565
Total	30.36	35	

F (rows) = 1.167809, P = .3592

F (columns) = 3.909622, P = .0124

F (treatments) = 0.171617, P = .9701

Figure 5: General ANOVA for a RCBD

- (c) Discuss the concepts of a Latin Square design. (5 marks)

END

Table 5 Normal distribution – inverse cumulative distribution function

0.50	0.0000	0.60	0.2533	0.70	0.5244	0.80	0.8416	0.90	1.2816	0.99	2.3263
0.51	0.0251	0.61	0.2793	0.71	0.5534	0.81	0.8779	0.91	1.3408	0.991	2.3656
0.52	0.0502	0.62	0.3055	0.72	0.5828	0.82	0.9154	0.92	1.4051	0.992	2.4089
0.53	0.0753	0.63	0.3319	0.73	0.6128	0.83	0.9542	0.93	1.4758	0.993	2.4573
0.54	0.1004	0.64	0.3585	0.74	0.6433	0.84	0.9945	0.94	1.5548	0.994	2.5121
0.55	0.1257	0.65	0.3853	0.75	0.6745	0.85	1.0364	0.95	1.6449	0.995	2.5758
0.56	0.1510	0.66	0.4125	0.76	0.7063	0.86	1.0803	0.96	1.7507	0.996	2.6521
0.57	0.1764	0.67	0.4399	0.77	0.7388	0.87	1.1264	0.97	1.8808	0.997	2.7478
0.58	0.2019	0.68	0.4677	0.78	0.7722	0.88	1.1750	0.975	1.9600	0.998	2.8782
0.59	0.2275	0.69	0.4958	0.79	0.8064	0.89	1.2265	0.98	2.0537	0.999	3.0902

t Table

cum. prob	$t_{.50}$	$t_{.75}$	$t_{.80}$	$t_{.85}$	$t_{.90}$	$t_{.95}$	$t_{.975}$	$t_{.99}$	$t_{.995}$	$t_{.999}$	$t_{.9995}$
one-tail	0.50	0.25	0.20	0.15	0.10	0.05	0.025	0.01	0.005	0.001	0.0005
two-tails	1.00	0.50	0.40	0.30	0.20	0.10	0.05	0.02	0.01	0.002	0.001
df											
1	0.000	1.000	1.376	1.963	3.078	6.314	12.71	31.82	63.66	318.31	636.62
2	0.000	0.816	1.061	1.386	1.886	2.920	4.303	6.965	9.925	22.327	31.599
3	0.000	0.765	0.978	1.250	1.638	2.353	3.182	4.541	5.841	10.215	12.924
4	0.000	0.741	0.941	1.190	1.533	2.132	2.776	3.747	4.604	7.173	8.610
5	0.000	0.727	0.920	1.156	1.476	2.015	2.571	3.365	4.032	5.893	6.869
6	0.000	0.718	0.906	1.134	1.440	1.943	2.447	3.143	3.707	5.208	5.959
7	0.000	0.711	0.896	1.119	1.415	1.895	2.365	2.998	3.499	4.785	5.408
8	0.000	0.706	0.889	1.108	1.397	1.860	2.306	2.896	3.355	4.501	5.041
9	0.000	0.703	0.883	1.100	1.383	1.833	2.262	2.821	3.250	4.297	4.781
10	0.000	0.700	0.879	1.093	1.372	1.812	2.228	2.764	3.169	4.144	4.587
11	0.000	0.697	0.876	1.088	1.363	1.796	2.201	2.718	3.106	4.025	4.437
12	0.000	0.695	0.873	1.083	1.356	1.782	2.179	2.681	3.055	3.930	4.318
13	0.000	0.694	0.870	1.079	1.350	1.771	2.160	2.650	3.012	3.852	4.221
14	0.000	0.692	0.868	1.076	1.345	1.761	2.145	2.624	2.977	3.787	4.140
15	0.000	0.691	0.866	1.074	1.341	1.753	2.131	2.602	2.947	3.733	4.073
16	0.000	0.690	0.865	1.071	1.337	1.746	2.120	2.583	2.921	3.686	4.015
17	0.000	0.689	0.863	1.069	1.333	1.740	2.110	2.567	2.898	3.646	3.965
18	0.000	0.688	0.862	1.067	1.330	1.734	2.101	2.552	2.878	3.610	3.922
19	0.000	0.688	0.861	1.066	1.328	1.729	2.093	2.539	2.861	3.579	3.883
20	0.000	0.687	0.860	1.064	1.325	1.725	2.086	2.528	2.845	3.552	3.850
21	0.000	0.686	0.859	1.063	1.323	1.721	2.080	2.518	2.831	3.527	3.819
22	0.000	0.686	0.858	1.061	1.321	1.717	2.074	2.508	2.819	3.505	3.792
23	0.000	0.685	0.858	1.060	1.319	1.714	2.069	2.500	2.807	3.485	3.768
24	0.000	0.685	0.857	1.059	1.318	1.711	2.064	2.492	2.797	3.467	3.745
25	0.000	0.684	0.856	1.058	1.316	1.708	2.060	2.485	2.787	3.450	3.725
26	0.000	0.684	0.856	1.058	1.315	1.706	2.056	2.479	2.779	3.435	3.707
27	0.000	0.684	0.855	1.057	1.314	1.703	2.052	2.473	2.771	3.421	3.690
28	0.000	0.683	0.855	1.056	1.313	1.701	2.048	2.467	2.763	3.408	3.674
29	0.000	0.683	0.854	1.055	1.311	1.699	2.045	2.462	2.756	3.396	3.659
30	0.000	0.683	0.854	1.055	1.310	1.697	2.042	2.457	2.750	3.385	3.646
40	0.000	0.681	0.851	1.050	1.303	1.684	2.021	2.423	2.704	3.307	3.551
60	0.000	0.679	0.848	1.045	1.296	1.671	2.000	2.390	2.660	3.232	3.460
80	0.000	0.678	0.846	1.043	1.292	1.664	1.990	2.374	2.639	3.195	3.416
100	0.000	0.677	0.845	1.042	1.290	1.660	1.984	2.364	2.626	3.174	3.390
1000	0.000	0.675	0.842	1.037	1.282	1.646	1.962	2.330	2.581	3.098	3.300
Z	0.000	0.674	0.842	1.036	1.282	1.645	1.960	2.326	2.576	3.090	3.291
	0%	50%	60%	70%	80%	90%	95%	98%	99%	99.8%	99.9%
	Confidence Level										

Table entry for p is the critical value F^* with probability p lying to its right.




TABLE E

F critical values

		Degrees of freedom in the numerator									
p		1	2	3	4	5	6	7	8	9	
Degrees of freedom in the denominator	1	.100	39.86	49.50	53.59	55.83	57.24	58.20	58.91	59.44	59.86
		.050	161.45	199.50	215.71	224.58	230.16	233.99	236.77	238.88	240.54
		.025	647.79	799.50	864.16	899.58	921.85	937.11	948.22	956.66	963.28
		.010	4052.2	4999.5	5403.4	5624.6	5763.6	5859.0	5928.4	5981.1	6022.5
		.001	405284	500000	540379	562500	576405	585937	592873	598144	602284
	2	.100	8.53	9.00	9.16	9.24	9.29	9.33	9.35	9.37	9.38
		.050	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38
		.025	38.51	39.00	39.17	39.25	39.30	39.33	39.36	39.37	39.39
		.010	98.50	99.00	99.17	99.25	99.30	99.33	99.36	99.37	99.39
		.001	998.50	999.00	999.17	999.25	999.30	999.33	999.36	999.37	999.39
	3	.100	5.54	5.46	5.39	5.34	5.31	5.28	5.27	5.25	5.24
		.050	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81
		.025	17.44	16.04	15.44	15.10	14.88	14.73	14.62	14.54	14.47
		.010	34.12	30.82	29.46	28.71	28.24	27.91	27.67	27.49	27.35
		.001	167.03	148.50	141.11	137.10	134.58	132.85	131.58	130.62	129.86
	4	.100	4.54	4.32	4.19	4.11	4.05	4.01	3.98	3.95	3.94
		.050	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00
		.025	12.22	10.65	9.98	9.60	9.36	9.20	9.07	8.98	8.90
		.010	21.20	18.00	16.69	15.98	15.52	15.21	14.98	14.80	14.66
		.001	74.14	61.25	56.18	53.44	51.71	50.53	49.66	49.00	48.47
5	.100	4.06	3.78	3.62	3.52	3.45	3.40	3.37	3.34	3.32	
	.050	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	
	.025	10.01	8.43	7.76	7.39	7.15	6.98	6.85	6.76	6.68	
	.010	16.26	13.27	12.06	11.39	10.97	10.67	10.46	10.29	10.16	
	.001	47.18	37.12	33.20	31.09	29.75	28.83	28.16	27.65	27.24	
6	.100	3.78	3.46	3.29	3.18	3.11	3.05	3.01	2.98	2.96	
	.050	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	
	.025	8.81	7.26	6.60	6.23	5.99	5.82	5.70	5.60	5.52	
	.010	13.75	10.92	9.78	9.15	8.75	8.47	8.26	8.10	7.98	
	.001	35.51	27.00	23.70	21.92	20.80	20.03	19.46	19.03	18.69	
7	.100	3.59	3.26	3.07	2.96	2.88	2.83	2.78	2.75	2.72	
	.050	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	
	.025	8.07	6.54	5.89	5.52	5.29	5.12	4.99	4.90	4.82	
	.010	12.25	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72	
	.001	29.25	21.69	18.77	17.20	16.21	15.52	15.02	14.63	14.33	

Table entry for p is the critical value F^* with probability p lying to its right.




TABLE E

F critical values (continued)

Degrees of freedom in the numerator										
10	12	15	20	25	30	40	50	60	120	1000
60.19	60.71	61.22	61.74	62.05	62.26	62.53	62.69	62.79	63.06	63.30
241.88	243.91	245.95	248.01	249.26	250.10	251.14	251.77	252.20	253.25	254.19
968.63	976.71	984.87	993.10	998.08	1001.4	1005.6	1008.1	1009.8	1014.0	1017.7
6055.8	6106.3	6157.3	6208.7	6239.8	6260.6	6286.8	6302.5	6313.0	6339.4	6362.7
605621	610668	615764	620908	624017	626099	628712	630285	631337	633972	636301
9.39	9.41	9.42	9.44	9.45	9.46	9.47	9.47	9.47	9.48	9.49
19.40	19.41	19.43	19.45	19.46	19.46	19.47	19.48	19.48	19.49	19.49
39.40	39.41	39.43	39.45	39.46	39.46	39.47	39.48	39.48	39.49	39.50
99.40	99.42	99.43	99.45	99.46	99.47	99.47	99.48	99.48	99.49	99.50
999.40	999.42	999.43	999.45	999.46	999.47	999.47	999.48	999.48	999.49	999.50
5.23	5.22	5.20	5.18	5.17	5.17	5.16	5.15	5.15	5.14	5.13
8.79	8.74	8.70	8.66	8.63	8.62	8.59	8.58	8.57	8.55	8.53
14.42	14.34	14.25	14.17	14.12	14.08	14.04	14.01	13.99	13.95	13.91
27.23	27.05	26.87	26.69	26.58	26.50	26.41	26.35	26.32	26.22	26.14
129.25	128.32	127.37	126.42	125.84	125.45	124.96	124.66	124.47	123.97	123.53
3.92	3.90	3.87	3.84	3.83	3.82	3.80	3.80	3.79	3.78	3.76
5.96	5.91	5.86	5.80	5.77	5.75	5.72	5.70	5.69	5.66	5.63
8.84	8.75	8.66	8.56	8.50	8.46	8.41	8.38	8.36	8.31	8.26
14.55	14.37	14.20	14.02	13.91	13.84	13.75	13.69	13.65	13.56	13.47
48.05	47.41	46.76	46.10	45.70	45.43	45.09	44.88	44.75	44.40	44.09
3.30	3.27	3.24	3.21	3.19	3.17	3.16	3.15	3.14	3.12	3.11
4.74	4.68	4.62	4.56	4.52	4.50	4.46	4.44	4.43	4.40	4.37
6.62	6.52	6.43	6.33	6.27	6.23	6.18	6.14	6.12	6.07	6.02
10.05	9.89	9.72	9.55	9.45	9.38	9.29	9.24	9.20	9.11	9.03
26.92	26.42	25.91	25.39	25.08	24.87	24.60	24.44	24.33	24.06	23.82
2.94	2.90	2.87	2.84	2.81	2.80	2.78	2.77	2.76	2.74	2.72
4.06	4.00	3.94	3.87	3.83	3.81	3.77	3.75	3.74	3.70	3.67
5.46	5.37	5.27	5.17	5.11	5.07	5.01	4.98	4.96	4.90	4.86
7.87	7.72	7.56	7.40	7.30	7.23	7.14	7.09	7.06	6.97	6.89
18.41	17.99	17.56	17.12	16.85	16.67	16.44	16.31	16.21	15.98	15.77
2.70	2.67	2.63	2.59	2.57	2.56	2.54	2.52	2.51	2.49	2.47
3.64	3.57	3.51	3.44	3.40	3.38	3.34	3.32	3.30	3.27	3.23
4.76	4.67	4.57	4.47	4.40	4.36	4.31	4.28	4.25	4.20	4.15
6.62	6.47	6.31	6.16	6.06	5.99	5.91	5.86	5.82	5.74	5.66
14.08	13.71	13.32	12.93	12.69	12.53	12.33	12.20	12.12	11.91	11.72

(Continued)

TABLE E

F critical values (continued)

		Degrees of freedom in the numerator										
<i>p</i>		1	2	3	4	5	6	7	8	9		
Degrees of freedom in the denominator	8	.100	3.46	3.11	2.92	2.81	2.73	2.67	2.62	2.59	2.56	
		.050	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	
		.025	7.57	6.06	5.42	5.05	4.82	4.65	4.53	4.43	4.36	
		.010	11.26	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91	
		.001	25.41	18.49	15.83	14.39	13.48	12.86	12.40	12.05	11.77	
		9	.100	3.36	3.01	2.81	2.69	2.61	2.55	2.51	2.47	2.44
			.050	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18
			.025	7.21	5.71	5.08	4.72	4.48	4.32	4.20	4.10	4.03
			.010	10.56	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35
			.001	22.86	16.39	13.90	12.56	11.71	11.13	10.70	10.37	10.11
		10	.100	3.29	2.92	2.73	2.61	2.52	2.46	2.41	2.38	2.35
			.050	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02
			.025	6.94	5.46	4.83	4.47	4.24	4.07	3.95	3.85	3.78
			.010	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94
			.001	21.04	14.91	12.55	11.28	10.48	9.93	9.52	9.20	8.96
		11	.100	3.23	2.86	2.66	2.54	2.45	2.39	2.34	2.30	2.27
			.050	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90
			.025	6.72	5.26	4.63	4.28	4.04	3.88	3.76	3.66	3.59
			.010	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63
			.001	19.69	13.81	11.56	10.35	9.58	9.05	8.66	8.35	8.12
	12	.100	3.18	2.81	2.61	2.48	2.39	2.33	2.28	2.24	2.21	
		.050	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	
		.025	6.55	5.10	4.47	4.12	3.89	3.73	3.61	3.51	3.44	
		.010	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39	
		.001	18.64	12.97	10.80	9.63	8.89	8.38	8.00	7.71	7.48	
	13	.100	3.14	2.76	2.56	2.43	2.35	2.28	2.23	2.20	2.16	
		.050	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	
		.025	6.41	4.97	4.35	4.00	3.77	3.60	3.48	3.39	3.31	
		.010	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19	
		.001	17.82	12.31	10.21	9.07	8.35	7.86	7.49	7.21	6.98	
	14	.100	3.10	2.73	2.52	2.39	2.31	2.24	2.19	2.15	2.12	
		.050	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	
		.025	6.30	4.86	4.24	3.89	3.66	3.50	3.38	3.29	3.21	
		.010	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03	
		.001	17.14	11.78	9.73	8.62	7.92	7.44	7.08	6.80	6.58	
	15	.100	3.07	2.70	2.49	2.36	2.27	2.21	2.16	2.12	2.09	
		.050	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	
		.025	6.20	4.77	4.15	3.80	3.58	3.41	3.29	3.20	3.12	
		.010	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89	
		.001	16.59	11.34	9.34	8.25	7.57	7.09	6.74	6.47	6.26	
	16	.100	3.05	2.67	2.46	2.33	2.24	2.18	2.13	2.09	2.06	
		.050	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	
		.025	6.12	4.69	4.08	3.73	3.50	3.34	3.22	3.12	3.05	
		.010	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78	
		.001	16.12	10.97	9.01	7.94	7.27	6.80	6.46	6.19	5.98	
	17	.100	3.03	2.64	2.44	2.31	2.22	2.15	2.10	2.06	2.03	
		.050	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	
		.025	6.04	4.62	4.01	3.66	3.44	3.28	3.16	3.06	2.98	
		.010	8.40	6.11	5.19	4.67	4.34	4.10	3.93	3.79	3.68	
		.001	15.72	10.66	8.73	7.68	7.02	6.56	6.22	5.96	5.75	

TABLE E*F* critical values (continued)

Degrees of freedom in the numerator										
10	12	15	20	25	30	40	50	60	120	1000
2.54	2.50	2.46	2.42	2.40	2.38	2.36	2.35	2.34	2.32	2.30
3.35	3.28	3.22	3.15	3.11	3.08	3.04	3.02	3.01	2.97	2.93
4.30	4.20	4.10	4.00	3.94	3.89	3.84	3.81	3.78	3.73	3.68
5.81	5.67	5.52	5.36	5.26	5.20	5.12	5.07	5.03	4.95	4.87
11.54	11.19	10.84	10.48	10.26	10.11	9.92	9.80	9.73	9.53	9.36
2.42	2.38	2.34	2.30	2.27	2.25	2.23	2.22	2.21	2.18	2.16
3.14	3.07	3.01	2.94	2.89	2.86	2.83	2.80	2.79	2.75	2.71
3.96	3.87	3.77	3.67	3.60	3.56	3.51	3.47	3.45	3.39	3.34
5.26	5.11	4.96	4.81	4.71	4.65	4.57	4.52	4.48	4.40	4.32
9.89	9.57	9.24	8.90	8.69	8.55	8.37	8.26	8.19	8.00	7.84
2.32	2.28	2.24	2.20	2.17	2.16	2.13	2.12	2.11	2.08	2.06
2.98	2.91	2.85	2.77	2.73	2.70	2.66	2.64	2.62	2.58	2.54
3.72	3.62	3.52	3.42	3.35	3.31	3.26	3.22	3.20	3.14	3.09
4.85	4.71	4.56	4.41	4.31	4.25	4.17	4.12	4.08	4.00	3.92
8.75	8.45	8.13	7.80	7.60	7.47	7.30	7.19	7.12	6.94	6.78
2.25	2.21	2.17	2.12	2.10	2.08	2.05	2.04	2.03	2.00	1.98
2.85	2.79	2.72	2.65	2.60	2.57	2.53	2.51	2.49	2.45	2.41
3.53	3.43	3.33	3.23	3.16	3.12	3.06	3.03	3.00	2.94	2.89
4.54	4.40	4.25	4.10	4.01	3.94	3.86	3.81	3.78	3.69	3.61
7.92	7.63	7.32	7.01	6.81	6.68	6.52	6.42	6.35	6.18	6.02
2.19	2.15	2.10	2.06	2.03	2.01	1.99	1.97	1.96	1.93	1.91
2.75	2.69	2.62	2.54	2.50	2.47	2.43	2.40	2.38	2.34	2.30
3.37	3.28	3.18	3.07	3.01	2.96	2.91	2.87	2.85	2.79	2.73
4.30	4.16	4.01	3.86	3.76	3.70	3.62	3.57	3.54	3.45	3.37
7.29	7.00	6.71	6.40	6.22	6.09	5.93	5.83	5.76	5.59	5.44
2.14	2.10	2.05	2.01	1.98	1.96	1.93	1.92	1.90	1.88	1.85
2.67	2.60	2.53	2.46	2.41	2.38	2.34	2.31	2.30	2.25	2.21
3.25	3.15	3.05	2.95	2.88	2.84	2.78	2.74	2.72	2.66	2.60
4.10	3.96	3.82	3.66	3.57	3.51	3.43	3.38	3.34	3.25	3.18
6.80	6.52	6.23	5.93	5.75	5.63	5.47	5.37	5.30	5.14	4.99
2.10	2.05	2.01	1.96	1.93	1.91	1.89	1.87	1.86	1.83	1.80
2.60	2.53	2.46	2.39	2.34	2.31	2.27	2.24	2.22	2.18	2.14
3.15	3.05	2.95	2.84	2.78	2.73	2.67	2.64	2.61	2.55	2.50
3.94	3.80	3.66	3.51	3.41	3.35	3.27	3.22	3.18	3.09	3.02
6.40	6.13	5.85	5.56	5.38	5.25	5.10	5.00	4.94	4.77	4.62
2.06	2.02	1.97	1.92	1.89	1.87	1.85	1.83	1.82	1.79	1.76
2.54	2.48	2.40	2.33	2.28	2.25	2.20	2.18	2.16	2.11	2.07
3.06	2.96	2.86	2.76	2.69	2.64	2.59	2.55	2.52	2.46	2.40
3.80	3.67	3.52	3.37	3.28	3.21	3.13	3.08	3.05	2.96	2.88
6.08	5.81	5.54	5.25	5.07	4.95	4.80	4.70	4.64	4.47	4.33
2.03	1.99	1.94	1.89	1.86	1.84	1.81	1.79	1.78	1.75	1.72
2.49	2.42	2.35	2.28	2.23	2.19	2.15	2.12	2.11	2.06	2.02
2.99	2.89	2.79	2.68	2.61	2.57	2.51	2.47	2.45	2.38	2.32
3.69	3.55	3.41	3.26	3.16	3.10	3.02	2.97	2.93	2.84	2.76
5.81	5.55	5.27	4.99	4.82	4.70	4.54	4.45	4.39	4.23	4.08
2.00	1.96	1.91	1.86	1.83	1.81	1.78	1.76	1.75	1.72	1.69
2.45	2.38	2.31	2.23	2.18	2.15	2.10	2.08	2.06	2.01	1.97
2.92	2.82	2.72	2.62	2.55	2.50	2.44	2.41	2.38	2.32	2.26
3.59	3.46	3.31	3.16	3.07	3.00	2.92	2.87	2.83	2.75	2.66
5.58	5.32	5.05	4.78	4.60	4.48	4.33	4.24	4.18	4.02	3.87

(Continued)

TABLE E

F critical values (continued)

		Degrees of freedom in the numerator										
<i>p</i>		1	2	3	4	5	6	7	8	9		
Degrees of freedom in the denominator	18	.100	3.01	2.62	2.42	2.29	2.20	2.13	2.08	2.04	2.00	
		.050	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	
		.025	5.98	4.56	3.95	3.61	3.38	3.22	3.10	3.01	2.93	
		.010	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60	
		.001	15.38	10.39	8.49	7.46	6.81	6.35	6.02	5.76	5.56	
		19	.100	2.99	2.61	2.40	2.27	2.18	2.11	2.06	2.02	1.98
			.050	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42
			.025	5.92	4.51	3.90	3.56	3.33	3.17	3.05	2.96	2.88
			.010	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52
			.001	15.08	10.16	8.28	7.27	6.62	6.18	5.85	5.59	5.39
		20	.100	2.97	2.59	2.38	2.25	2.16	2.09	2.04	2.00	1.96
			.050	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39
			.025	5.87	4.46	3.86	3.51	3.29	3.13	3.01	2.91	2.84
			.010	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46
			.001	14.82	9.95	8.10	7.10	6.46	6.02	5.69	5.44	5.24
		21	.100	2.96	2.57	2.36	2.23	2.14	2.08	2.02	1.98	1.95
			.050	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37
			.025	5.83	4.42	3.82	3.48	3.25	3.09	2.97	2.87	2.80
			.010	8.02	5.78	4.87	4.37	4.04	3.81	3.64	3.51	3.40
			.001	14.59	9.77	7.94	6.95	6.32	5.88	5.56	5.31	5.11
	22	.100	2.95	2.56	2.35	2.22	2.13	2.06	2.01	1.97	1.93	
		.050	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	
		.025	5.79	4.38	3.78	3.44	3.22	3.05	2.93	2.84	2.76	
		.010	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35	
		.001	14.38	9.61	7.80	6.81	6.19	5.76	5.44	5.19	4.99	
	23	.100	2.94	2.55	2.34	2.21	2.11	2.05	1.99	1.95	1.92	
		.050	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	
		.025	5.75	4.35	3.75	3.41	3.18	3.02	2.90	2.81	2.73	
		.010	7.88	5.66	4.76	4.26	3.94	3.71	3.54	3.41	3.30	
		.001	14.20	9.47	7.67	6.70	6.08	5.65	5.33	5.09	4.89	
	24	.100	2.93	2.54	2.33	2.19	2.10	2.04	1.98	1.94	1.91	
		.050	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	
		.025	5.72	4.32	3.72	3.38	3.15	2.99	2.87	2.78	2.70	
		.010	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26	
		.001	14.03	9.34	7.55	6.59	5.98	5.55	5.23	4.99	4.80	
	25	.100	2.92	2.53	2.32	2.18	2.09	2.02	1.97	1.93	1.89	
		.050	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	
		.025	5.69	4.29	3.69	3.35	3.13	2.97	2.85	2.75	2.68	
		.010	7.77	5.57	4.68	4.18	3.85	3.63	3.46	3.32	3.22	
		.001	13.88	9.22	7.45	6.49	5.89	5.46	5.15	4.91	4.71	
	26	.100	2.91	2.52	2.31	2.17	2.08	2.01	1.96	1.92	1.88	
		.050	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	
		.025	5.66	4.27	3.67	3.33	3.10	2.94	2.82	2.73	2.65	
		.010	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.18	
		.001	13.74	9.12	7.36	6.41	5.80	5.38	5.07	4.83	4.64	
	27	.100	2.90	2.51	2.30	2.17	2.07	2.00	1.95	1.91	1.87	
		.050	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	
		.025	5.63	4.24	3.65	3.31	3.08	2.92	2.80	2.71	2.63	
		.010	7.68	5.49	4.60	4.11	3.78	3.56	3.39	3.26	3.15	
		.001	13.61	9.02	7.27	6.33	5.73	5.31	5.00	4.76	4.57	

TABLE E*F* critical values (continued)

Degrees of freedom in the numerator										
10	12	15	20	25	30	40	50	60	120	1000
1.98	1.93	1.89	1.84	1.80	1.78	1.75	1.74	1.72	1.69	1.66
2.41	2.34	2.27	2.19	2.14	2.11	2.06	2.04	2.02	1.97	1.92
2.87	2.77	2.67	2.56	2.49	2.44	2.38	2.35	2.32	2.26	2.20
3.51	3.37	3.23	3.08	2.98	2.92	2.84	2.78	2.75	2.66	2.58
5.39	5.13	4.87	4.59	4.42	4.30	4.15	4.06	4.00	3.84	3.69
1.96	1.91	1.86	1.81	1.78	1.76	1.73	1.71	1.70	1.67	1.64
2.38	2.31	2.23	2.16	2.11	2.07	2.03	2.00	1.98	1.93	1.88
2.82	2.72	2.62	2.51	2.44	2.39	2.33	2.30	2.27	2.20	2.14
3.43	3.30	3.15	3.00	2.91	2.84	2.76	2.71	2.67	2.58	2.50
5.22	4.97	4.70	4.43	4.26	4.14	3.99	3.90	3.84	3.68	3.53
1.94	1.89	1.84	1.79	1.76	1.74	1.71	1.69	1.68	1.64	1.61
2.35	2.28	2.20	2.12	2.07	2.04	1.99	1.97	1.95	1.90	1.85
2.77	2.68	2.57	2.46	2.40	2.35	2.29	2.25	2.22	2.16	2.09
3.37	3.23	3.09	2.94	2.84	2.78	2.69	2.64	2.61	2.52	2.43
5.08	4.82	4.56	4.29	4.12	4.00	3.86	3.77	3.70	3.54	3.40
1.92	1.87	1.83	1.78	1.74	1.72	1.69	1.67	1.66	1.62	1.59
2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.94	1.92	1.87	1.82
2.73	2.64	2.53	2.42	2.36	2.31	2.25	2.21	2.18	2.11	2.05
3.31	3.17	3.03	2.88	2.79	2.72	2.64	2.58	2.55	2.46	2.37
4.95	4.70	4.44	4.17	4.00	3.88	3.74	3.64	3.58	3.42	3.28
1.90	1.86	1.81	1.76	1.73	1.70	1.67	1.65	1.64	1.60	1.57
2.30	2.23	2.15	2.07	2.02	1.98	1.94	1.91	1.89	1.84	1.79
2.70	2.60	2.50	2.39	2.32	2.27	2.21	2.17	2.14	2.08	2.01
3.26	3.12	2.98	2.83	2.73	2.67	2.58	2.53	2.50	2.40	2.32
4.83	4.58	4.33	4.06	3.89	3.78	3.63	3.54	3.48	3.32	3.17
1.89	1.84	1.80	1.74	1.71	1.69	1.66	1.64	1.62	1.59	1.55
2.27	2.20	2.13	2.05	2.00	1.96	1.91	1.88	1.86	1.81	1.76
2.67	2.57	2.47	2.36	2.29	2.24	2.18	2.14	2.11	2.04	1.98
3.21	3.07	2.93	2.78	2.69	2.62	2.54	2.48	2.45	2.35	2.27
4.73	4.48	4.23	3.96	3.79	3.68	3.53	3.44	3.38	3.22	3.08
1.88	1.83	1.78	1.73	1.70	1.67	1.64	1.62	1.61	1.57	1.54
2.25	2.18	2.11	2.03	1.97	1.94	1.89	1.86	1.84	1.79	1.74
2.64	2.54	2.44	2.33	2.26	2.21	2.15	2.11	2.08	2.01	1.94
3.17	3.03	2.89	2.74	2.64	2.58	2.49	2.44	2.40	2.31	2.22
4.64	4.39	4.14	3.87	3.71	3.59	3.45	3.36	3.29	3.14	2.99
1.87	1.82	1.77	1.72	1.68	1.66	1.63	1.61	1.59	1.56	1.52
2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.84	1.82	1.77	1.72
2.61	2.51	2.41	2.30	2.23	2.18	2.12	2.08	2.05	1.98	1.91
3.13	2.99	2.85	2.70	2.60	2.54	2.45	2.40	2.36	2.27	2.18
4.56	4.31	4.06	3.79	3.63	3.52	3.37	3.28	3.22	3.06	2.91
1.86	1.81	1.76	1.71	1.67	1.65	1.61	1.59	1.58	1.54	1.51
2.22	2.15	2.07	1.99	1.94	1.90	1.85	1.82	1.80	1.75	1.70
2.59	2.49	2.39	2.28	2.21	2.16	2.09	2.05	2.03	1.95	1.89
3.09	2.96	2.81	2.66	2.57	2.50	2.42	2.36	2.33	2.23	2.14
4.48	4.24	3.99	3.72	3.56	3.44	3.30	3.21	3.15	2.99	2.84
1.85	1.80	1.75	1.70	1.66	1.64	1.60	1.58	1.57	1.53	1.50
2.20	2.13	2.06	1.97	1.92	1.88	1.84	1.81	1.79	1.73	1.68
2.57	2.47	2.36	2.25	2.18	2.13	2.07	2.03	2.00	1.93	1.86
3.06	2.93	2.78	2.63	2.54	2.47	2.38	2.33	2.29	2.20	2.11
4.41	4.17	3.92	3.66	3.49	3.38	3.23	3.14	3.08	2.92	2.78

(Continued)

TABLE E

F critical values (continued)

		Degrees of freedom in the numerator									
		1	2	3	4	5	6	7	8	9	
Degrees of freedom in the denominator	<i>p</i>										
	28	.100	2.89	2.50	2.29	2.16	2.06	2.00	1.94	1.90	1.87
		.050	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24
		.025	5.61	4.22	3.63	3.29	3.06	2.90	2.78	2.69	2.61
		.010	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.12
		.001	13.50	8.93	7.19	6.25	5.66	5.24	4.93	4.69	4.50
	29	.100	2.89	2.50	2.28	2.15	2.06	1.99	1.93	1.89	1.86
		.050	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22
		.025	5.59	4.20	3.61	3.27	3.04	2.88	2.76	2.67	2.59
		.010	7.60	5.42	4.54	4.04	3.73	3.50	3.33	3.20	3.09
		.001	13.39	8.85	7.12	6.19	5.59	5.18	4.87	4.64	4.45
	30	.100	2.88	2.49	2.28	2.14	2.05	1.98	1.93	1.88	1.85
		.050	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21
		.025	5.57	4.18	3.59	3.25	3.03	2.87	2.75	2.65	2.57
		.010	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07
		.001	13.29	8.77	7.05	6.12	5.53	5.12	4.82	4.58	4.39
	40	.100	2.84	2.44	2.23	2.09	2.00	1.93	1.87	1.83	1.79
		.050	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12
		.025	5.42	4.05	3.46	3.13	2.90	2.74	2.62	2.53	2.45
		.010	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.89
.001		12.61	8.25	6.59	5.70	5.13	4.73	4.44	4.21	4.02	
50	.100	2.81	2.41	2.20	2.06	1.97	1.90	1.84	1.80	1.76	
	.050	4.03	3.18	2.79	2.56	2.40	2.29	2.20	2.13	2.07	
	.025	5.34	3.97	3.39	3.05	2.83	2.67	2.55	2.46	2.38	
	.010	7.17	5.06	4.20	3.72	3.41	3.19	3.02	2.89	2.78	
	.001	12.22	7.96	6.34	5.46	4.90	4.51	4.22	4.00	3.82	
60	.100	2.79	2.39	2.18	2.04	1.95	1.87	1.82	1.77	1.74	
	.050	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	
	.025	5.29	3.93	3.34	3.01	2.79	2.63	2.51	2.41	2.33	
	.010	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72	
	.001	11.97	7.77	6.17	5.31	4.76	4.37	4.09	3.86	3.69	
100	.100	2.76	2.36	2.14	2.00	1.91	1.83	1.78	1.73	1.69	
	.050	3.94	3.09	2.70	2.46	2.31	2.19	2.10	2.03	1.97	
	.025	5.18	3.83	3.25	2.92	2.70	2.54	2.42	2.32	2.24	
	.010	6.90	4.82	3.98	3.51	3.21	2.99	2.82	2.69	2.59	
	.001	11.50	7.41	5.86	5.02	4.48	4.11	3.83	3.61	3.44	
200	.100	2.73	2.33	2.11	1.97	1.88	1.80	1.75	1.70	1.66	
	.050	3.89	3.04	2.65	2.42	2.26	2.14	2.06	1.98	1.93	
	.025	5.10	3.76	3.18	2.85	2.63	2.47	2.35	2.26	2.18	
	.010	6.76	4.71	3.88	3.41	3.11	2.89	2.73	2.60	2.50	
	.001	11.15	7.15	5.63	4.81	4.29	3.92	3.65	3.43	3.26	
1000	.100	2.71	2.31	2.09	1.95	1.85	1.78	1.72	1.68	1.64	
	.050	3.85	3.00	2.61	2.38	2.22	2.11	2.02	1.95	1.89	
	.025	5.04	3.70	3.13	2.80	2.58	2.42	2.30	2.20	2.13	
	.010	6.66	4.63	3.80	3.34	3.04	2.82	2.66	2.53	2.43	
	.001	10.89	6.96	5.46	4.65	4.14	3.78	3.51	3.30	3.13	

TABLE E*F* critical values (continued)

Degrees of freedom in the numerator										
10	12	15	20	25	30	40	50	60	120	1000
1.84	1.79	1.74	1.69	1.65	1.63	1.59	1.57	1.56	1.52	1.48
2.19	2.12	2.04	1.96	1.91	1.87	1.82	1.79	1.77	1.71	1.66
2.55	2.45	2.34	2.23	2.16	2.11	2.05	2.01	1.98	1.91	1.84
3.03	2.90	2.75	2.60	2.51	2.44	2.35	2.30	2.26	2.17	2.08
4.35	4.11	3.86	3.60	3.43	3.32	3.18	3.09	3.02	2.86	2.72
1.83	1.78	1.73	1.68	1.64	1.62	1.58	1.56	1.55	1.51	1.47
2.18	2.10	2.03	1.94	1.89	1.85	1.81	1.77	1.75	1.70	1.65
2.53	2.43	2.32	2.21	2.14	2.09	2.03	1.99	1.96	1.89	1.82
3.00	2.87	2.73	2.57	2.48	2.41	2.33	2.27	2.23	2.14	2.05
4.29	4.05	3.80	3.54	3.38	3.27	3.12	3.03	2.97	2.81	2.66
1.82	1.77	1.72	1.67	1.63	1.61	1.57	1.55	1.54	1.50	1.46
2.16	2.09	2.01	1.93	1.88	1.84	1.79	1.76	1.74	1.68	1.63
2.51	2.41	2.31	2.20	2.12	2.07	2.01	1.97	1.94	1.87	1.80
2.98	2.84	2.70	2.55	2.45	2.39	2.30	2.25	2.21	2.11	2.02
4.24	4.00	3.75	3.49	3.33	3.22	3.07	2.98	2.92	2.76	2.61
1.76	1.71	1.66	1.61	1.57	1.54	1.51	1.48	1.47	1.42	1.38
2.08	2.00	1.92	1.84	1.78	1.74	1.69	1.66	1.64	1.58	1.52
2.39	2.29	2.18	2.07	1.99	1.94	1.88	1.83	1.80	1.72	1.65
2.80	2.66	2.52	2.37	2.27	2.20	2.11	2.06	2.02	1.92	1.82
3.87	3.64	3.40	3.14	2.98	2.87	2.73	2.64	2.57	2.41	2.25
1.73	1.68	1.63	1.57	1.53	1.50	1.46	1.44	1.42	1.38	1.33
2.03	1.95	1.87	1.78	1.73	1.69	1.63	1.60	1.58	1.51	1.45
2.32	2.22	2.11	1.99	1.92	1.87	1.80	1.75	1.72	1.64	1.56
2.70	2.56	2.42	2.27	2.17	2.10	2.01	1.95	1.91	1.80	1.70
3.67	3.44	3.20	2.95	2.79	2.68	2.53	2.44	2.38	2.21	2.05
1.71	1.66	1.60	1.54	1.50	1.48	1.44	1.41	1.40	1.35	1.30
1.99	1.92	1.84	1.75	1.69	1.65	1.59	1.56	1.53	1.47	1.40
2.27	2.17	2.06	1.94	1.87	1.82	1.74	1.70	1.67	1.58	1.49
2.63	2.50	2.35	2.20	2.10	2.03	1.94	1.88	1.84	1.73	1.62
3.54	3.32	3.08	2.83	2.67	2.55	2.41	2.32	2.25	2.08	1.92
1.66	1.61	1.56	1.49	1.45	1.42	1.38	1.35	1.34	1.28	1.22
1.93	1.85	1.77	1.68	1.62	1.57	1.52	1.48	1.45	1.38	1.30
2.18	2.08	1.97	1.85	1.77	1.71	1.64	1.59	1.56	1.46	1.36
2.50	2.37	2.22	2.07	1.97	1.89	1.80	1.74	1.69	1.57	1.45
3.30	3.07	2.84	2.59	2.43	2.32	2.17	2.08	2.01	1.83	1.64
1.63	1.58	1.52	1.46	1.41	1.38	1.34	1.31	1.29	1.23	1.16
1.88	1.80	1.72	1.62	1.56	1.52	1.46	1.41	1.39	1.30	1.21
2.11	2.01	1.90	1.78	1.70	1.64	1.56	1.51	1.47	1.37	1.25
2.41	2.27	2.13	1.97	1.87	1.79	1.69	1.63	1.58	1.45	1.30
3.12	2.90	2.67	2.42	2.26	2.15	2.00	1.90	1.83	1.64	1.43
1.61	1.55	1.49	1.43	1.38	1.35	1.30	1.27	1.25	1.18	1.08
1.84	1.76	1.68	1.58	1.52	1.47	1.41	1.36	1.33	1.24	1.11
2.06	1.96	1.85	1.72	1.64	1.58	1.50	1.45	1.41	1.29	1.13
2.34	2.20	2.06	1.90	1.79	1.72	1.61	1.54	1.50	1.35	1.16
2.99	2.77	2.54	2.30	2.14	2.02	1.87	1.77	1.69	1.49	1.22

B.E. Obabueki

2019 -10- 18