



**PAMIBIA UNIVERSITY
OF SCIENCE AND TECHNOLOGY**

FACULTY OF HEALTH AND APPLIED SCIENCES

DEPARTMENT OF HEALTH SCIENCES

QUALIFICATIONS: BACHELOR OF ENVIRONMENTAL HEALTH SCIENCES BACHELOR OF HEALTH INFORMATION SYSTEMS MANAGEMENT	
QUALIFICATION CODE: 08BEHS/07BHIS	LEVEL: 7
COURSE CODE: EPD711S	COURSE NAME: EPIDEMIOLOGY 3
SESSION: JULY 2019	PAPER: THEORY
DURATION: 3 HOURS	MARKS: 100

SUPPLEMENTARY / SECOND OPPORTUNITY EXAMINATION QUESTION PAPER	
EXAMINER(S)	DR LARAI AKU-AKAI
MODERATOR:	MS ROSWITHA MAHALIE

INSTRUCTIONS
<ol style="list-style-type: none">1. Answer ALL the questions.2. Write clearly and neatly.3. Number the answers clearly.

PERMISSIBLE MATERIALS

1. Non-programmable calculator
2. Statistical tables (attached)

THIS QUESTION PAPER CONSISTS OF 2 PAGES (Excluding this front page)

QUESTION 1 (20 marks)

Explain the following terms used in health research:

- 1.1 Bias (2)
- 1.2 Informed consent (2)
- 1.3 Nominal scale variable (2)
- 1.4 Research (2)
- 1.5 Proxy (2)
- 1.6 Confounding (2)
- 1.7 Intervention (2)
- 1.8 Sampling frame (2)
- 1.9 Null hypothesis (2)
- 1.10 Type I error (2)

QUESTION 2 (15 marks)

Identify the study designs described below and motivate your answer with explanations based on the characteristics of the studies.

- 2.1 An unusual skin reaction that had never been observed has been reported in a particular child after use of a newly introduced multivitamin in a certain school. Researchers decide to study this unusual disorder. (3)
- 2.2 Researchers want to determine the magnitude of certain diseases and risk factors in an urban population. A sample of the population is selected and investigated. They determined that hypertension was one of the diseases with high prevalence. It was found to be most common among those who consumed high amounts of red meat. (3)
- 2.3 Researchers suspect that there might be a link between smoking and emphysema. They decide to follow up people who have been smoking for years and compare them with people who have not smoked. After 20 years, they checked among both groups if they had developed emphysema. (3)
- 2.4 Prevalence of HIV shows a variable pattern across urban and rural Namibia and researchers decide to compare the occurrence of HIV in these two areas. (3)
- 2.5 Researchers decide to study the prevalence of TB in the same population for 10 years so they can describe the trend of the disease and evaluate intervention efforts for the disease. (3)

QUESTION 3 (15 marks)

Data from a study on contraceptive use and breast cancer is shown below. People in the study group had breast cancer, while those without breast cancer were used for comparison. The study participants were asked if they had used contraceptives in the past. Among the 375 people who had breast cancer, 181 had used contraceptives, while 109 of the 458 without breast cancer had used contraceptives.

- 3.1 Name the study type and correctly complete a 2 x 2 table for this study. (5)
- 3.2 Analyse and interpret the findings of the study. (10)

QUESTION 4 (15 marks)

- 4.1 Data from a survey of university graduates assessed how frequently they exercised. The survey was completed by 470 graduates. The researchers wish to assess whether there is a relationship between exercise on campus and students' living arrangements. Graduates were asked where they lived their senior year. The data is shown below. Analyse the results of this study using the appropriate test. (10)

Students' living arrangements	No Regular Exercise	Sporadic Exercise	Regular Exercise	Total
On-Campus Apartment	106	94	70	270
Off-Campus Apartment	149	31	20	200
Total	255	125	90	470

- 4.2 Explain any one of the probability sampling methods. (5)

QUESTION 5 (35 marks)

- 5.1 Discuss randomized control study design in detail, citing its characteristics and how it is conducted. (10)
-
- 5.2 Outline the characteristics of the t-distribution. (5)
- 5.3 Describe the importance of ethics in research and mention some of the measures to be put in place to ensure that research is ethical. (10)
- 5.4 Briefly discuss two (2) types of data collection methods. (10)

Good luck!!!

t Table

cum. prob	$t_{.50}$	$t_{.75}$	$t_{.80}$	$t_{.85}$	$t_{.90}$	$t_{.95}$	$t_{.975}$	$t_{.99}$	$t_{.995}$	$t_{.999}$	$t_{.9995}$
one-tail	0.50	0.25	0.20	0.15	0.10	0.05	0.025	0.01	0.005	0.001	0.0005
two-tails	1.00	0.50	0.40	0.30	0.20	0.10	0.05	0.02	0.01	0.002	0.001
df											
1	0.000	1.000	1.376	1.963	3.078	6.314	12.71	31.82	63.66	318.31	636.62
2	0.000	0.816	1.061	1.386	1.886	2.920	4.303	6.965	9.925	22.327	31.599
3	0.000	0.765	0.978	1.250	1.638	2.353	3.182	4.541	5.841	10.215	12.924
4	0.000	0.741	0.941	1.190	1.533	2.132	2.776	3.747	4.604	7.173	8.610
5	0.000	0.727	0.920	1.156	1.476	2.015	2.571	3.365	4.032	5.893	6.869
6	0.000	0.718	0.906	1.134	1.440	1.943	2.447	3.143	3.707	5.208	5.959
7	0.000	0.711	0.896	1.119	1.415	1.895	2.365	2.998	3.499	4.785	5.408
8	0.000	0.706	0.889	1.108	1.397	1.860	2.306	2.896	3.355	4.501	5.041
9	0.000	0.703	0.883	1.100	1.383	1.833	2.262	2.821	3.250	4.297	4.781
10	0.000	0.700	0.879	1.093	1.372	1.812	2.228	2.764	3.169	4.144	4.587
11	0.000	0.697	0.876	1.088	1.363	1.796	2.201	2.718	3.106	4.025	4.437
12	0.000	0.695	0.873	1.083	1.356	1.782	2.179	2.681	3.055	3.930	4.318
13	0.000	0.694	0.870	1.079	1.350	1.771	2.160	2.650	3.012	3.852	4.221
14	0.000	0.692	0.868	1.076	1.345	1.761	2.145	2.624	2.977	3.787	4.140
15	0.000	0.691	0.866	1.074	1.341	1.753	2.131	2.602	2.947	3.733	4.073
16	0.000	0.690	0.865	1.071	1.337	1.746	2.120	2.583	2.921	3.686	4.015
17	0.000	0.689	0.863	1.069	1.333	1.740	2.110	2.567	2.898	3.646	3.965
18	0.000	0.688	0.862	1.067	1.330	1.734	2.101	2.552	2.878	3.610	3.922
19	0.000	0.688	0.861	1.066	1.328	1.729	2.093	2.539	2.861	3.579	3.883
20	0.000	0.687	0.860	1.064	1.325	1.725	2.086	2.528	2.845	3.552	3.850
21	0.000	0.686	0.859	1.063	1.323	1.721	2.080	2.518	2.831	3.527	3.819
22	0.000	0.686	0.858	1.061	1.321	1.717	2.074	2.508	2.819	3.505	3.792
23	0.000	0.685	0.858	1.060	1.319	1.714	2.069	2.500	2.807	3.485	3.768
24	0.000	0.685	0.857	1.059	1.318	1.711	2.064	2.492	2.797	3.467	3.745
25	0.000	0.684	0.856	1.058	1.316	1.708	2.060	2.485	2.787	3.450	3.725
26	0.000	0.684	0.856	1.058	1.315	1.706	2.056	2.479	2.779	3.435	3.707
27	0.000	0.684	0.855	1.057	1.314	1.703	2.052	2.473	2.771	3.421	3.690
28	0.000	0.683	0.855	1.056	1.313	1.701	2.048	2.467	2.763	3.408	3.674
29	0.000	0.683	0.854	1.055	1.311	1.699	2.045	2.462	2.756	3.396	3.659
30	0.000	0.683	0.854	1.055	1.310	1.697	2.042	2.457	2.750	3.385	3.646
40	0.000	0.681	0.851	1.050	1.303	1.684	2.021	2.423	2.704	3.307	3.551
60	0.000	0.679	0.848	1.045	1.296	1.671	2.000	2.390	2.660	3.232	3.460
80	0.000	0.678	0.846	1.043	1.292	1.664	1.990	2.374	2.639	3.195	3.416
100	0.000	0.677	0.845	1.042	1.290	1.660	1.984	2.364	2.626	3.174	3.390
1000	0.000	0.675	0.842	1.037	1.282	1.646	1.962	2.330	2.581	3.098	3.300
Z	0.000	0.674	0.842	1.036	1.282	1.645	1.960	2.326	2.576	3.090	3.291
	0%	50%	60%	70%	80%	90%	95%	98%	99%	99.8%	99.9%
	Confidence Level										

TABLE IV

Chi-Square (χ^2) Distribution

Area to the Right of Critical Value

Degrees of Freedom	0.99	0.975	0.95	0.90	0.10	0.05	0.025	0.01
1	—	0.001	0.004	0.016	2.706	3.841	5.024	6.635
2	0.020	0.051	0.103	0.211	4.605	5.991	7.378	9.210
3	0.115	0.216	0.352	0.584	6.251	7.815	9.348	11.345
4	0.297	0.484	0.711	1.064	7.779	9.488	11.143	13.277
5	0.554	0.831	1.145	1.610	9.236	11.071	12.833	15.086
6	0.872	1.237	1.635	2.204	10.645	12.592	14.449	16.812
7	1.239	1.690	2.167	2.833	12.017	14.067	16.013	18.475
8	1.646	2.180	2.733	3.490	13.362	15.507	17.535	20.090
9	2.088	2.700	3.325	4.168	14.684	16.919	19.023	21.666
10	2.558	3.247	3.940	4.865	15.987	18.307	20.483	23.209
11	3.053	3.816	4.575	5.578	17.275	19.675	21.920	24.725
12	3.571	4.404	5.226	6.304	18.549	21.026	23.337	26.217
13	4.107	5.009	5.892	7.042	19.812	22.362	24.736	27.688
14	4.660	5.629	6.571	7.790	21.064	23.685	26.119	29.141
15	5.229	6.262	7.261	8.547	22.307	24.996	27.488	30.578
16	5.812	6.908	7.962	9.312	23.542	26.296	28.845	32.000
17	6.408	7.564	8.672	10.085	24.769	27.587	30.191	33.409
18	7.015	8.231	9.390	10.865	25.989	28.869	31.526	34.805
19	7.633	8.907	10.117	11.651	27.204	30.144	32.852	36.191
20	8.260	9.591	10.851	12.443	28.412	31.410	34.170	37.566
21	8.897	10.283	11.591	13.240	29.615	32.671	35.479	38.932
22	9.542	10.982	12.338	14.042	30.813	33.924	36.781	40.289
23	10.196	11.689	13.091	14.848	32.007	35.172	38.076	41.638
24	10.856	12.401	13.848	15.659	33.196	36.415	39.364	42.980
25	11.524	13.120	14.611	16.473	34.382	37.652	40.646	44.314
26	12.198	13.844	15.379	17.292	35.563	38.885	41.923	45.642
27	12.879	14.573	16.151	18.114	36.741	40.113	43.194	46.963
28	13.565	15.308	16.928	18.939	37.916	41.337	44.461	48.278
29	14.257	16.047	17.708	19.768	39.087	42.557	45.722	49.588
30	14.954	16.791	18.493	20.599	40.256	43.773	46.979	50.892