

HAMIBIA UNIVERSITY

OF SCIENCE AND TECHNOLOGY

FACULTY OF HEALTH AND APPLIED SCIENCES

DEPARTMENT OF HEALTH SCIENCES

| QUALIFICATION: BACHELOR OF MEDICAL LABORATORY SCIENCES | | |
|--|-----------------------------|--|
| QUALIFICATION CODE: 08BMLS | LEVEL: 6 | |
| COURSE CODE: HAM621S | COURSE NAME: HAEMATOLOGY 2B | |
| SESSION: JANUARY 2020 | PAPER: THEORY | |
| DURATION: 3 HOURS | MARKS: 100 | |

| SUPPLEMENTARY | / / SECOND OPPORTUNITY EXAMINATION PAPER |
|---------------|--|
| EXAMINER(S) | MAURICE NYAMBUYA |
| MODERATOR: | ELZABE VAN DER COLF |

| INSTRUCTIONS | |
|--------------|-----------------------------|
| 1. | Answer ALL the questions. |
| 2. | Write clearly and neatly. |
| 3. | Number the answers clearly. |

PERMISSIBLE MATERIALS

- Pen
- 2. Calculator

THIS QUESTION PAPER CONSISTS OF 4 PAGES (including this front page)
Page 1 of 4

SECTION A [50]

| QUES | STION 1 | [10] |
|-------|---|------|
| Write | short notes on the following terms; | |
| 1.1 | Leukemoid reaction. | (2) |
| 1.2 | Leukoerythroblastosis. | (2) |
| 1.3 | Gaucher's disease. | (2) |
| 1.4 | Neimann Pick disease. | (2) |
| 1.5 | May-Hegglin anomaly. | (2) |
| | | |
| QUES | STION 2 | [15] |
| 2.1 | Tabulate the differences between T and B-cell lymphocytes. | (8) |
| 2.2 | The heterophile antibody test (monospot) is used in the diagnosis of | |
| | mononucleosis. Describe the test and state its principle. | (7) |
| OUES | STION 3 | [25] |
| | | |
| 3.1 | Name and describe the three phases of carcinogenesis. | (6) |
| 3.2 | List and explain 5 characteristics that a disease must meet to be classified as | |
| | malignant. | (10) |
| 3.3 | State the Coulter principle and describe its use in haematology automation | (9) |

SECTION B [50]


QUESTION 4 [25]

A 58-year-old man had been complaining of progressive tiredness for many months. Recently he had noticed that he was bruising easily and was experiencing night sweats. A physical examination by the doctor revealed that he had hypertension, a slight fever and an enlarged spleen. A full blood count, differential count and a LAP score test were requested.

Full blood count

| White Cell Count | 20.6 | X10 ⁹ /I |
|------------------|------|----------------------|
| Red Cell Count | 3.6 | X10 ¹² /I |
| Haemoglobin | 10.8 | g/dl |
| Platelets | 600 | X10 ⁹ /I |

Peripheral blood smear





Differential count

| Neutrophils | 38% |
|---------------------------|-----|
| Band cells | 13% |
| Metamyelocytes | 9% |
| Myelocytes | 10% |
| Promyelocytes | 2% |
| Eosinophils | 1% |
| Basophils | 1% |
| Lymphocytes | 21% |
| Monocytes | 3% |
| Blasts | 2% |
| | |
| Nucleated red blood cells | 15% |

(4)

- 4.1 Correct the white cell count (show all calculations)
- 4.2 The total cell numbers were as follows; A=90; B=5; C=3;D=2 and E=0. Calculate the LAP score (show all calculations). (7)





Page 3 of 4

| 4.3 | patient? | (2) |
|------|---|------|
| 4.4 | Name other condition in which the LAP score is useful and the expected score value. | (2) |
| 4.5 | What other further test will do to confirm the diagnosis in 4.3. | (10) |
| OHES | TION <u>5</u> | [25] |
| QUES | TION 5 | ردع |
| 5.1 | List 6 categories in which the World Health Organisation (WHO) classified | |
| | myelodysplastic syndrome into. | (6) |
| 5.2 | Of the MDS classification you have listed above, which category is most likely to | |
| | progress into acute myeloid leukaemia. Motivate your answer. | (4) |
| 5.3 | Discuss the pathogenesis, clinical findings as well as laboratory results of | |
| | chronic myelomonocytic leukaemia (CMML). | (12) |
| 5.4 | What disorder is CMML classified as according to the WHO? Explain the rationale | |
| | behind this classification. | (3) |

End of Examination

Total Marks: [100]

Good Luck!