



**NAMIBIA UNIVERSITY
OF SCIENCE AND TECHNOLOGY**

FACULTY OF HEALTH, NATURAL RESOURCES AND APPLIED SCIENCES

DEPARTMENT OF MATHEMATICS AND STATISTICS

QUALIFICATION: Bachelor of science in Applied Mathematics and Statistics	
QUALIFICATION CODE: 07BSAM	LEVEL: 7
COURSE CODE: RAA602S	COURSE NAME: REGRESSION ANALYSIS AND ANALYSIS OF VARIENCE
SESSION: NOVEMBER 2022	PAPER: THEORY
DURATION: 3 HOURS	MARKS: 100

FIRST OPPORTUNITY EXAMINATION QUESTION PAPER	
EXAMINER	Mr SP. KASHIHALWA
MODERATOR:	Prof R KUMAR

INSTRUCTIONS
<ol style="list-style-type: none">1. Answer ALL the questions in the booklet provided.2. Show clearly all the steps used in the calculations.3. All written work must be done in blue or black ink and sketches must be done in pencil.

PERMISSIBLE MATERIALS

1. Non-programmable calculator without a cover.
2. Attached statistical tables(t-table and F-table)

THIS QUESTION PAPER CONSISTS OF 4 PAGES (Including this front page)

Question 1 [13]

A police authority conducts an eight week experiment. In each week it records the number of foot patrols, x in a small town and the number of reported crimes, y in that town. The data are summarized as follows.

$$\begin{aligned} \sum x &= 52 & \sum x^2 &= 380 & \sum xy &= 1335 \\ \sum y &= 225 & \sum y^2 &= 7007 & n &= 8 \end{aligned}$$

1.1 Calculate the value of correlation coefficient for these data and interpret your answer [6]

1.2 Test the significance of the value in 1.1, use $\alpha = 0.05$ [7]

Question 2 [19]

The following table shows the hours of sunshine during nine days in August and the number of ice cream sold by a beach shop in Swakopmund.

Sunshine	4.3	6.9	0	10.4	5.2	1.8	8	9.2	2.1
Ice cream	224	208	123	419	230	184	362	351	196

2.1 Calculate the equation of the regression line and interpret it [9]

2.2 Calculate the residuals for the days when the number of hours of sunshine was:

(i) 8.0 [2]

(ii) 6.9 [2]

2.3 On one of the days the shop closed early to allow the owner to attend a wedding. Suggest, giving reason, which day was this [2]

2.4 Use the regression equation to estimate the daily sales if there were 20 hours of sunshine. Give two reasons why it would be inappropriate to do this. [2]

2.5 If the equation in 2.1 is of the form $Y = ae^{bx}$. Will you use OLS to estimate the unknown parameters and suggest any remedial action [2]

Question 3 [25]

	Dependent variable:Wage			
	Method: Least square			
	Date: 15 /09/22 Time: 15h00			
	Sample: 1526			
Variable	coefficients	Std. Error	t-statistics	Prob
C	-1.790662	0.751212	-2.383697	0.0175
EDUC	0.583323	0.051656	11.29246	0.000
EXP	0.055666	0.011055	5.03528	0.000
FEMALE	-2.067101	0.272208	-7.593839	0.000
MARRIED	0.660242	0.296851	2.22415	0.0266
R-squared	0.33158	Akaike info criterion		5.088405
F-Statistics	60.11832	Schwarz criterion		5.12895
Prob(F-statistic)	0	Hanna-Quinn Criterion		5.10428
Adjusted R-squared	0.310547	DW stat.		1.807244

- 3.1 Write the equation that was estimated from the above model output (give your answer in 2 decimal places) [6]
- 3.2 Interpret the coefficient of determination [2]
- 3.3 Which information criterion was used to estimate the results above [2]
- 3.4 Test the significance of EXP at 5% significant level [7]
- 3.5 Interpret the coefficients of all exogenous variable [8]

Question 4 [25]

Assume that, in Windhoek between 2000 and 2008, the growth curve of internet subscribers is of the form $Y = ae^{bx}$ and that the following data were observed.

Year	2000	2001	2002	2003	2004	2005	2006	2007	2008
# of internet subscribers	498	872	1527	2672	4677	8186	14325	25069	43871

- 4.1 Find the regression coefficients a and b . Hint use the sequential method to code the variable time, start with $x = 1$ for 2000. [21]
- 4.2 Predict the number of internet subscribers after four years [4]


Question 5 [18]

Six different machines are being compared for use in manufacturing jackpots ram. The machines are being compared with respect to durability and performance of the ram. A random sample of 4 rams from each machine is used to determine whether the mean durability and performance varies from machine to machine.

Machine					
1	2	3	4	5	6
17.5	16.4	14.3	14.6	17.5	11.9
16.9	19.2	13.5	16.7	19.2	15.1
15.8	17.7	11.8	20.8	16.5	14.3
18.6	15.4	10.5	18.9	20.5	16.8

Perform the analysis of variance at 0.05 level of significance and indicate whether or not the mean durability and performance differ significantly for the six machines. [18]

Numbers in each row of the table are values on a t -distribution with (df) degrees of freedom for selected right-tail (greater-than) probabilities (p).



df/p	0.40	0.25	0.10	0.05	0.025	0.01	0.005	0.0005
1	0.324920	1.000000	3.077684	6.313752	12.70620	31.82052	63.65674	636.6192
2	0.288675	0.816497	1.885618	2.919986	4.30265	6.96456	9.92484	31.5991
3	0.276671	0.764892	1.637744	2.353363	3.18245	4.54070	5.84091	12.9240
4	0.270722	0.740697	1.533206	2.131847	2.77645	3.74695	4.60409	8.6103
5	0.267181	0.726687	1.475884	2.015048	2.57058	3.36493	4.03214	6.8688
6	0.264835	0.717558	1.439756	1.943180	2.44691	3.14267	3.70743	5.9588
7	0.263167	0.711142	1.414924	1.894579	2.36462	2.99795	3.49948	5.4079
8	0.261921	0.706387	1.396815	1.859548	2.30600	2.89646	3.35539	5.0413
9	0.260955	0.702722	1.383029	1.833113	2.26216	2.82144	3.24984	4.7809
10	0.260185	0.699812	1.372184	1.812461	2.22814	2.76377	3.16927	4.5869
11	0.259556	0.697445	1.363430	1.795885	2.20099	2.71808	3.10581	4.4370
12	0.259033	0.695483	1.356217	1.782288	2.17881	2.68100	3.05454	4.3178
13	0.258591	0.693829	1.350171	1.770933	2.16037	2.65031	3.01228	4.2208
14	0.258213	0.692417	1.345030	1.761310	2.14479	2.62449	2.97684	4.1405
15	0.257885	0.691197	1.340606	1.753050	2.13145	2.60248	2.94671	4.0728
16	0.257599	0.690132	1.336757	1.745884	2.11991	2.58349	2.92078	4.0150
17	0.257347	0.689195	1.333379	1.739607	2.10982	2.56693	2.89823	3.9651
18	0.257123	0.688364	1.330391	1.734064	2.10092	2.55238	2.87844	3.9216
19	0.256923	0.687621	1.327728	1.729133	2.09302	2.53948	2.86093	3.8834
20	0.256743	0.686954	1.325341	1.724718	2.08596	2.52798	2.84534	3.8495
21	0.256580	0.686352	1.323188	1.720743	2.07961	2.51765	2.83136	3.8193
22	0.256432	0.685805	1.321237	1.717144	2.07387	2.50832	2.81876	3.7921
23	0.256297	0.685306	1.319460	1.713872	2.06866	2.49987	2.80734	3.7676
24	0.256173	0.684850	1.317836	1.710882	2.06390	2.49216	2.79694	3.7454
25	0.256060	0.684430	1.316345	1.708141	2.05954	2.48511	2.78744	3.7251
26	0.255955	0.684043	1.314972	1.705618	2.05553	2.47863	2.77871	3.7066
27	0.255858	0.683685	1.313703	1.703288	2.05183	2.47266	2.77068	3.6896
28	0.255768	0.683353	1.312527	1.701131	2.04841	2.46714	2.76326	3.6739
29	0.255684	0.683044	1.311434	1.699127	2.04523	2.46202	2.75639	3.6594
30	0.255605	0.682756	1.310415	1.697261	2.04227	2.45726	2.75000	3.6460
z	0.253347	0.674490	1.281552	1.644854	1.95996	2.32635	2.57583	3.2905
CI	————	————	80%	90%	95%	98%	99%	99.9%

Critical Values of the F -Distribution: $\alpha = 0.05$

Denom. d.f.	Numerator Degrees of Freedom									
	1	2	3	4	5	6	7	8	9	10
1	161.448	199.500	215.707	224.583	230.162	233.986	236.768	238.883	240.543	241.882
2	18.513	19.000	19.164	19.247	19.296	19.330	19.353	19.371	19.385	19.396
3	10.128	9.552	9.277	9.117	9.013	8.941	8.887	8.845	8.812	8.786
4	7.709	6.944	6.591	6.388	6.256	6.163	6.094	6.041	5.999	5.964
5	6.608	5.786	5.409	5.192	5.050	4.950	4.876	4.818	4.772	4.735
6	5.987	5.143	4.757	4.534	4.387	4.284	4.207	4.147	4.099	4.060
7	5.591	4.737	4.347	4.120	3.972	3.866	3.787	3.726	3.677	3.637
8	5.318	4.459	4.066	3.838	3.687	3.581	3.500	3.438	3.388	3.347
9	5.117	4.256	3.863	3.633	3.482	3.374	3.293	3.230	3.179	3.137
10	4.965	4.103	3.708	3.478	3.326	3.217	3.135	3.072	3.020	2.978
11	4.844	3.982	3.587	3.357	3.204	3.095	3.012	2.948	2.896	2.854
12	4.747	3.885	3.490	3.259	3.106	2.996	2.913	2.849	2.796	2.753
13	4.667	3.806	3.411	3.179	3.025	2.915	2.832	2.767	2.714	2.671
14	4.600	3.739	3.344	3.112	2.958	2.848	2.764	2.699	2.646	2.602
15	4.543	3.682	3.287	3.056	2.901	2.790	2.707	2.641	2.588	2.544
16	4.494	3.634	3.239	3.007	2.852	2.741	2.657	2.591	2.538	2.494
17	4.451	3.592	3.197	2.965	2.810	2.699	2.614	2.548	2.494	2.450
18	4.414	3.555	3.160	2.928	2.773	2.661	2.577	2.510	2.456	2.412
19	4.381	3.522	3.127	2.895	2.740	2.628	2.544	2.477	2.423	2.378
20	4.351	3.493	3.098	2.866	2.711	2.599	2.514	2.447	2.393	2.348
21	4.325	3.467	3.072	2.840	2.685	2.573	2.488	2.420	2.366	2.321
22	4.301	3.443	3.049	2.817	2.661	2.549	2.464	2.397	2.342	2.297
23	4.279	3.422	3.028	2.796	2.640	2.528	2.442	2.375	2.320	2.275
24	4.260	3.403	3.009	2.776	2.621	2.508	2.423	2.355	2.300	2.255
25	4.242	3.385	2.991	2.759	2.603	2.490	2.405	2.337	2.282	2.236
26	4.225	3.369	2.975	2.743	2.587	2.474	2.388	2.321	2.265	2.220
27	4.210	3.354	2.960	2.728	2.572	2.459	2.373	2.305	2.250	2.204
28	4.196	3.340	2.947	2.714	2.558	2.445	2.359	2.291	2.236	2.190
29	4.183	3.328	2.934	2.701	2.545	2.432	2.346	2.278	2.223	2.177
30	4.171	3.316	2.922	2.690	2.534	2.421	2.334	2.266	2.211	2.165
31	4.160	3.305	2.911	2.679	2.523	2.409	2.323	2.255	2.199	2.153
32	4.149	3.295	2.901	2.668	2.512	2.399	2.313	2.244	2.189	2.142
33	4.139	3.285	2.892	2.659	2.503	2.389	2.303	2.235	2.179	2.133
34	4.130	3.276	2.883	2.650	2.494	2.380	2.294	2.225	2.170	2.123
35	4.121	3.267	2.874	2.641	2.485	2.372	2.285	2.217	2.161	2.114
36	4.113	3.259	2.866	2.634	2.477	2.364	2.277	2.209	2.153	2.106
37	4.105	3.252	2.859	2.626	2.470	2.356	2.270	2.201	2.145	2.098
38	4.098	3.245	2.852	2.619	2.463	2.349	2.262	2.194	2.138	2.091
39	4.091	3.238	2.845	2.612	2.456	2.342	2.255	2.187	2.131	2.084
40	4.085	3.232	2.839	2.606	2.449	2.336	2.249	2.180	2.124	2.077
41	4.079	3.226	2.833	2.600	2.443	2.330	2.243	2.174	2.118	2.071
42	4.073	3.220	2.827	2.594	2.438	2.324	2.237	2.168	2.112	2.065
43	4.067	3.214	2.822	2.589	2.432	2.318	2.232	2.163	2.106	2.059
44	4.062	3.209	2.816	2.584	2.427	2.313	2.226	2.157	2.101	2.054
45	4.057	3.204	2.812	2.579	2.422	2.308	2.221	2.152	2.096	2.049
46	4.052	3.200	2.807	2.574	2.417	2.304	2.216	2.147	2.091	2.044
47	4.047	3.195	2.802	2.570	2.413	2.299	2.212	2.143	2.086	2.039
48	4.043	3.191	2.798	2.565	2.409	2.295	2.207	2.138	2.082	2.035
49	4.038	3.187	2.794	2.561	2.404	2.290	2.203	2.134	2.077	2.030
50	4.034	3.183	2.790	2.557	2.400	2.286	2.199	2.130	2.073	2.026
60	4.001	3.150	2.758	2.525	2.368	2.254	2.167	2.097	2.040	1.993
70	3.978	3.128	2.736	2.503	2.346	2.231	2.143	2.074	2.017	1.969
80	3.960	3.111	2.719	2.486	2.329	2.214	2.126	2.056	1.999	1.951
90	3.947	3.098	2.706	2.473	2.316	2.201	2.113	2.043	1.986	1.938
100	3.936	3.087	2.696	2.463	2.305	2.191	2.103	2.032	1.975	1.927
120	3.920	3.072	2.680	2.447	2.290	2.175	2.087	2.016	1.959	1.910
140	3.909	3.061	2.669	2.436	2.279	2.164	2.076	2.005	1.947	1.899
180	3.894	3.046	2.655	2.422	2.264	2.149	2.061	1.990	1.932	1.884
200	3.888	3.041	2.650	2.417	2.259	2.144	2.056	1.985	1.927	1.878
∞	3.841	2.996	2.605	2.372	2.214	2.099	2.010	1.938	1.880	1.831