



**NAMIBIA UNIVERSITY  
OF SCIENCE AND TECHNOLOGY**

**FACULTY OF HEALTH AND APPLIED SCIENCES**

**DEPARTMENT OF MATHEMATICS AND STATISTICS**

<b>QUALIFICATION:</b> BACHELOR OF SCIENCE; BACHELOR OF APPLIED MATHEMATICS AND STATISTICS	
<b>QUALIFICATION CODE:</b> 07BSOC , 07BAMS	<b>LEVEL:</b> 5
<b>COURSE CODE:</b> IAS501S	<b>COURSE NAME:</b> INTRODUCTION TO APPLIED STATISTICS
<b>SESSION:</b> JANUARY 2019	<b>PAPER:</b> THEORY
<b>DURATION:</b> 3 HOURS	<b>MARKS:</b> 100

<b>SECOND OPPORTUNITY EXAMINATION QUESTION PAPER</b>	
<b>EXAMINER</b>	Mr. A.J. ROUX
<b>MODERATOR:</b>	Dr. D. NTIRAMPEBA

<b>INSTRUCTIONS</b>
1. Answer ALL the questions in the booklet provided. 2. Show clearly all the steps used in the calculations. 3. All written work must be done in blue or black ink and sketches must be done in pencil.

**PERMISSIBLE MATERIALS**

1. Non-programmable calculator without a cover.

**ATTACHMENTS**

1. Standard Normal Cumulative Probability Table
2. The Chi Squared Probability Distribution

**THIS QUESTION PAPER CONSISTS OF 5 PAGES (Including this front page)**

**QUESTION 1** [16 x 1 mark = 16 marks]

In questions 1.1.1 – 1.1.10 below, write down the **correct word or statement** which completes each sentence in your examination booklet..

- 1.1.1) The scale of measurement that only classifies things is called \_\_\_\_\_.
  - 1.1.2) An ordering of the scales of measurement from the least to the most informative would be \_\_\_\_\_.
  - 1.1.3) A person's blood type is an example of \_\_\_\_\_ data.
  - 1.1.4) The value of  $X_i - \bar{X}$  is called \_\_\_\_\_.
  - 1.1.5) The 25<sup>th</sup>, 50<sup>th</sup> and 75<sup>th</sup> percentiles are known as \_\_\_\_\_.
  - 1.1.6) The 50<sup>th</sup> percentile is also known as \_\_\_\_\_.
  - 1.1.7) When the skewness is equal to zero the distribution is said to be \_\_\_\_\_.
  - 1.1.8) A \_\_\_\_\_ is drawn in such a way that each element of the population has an equal chance of being selected.
  - 1.1.9) One advantage of a personal interview is \_\_\_\_\_.
  - 1.1.10) One weakness of the range is \_\_\_\_\_.
- 
- 1.2) State whether the following statements are true or false :
    - 1.2.1) The mean may be misleading measure of central location if the data from a skewed distribution.
    - 1.2.2) If the mean is greater than the median the distribution is skewed to the right.
    - 1.2.3) The mode is influenced by outliers.
    - 1.2.4) In a frequency distribution, the modal value need not necessarily lie in the interval with the highest frequency.
    - 1.2.5) The 50<sup>th</sup> percentile is another term to describe the mode.
    - 1.2.6) The value which divides an ordered data set into 25% below it and 75% above it is called the upper quartile.

**QUESTION 2** [30]

The Xonkas Development Company has postponed building a new housing development in Kleine Kuppe. The city's planning department requires that the developer conduct a traffic study as part of the project planning. One part of that

traffic study involves analyzing the number of trips from home made by residents in the “impact area” located near the proposed project location. The Xonkas Company has selected 15 families at random from those in the “impact area” and has asked them to keep track of their trips from home during the next week. The data returned to the Xonkas Company are shown.

38	44	11	26	19	13	45	27	11	19	19	26	20	19	34
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

Use the data provided to:

- 2.1) Determine the range (2)
- 2.2) Compute the mean for the data (3)
- 2.3) Compute the median for the data (3)
- 2.4) Compute the mode for these data. (2)
- 2.5) Compute the variance (4)
- 2.6) Compute the sample standard deviation (3)
- 2.7) Coefficient of Variation (3)
- 2.8) Compute the first quartile (3)
- 2.9) Compute the third quartile (3)
- 2.10) Compute the inter-quartile range (2)
- 2.11) Compute the quartile deviation (2)

### **QUESTION 3 [22]**

- 3.1) Suppose that the following contingency table was set up:

	C	D
A	10	30
B	25	35

What is the probability of:

- 3.1.1) Event A (2)

- 3.1.2) Event A and C (2)
- 3.1.3) Event A and B (2)
- 3.1.4) Event B or D (3)
- 3.1.5) Event C or D (3)

3.2) A local ambulance service handles 0 to 5 service calls on any given day. The probability distribution for the number of service calls is as follows

Number of service calls	Probability
0	0.10
1	0.15
2	0.30
3	0.20
4	0.15
5	0.10

- 3.2.1) What is the expected number of service calls? (3)
- 3.2.1) What is the variance in the number of service calls? (5)
- 3.2.2) What is the standard deviation? (2)

#### **QUESTION 4 [ 22 ]**

4.1 Khomas Aluminium Glass (Pty) LTD produces clear glass plates that has an occasional defect once every  $10 \text{ m}^2$ . What is the probability that :

- 4.1.1)  $1 \text{ m}^2$  of glass plate will have no defects (6)
- 4.1.2)  $2 \text{ m}^2$  of glass plate will have exactly 1 defect (6)

4.2 Television ownership among a random sample of householders is classified according to two characteristics: ownership of a colour television and householder type. The table below gives the survey details.

	Owner occupier	Council tenant	Private tenant
Colour TV	150	60	20
No colour TV	45	68	57

Establish, at the 1% level of significance, whether there is a relationship between colour TV ownership and type of householder. [10]

**QUESTION 5** [10]

The asset turnovers, excluding cash and short-term investments, for the Oryx Liquor Company from 1993 to 2003 are listed below (in \$mil):


1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
3.33	3.84	3.51	3.30	3.18	3.42	3.72	3.99	4.14	4.50	4.95

5.1 Determine the least squares trend line equation for the data set, using the sequential coding method, starting  $x = 1$  in 1993. (8)

5.2 Use the trend line equation to estimate asset turnovers for 1990 & 2007 (2)


XX

## Standard Normal Cumulative Probability Table




Cumulative probabilities for **POSITIVE** z-values are shown in the following table:

## APPENDIX E: The Chi-Square Distribution



<b>df\p</b>	<b>.995</b>	<b>.990</b>	<b>.975</b>	<b>.950</b>	<b>.900</b>	<b>.750</b>	<b>.500</b>	<b>.250</b>	<b>.100</b>	<b>.050</b>	<b>.025</b>	<b>.010</b>	<b>.005</b>
<b>1</b>	0.00004	0.00016	0.00098	0.00393	0.01579	0.10153	0.45494	1.32330	2.70554	3.84146	5.02389	6.63490	7.87944
<b>2</b>	0.01003	0.02010	0.05064	0.10259	0.21072	0.57536	1.38629	2.77259	4.60517	5.99146	7.37776	9.21034	10.59663
<b>3</b>	0.07172	0.11483	0.21580	0.35185	0.58437	1.21253	2.36597	4.10834	6.25139	7.81473	9.34840	11.34487	12.83816
<b>4</b>	0.20699	0.29711	0.48442	0.71072	1.06362	1.92256	3.35669	5.38527	7.77944	9.48773	11.14329	13.27670	14.86026
<b>5</b>	0.41174	0.55430	0.83121	1.14548	1.61031	2.67460	4.35146	6.62568	9.23636	11.07050	12.83250	15.08627	16.74960
<b>6</b>	0.67573	0.87209	1.23734	1.63538	2.20413	3.45460	5.34812	7.84080	10.64464	12.59159	14.44938	16.81189	18.54758
<b>7</b>	0.98926	1.23904	1.68987	2.16735	2.83311	4.25485	6.34581	9.03715	12.01704	14.06714	16.01276	18.47531	20.27774
<b>8</b>	1.34441	1.64650	2.17973	2.73264	3.48954	5.07064	7.34412	10.21885	13.36157	15.50731	17.53455	20.09024	21.95495
<b>9</b>	1.73493	2.08790	2.70039	3.32511	4.16816	5.89883	8.34283	11.38875	14.68366	16.91898	19.02277	21.66599	23.58935
<b>10</b>	2.15586	2.55821	3.24697	3.94030	4.86518	6.73720	9.34182	12.54886	15.98718	18.30704	20.48318	23.20925	25.18818
<b>11</b>	2.60322	3.05348	3.81575	4.57481	5.57778	7.58414	10.34100	13.70069	17.27501	19.67514	21.92005	24.72497	26.75685
<b>12</b>	3.07382	3.57057	4.40379	5.22603	6.30380	8.43842	11.34032	14.84540	18.54935	21.02607	23.33666	26.21697	28.29952
<b>13</b>	3.56503	4.10692	5.00875	5.89186	7.04150	9.29907	12.33976	15.98391	19.81193	22.36203	24.73560	27.68825	29.81947
<b>14</b>	4.07467	4.66043	5.62873	6.57063	7.78953	10.16531	13.33927	17.11693	21.06414	23.68479	26.11895	29.14124	31.31935
<b>15</b>	4.60092	5.22935	6.26214	7.26094	8.54676	11.03654	14.33886	18.24509	22.30713	24.99579	27.48839	30.57791	32.80132
<b>16</b>	5.14221	5.81221	6.90766	7.96165	9.31224	11.91222	15.33850	19.36886	23.54183	26.29623	28.84535	31.99993	34.26719
<b>17</b>	5.69722	6.40776	7.56419	8.67176	10.08519	12.79193	16.33818	20.48868	24.76904	27.58711	30.19101	33.40866	35.71847
<b>18</b>	6.26480	7.01491	8.23075	9.39046	10.86494	13.67529	17.33790	21.60489	25.98942	28.86930	31.52638	34.80531	37.15645
<b>19</b>	6.84397	7.63273	8.90652	10.11701	11.65091	14.56200	18.33765	22.71781	27.20357	30.14353	32.85233	36.19087	38.58226
<b>20</b>	7.43384	8.26040	9.59078	10.85081	12.44261	15.45177	19.33743	23.82769	28.41198	31.41043	34.16961	37.56623	39.99685
<b>21</b>	8.03365	8.89720	10.28290	11.59131	13.23960	16.34438	20.33723	24.93478	29.61509	32.67057	35.47888	38.93217	41.40106
<b>22</b>	8.64272	9.54249	10.98232	12.33801	14.04149	17.23962	21.33704	26.03927	30.81328	33.92444	36.78071	40.28936	42.79565
<b>23</b>	9.26042	10.19572	11.68855	13.09051	14.84796	18.13730	22.33688	27.14134	32.00690	35.17246	38.07563	41.63840	44.18128
<b>24</b>	9.88623	10.85636	12.40115	13.84843	15.65868	19.03725	23.33673	28.24115	33.19624	36.41503	39.36408	42.97982	45.55851
<b>25</b>	10.51965	11.52398	13.11972	14.61141	16.47341	19.93934	24.33659	29.33885	34.38159	37.65248	40.64647	44.31410	46.92789
<b>26</b>	11.16024	12.19815	13.84390	15.37916	17.29188	20.84343	25.33646	30.43457	35.56317	38.88514	41.92317	45.64168	48.28988
<b>27</b>	11.80759	12.87850	14.57338	16.15140	18.11390	21.74940	26.33634	31.52841	36.74122	40.11327	43.19451	46.96294	49.64492
<b>28</b>	12.46134	13.56471	15.30786	16.92788	18.93924	22.65716	27.33623	32.62049	37.91592	41.33714	44.46079	48.27824	50.99338
<b>29</b>	13.12115	14.25645	16.04707	17.70837	19.76774	23.56659	28.33613	33.71091	39.08747	42.55697	45.72229	49.58788	52.33562
<b>30</b>	13.78672	14.95346	16.79077	18.49266	20.59923	24.47761	29.33603	34.79974	40.25602	43.77297	46.97924	50.89218	53.67196

## Standard Normal Cumulative Probability Table



Cumulative probabilities for NEGATIVE z-values are shown in the following table:

<b><i>z</i></b>	<b>0.00</b>	<b>0.01</b>	<b>0.02</b>	<b>0.03</b>	<b>0.04</b>	<b>0.05</b>	<b>0.06</b>	<b>0.07</b>	<b>0.08</b>	<b>0.09</b>
-3.4	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002
-3.3	0.0005	0.0005	0.0005	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003
-3.2	0.0007	0.0007	0.0006	0.0006	0.0006	0.0006	0.0006	0.0005	0.0005	0.0005
-3.1	0.0010	0.0009	0.0009	0.0009	0.0008	0.0008	0.0008	0.0008	0.0007	0.0007
-3.0	0.0013	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0011	0.0010	0.0010
-2.9	0.0019	0.0018	0.0018	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
-2.8	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
-2.7	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
-2.6	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
-2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
-2.4	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
-2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
-2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
-2.1	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
-2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
-1.9	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
-1.8	0.0359	0.0351	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
-1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
-1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
-1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
-1.4	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0708	0.0694	0.0681
-1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
-1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0985
-1.1	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
-1.0	0.1587	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
-0.9	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
-0.8	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
-0.7	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2236	0.2206	0.2177	0.2148
-0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451
-0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
-0.4	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
-0.3	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
-0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
-0.1	0.4602	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
0.0	0.5000	0.4960	0.4920	0.4880	0.4840	0.4801	0.4761	0.4721	0.4681	0.4641