

NAMIBIA UNIVERSITY

OF SCIENCE AND TECHNOLOGY

FACULTY OF HEALTH, NATURAL RESOURCES AND APPLIED SCIENCES

SCHOOL OF NATURAL AND APPLIED SCIENCES

DEPARTMENT OF BIOLOGY, CHEMISTRY AND PHYSICS

QUALIFICATION : BACHELOR OF HUN	/AN NUTRITION		
BACHELOR OF ENVIRONMENTAL HEALTH SCIENCES			
BACHELOR OF HEALTH INFORMATION SYSTEMS MANAGEMENT			
BACHELOR OF MEDICAL LABORATORY SCIENCES			
QUALIFICATION CODE: 08BOHN,	LEVEL: 5		
08BOHS, 07BHIS, 08BBMS			
COURSE CODE: HSP511S	COURSE NAME: HEALTH SCIENCE PHYSICS		
SESSION: JUNE 2023	PAPER: THEORY		
DURATION: 3 HOURS	MARKS: 100		

	FIRST OPPORTUNITY EXAMINATIONS QUESTION PAPER	
EXAMINER(S)	DR VAINO INDONGO	
MODERATOR:	PROF. DIPTI SAHU	

INSTRUCTIONS:

- 1. Answer all the questions in the booklet provided
- 2. Show clearly all the steps used in the calculations
- 3. All written work MUST be done in blue or black ink and sketches must be done in pencils.

PERMISSIBLE MATERIALS

Non-Programmable Calculator

THIS PAPER CONSISTS OF 7

(INCLUDING THIS FRONT PAGE)

SECTION A				[40]
QUESTION 1				(40)
Multiple choice q	uestions types: I	Each question carr	ies two marks	
1.1 The dimension A. L ³	-	iven by; C. dimensionle	ess D. MLT - 1	(2)
1.2is	the unit of impulse	э.		(2)
A. W	B. Hz	C. Ns	D. NS	
1.3 One of these is	s the dimension of	force.		(2)
A. ML ²	B. MLT ⁻¹	C. M ² T ²	D. MLT -2	
1.4	is a unit of force.			(2)
A. kg.m/s ²				
B. kg				
C. m/s D. cm ³				
D. Cm ^o				
1.5 Which of the fo	ollowing physical q	uantity is dimension	less?	(2)
A. Angle				
B. Strain				
C. Specific	gravity			
D. All of the	e above			
1.6The dimension	al formula of angu	lar velocity is		(2)
A. MLT	_			
B. MLT ²				
C. M ⁰ L ⁰ T ⁻¹				
D M-11 T-1				

1.7 Th	ne dimensions of WORK are;	(2)
A.	MLT	
В.	ML ² T ⁻²	
C.	MLT ⁻¹	
D.	ML ² T ⁻¹	
1.8Th	ne rate of change of displacement of a particle is referred to as	(2)
A.	speed	
В.	velocity	
C.	acceleration	
D.	power	
1.9W	hich of the following is a physical quantity that has a magnitude but no	
dir	rection?	(2)
A.	Vector	
В.	Frame of reference	
C.	Resultant	
D.	Scalar	
1.10	The difference between speed and velocity is:	(2)
A.	speed has no units	
B.	they use different units to represent their magnitude	
C.	speed shows only magnitude, while velocity represents both magnitude	
	(strength) and direction	
D.	velocity has a higher magnitude	
1.11	A dot product of any two vectors gives a	(2)
A.	vector	
B.	vector and scalar	
C.	scalar	
D.	unit vector	

1.12	is the rate of change of energy?		
Α	Work		
В	. Power		
C.	. Frequency		
D	. Viscosity		
1.13	The forces of 20 N towards north and 12 N	I towards south are acting on	
	an object. What will be resultant force?		(2)
Α	a. 32 N toward north		
В	8. 20 N towards north		
С	c. 32 N towards south		
D	0. 8 N towards north		
1 11	A steel bar is precisely 1.6 m at 25 ⁰ C. At v	what temperature will its length	
1.17	be 1.4 mm longer? [$\alpha = 9.0 \times 10^{-6}$ /°C]	what temperature will its length	(2)
	be 1.4 min longer: [a = 5.5 × 10 / 7.5]		(2)
	A. 48°C B. 98°K C. 48°K	D. 98°C	
1.15	When a liquid franzes to become a colid:		(2)
1.10	When a liquid freezes to become a solid:		
	A. it absorbs energy B. its ter	mperature increases	
	C. its temperature decreases D. it emi	its energy	
1.16	The state of the s		
	steel cup from 20°C to 50°C if the specific h	neat capacity of stainless	
	steel is 0.50 kJ / kg.ºC.		(2)
	A. 200 J B. 400 J C. 800	D. 1000 J	
1.17	Is a vector that is tangential to pa	ath of an object in a circle:	(2)
	A. angular force B. c	entripetal acceleration	
	C. centripetal velocity D. c	entripetal force	

1.18	When the rate of increase of velocity is constant, we say				
	has occur:		(2)		
	A. deceleration	B. acceleration			
	C. uniform retardation	D. uniform acceleration			
1.19	Which of these statements	s is not true about why weight varies?	(2)		
	A. due to rotation of the ear	th about its axis			
	B. due to constant in density of earth				
	C. due to elliptical shape of the earth				
	D. due to variation in latitud	е			
1.20	Whenever a liquid is touch	ed slightly, small ripples run across the surface.			
	This statement is an evidence of				
	A. surface tension	B. capillarity			
	C. angle of contact	D. proxy			

SEC	TION B	[60]		
QUE	STION 2	(18)		
2.1	Briefly differentiate between the following terms with examples			
	(i) Random errors and systematic errors	(2)		
	(ii) Accuracy and precision	(2)		
2.2	Derive the dimensions of:			
	(i) Density	(2)		
	(ii) Momentum	(2)		
2.3	Determine whether the following equation is dimensionally correct.			
	(i) $v = u + at^2$	(2)		
2.4	Suppose A = $B^m C^n$, where A has dimension, LT, B has dimension L ² T ⁻¹ , and C has dimensions LT ² . Determine the dimension of n and m values.			
	he mass 'm' of the largest stone that can be moved by a flowing river epends upon the velocity 'v' of water, density 'd' of water and acceleration			
	ue to gravity 'g'. Use the method of dimensional analysis to deduce the			
	xpression mass of a stone	(7)		
QUE	STION 3	(12)		
3.1	Determine the angle between the two vectors using the dot product			
	approach:	(3)		
	$\bar{\mathbf{A}} = 2 \mathbf{i} - 2 \hat{\mathbf{j}} + 3 \hat{\mathbf{K}}$ and $\bar{\mathbf{B}} = -4 \mathbf{i} + 2 \hat{\mathbf{j}} - \hat{\mathbf{K}}$			
3.2	Given that: $\hat{a} = -2\hat{i} + 2\hat{j} - 2\hat{k}$, find the magnitude of \hat{a} , and the unit			
	vector in the direction of â.	(3)		
3.3	The position \bar{r} of an object is given by [(2.5t) \dot{i} + (2.5t – 4.9 t²) j] m			
	(with t in seconds). Determine;			
	(i) the velocity when t = 2 seconds	(3)		
	(iii) the magnitude of the velocity when t = 2 seconds	(3)		

	QUES	STION 4			
	4.1	-	senger plane accelerated from rest down a runway at a constant ration of 2.5 m.s ⁻² .		
		(i)	Determine the position and velocity of the plane 8 seconds after it starts to move.	(3)	
		(ii)	If the speed of 45 m/s is required for take-off, what is the minimum		
			length of runway required?	(2)	
	4.2	A space	cecraft of mass 300 kg land on the moon. Calculate the moon's		
		gravita	tional acceleration, g, on the spacecraft. [Take mass of moon		
		$M_m = 7$	7.5×10^{22} kg, radius of the moon = 1.6 x 10 ⁶ m, G = 6.67 x 10 ⁻¹¹		
		Nm ² k	g ⁻²].	(3)	
	4.3		et of mass 150 kg is launched on planet Jupiter's surface into space ate the).	
		(i) ene	rgy required to overcome the gravitational force of Jupiter.	(3)	
		(ii) veld	ocity of rocket upon launching.	(2)	
	4.4	A CD s	starts from rest and accelerates to an angular frequency of		
		12.5 re	ev/s. Determine the disc's average period T and centripetal velocity		
		V _c of the	ne edge of the a disc when the radius is 3.5×10^{-3} m.	(2)	
QUESTION 5			5	(15)	
	5.1	Explai	in the terms adhesion and cohesion.	(2)	
	5.2	Suppo	se that a huge tank 50m high and filled with water is open to		
		the atn	nosphere and is hit with a stray bullet. The bullet pierces one side		
		of the	tank allowing water to flow out. The hole is 2m above the ground.		
			nole is so small in comparison with the size of the tank. How quickly		
		will the	water flow? Consider acceleration due to gravity to 9.8 m/s ²	(6)	
	5.3		nine the density of a sphere material, given that it has a radius of		
			n with mass of 200 g.	(4)	
	5.4		the time when a man had flu, he ran a fever of 7.0°C above normal		
			ody temperature was 44.0°C instead of the normal 37.0°C. Assuming		
			ne man has a mass of 40 kg and that the human body is mostly water	er,	
		how m	nuch heat is required to raise his temperature? [Take specific heat		
		capaci	ty of liquid as, c = 4186 J / kg.°C]	(3)	