



FACULTY OF HEALTH **ΝΑΜΙΒΙΑ УНІВЕРСИТЕТ** AND APPLIED
SCIENCES OF SCIENCE AND TECHNOLOGY

DEPARTMENT OF MATHEMATICS AND STATISTICS

QUALIFICATION: Bachelor of science ; Bachelor of science in Applied Mathematics and Statistics	
QUALIFICATION CODE: 07BAMS	LEVEL: 7
COURSE CODE: DAE702S	COURSE NAME: DESIGN AND ANALYSIS OF EXPERIMENTS
SESSION: JANUARY 2019	PAPER: THEORY
DURATION: 3 HOURS	MARKS: 100

SECOND OPPORTUNITY EXAMINATION QUESTION PAPER	
EXAMINER	Dr CR. KIKAWA
MODERATOR:	Prof PETER NJUHO

INSTRUCTIONS
<ol style="list-style-type: none">1. Answer ALL the questions in the booklet provided.2. Show clearly all the steps used in the calculations.3. All written work must be done in blue or black ink and sketches must be done in pencil.

PERMISSIBLE MATERIALS

1. Non-programmable calculator without a cover.

THIS QUESTION PAPER CONSISTS OF 5 PAGES (Including this front page)

NAMIBIA UNIVERSITY OF SCIENCE AND TECHNOLOGY
DEPARTMENT OF MATHEMATICS AND STATISTICS
DESIGN & ANALYSIS OF EXPERIMENTS: DAE702S

EXAMINATION SECOND OPPORTUNITY: JANUARY 2019

Time-3 Hrs Attempt all Questions Maximum Marks - 100

1. Question

(a) Discuss the following concepts as used in experimental design:

1. Blinding
2. Control Treatment
3. Responses
4. Randomization
5. Placebo

(15 marks, (3@))

(b) Briefly discuss two examples that could best distinguish an experimental unit and a measurement unit.

(Hint: One example should be agricultural and the other educational)

(5 marks)

2. Question

The diameters of steel shafts produced by a certain manufacturing process should have a mean diameter of 0.255 inches. The diameter is known to have a standard deviation of $\sigma = 0.0001$ inch. A random sample of 10 shafts has an average diameter of 0.2545 inches.

- (a) Set up the appropriate hypotheses on the mean μ . (2 marks)
- (b) Test these hypotheses using $\alpha = 0.05$. What are your conclusions? (10 marks)
- (c) What is the p-value for the test in part (b)? (3 marks)
- (d) Find a 95% confidence interval on the mean. (5 marks)

3. Question

A manufacturer of television sets is interested in the effect of tube conductivity of four different types of coating for color picture tubes. The following conductivity data are obtained:

<u>Coating Type</u>	<u>Conductivity</u>			
1	143	141	150	146
2	152	149	137	143
3	134	136	132	127
4	129	127	132	129

Figure 1: Data table

- (a) Is there a difference in conductivity due to coating type? Motivate your answer with reference to the output below. Use $\alpha = 0.05$. (5 marks)

ANOVA for Selected Factorial Model					
Analysis of variance table [Partial sum of squares]					
Source	Sum of Squares	DF	Mean Square	F Value	Prob > F
Model	844.69	3	281.56	14.30	0.0003
<i>A</i>	<i>844.69</i>	<i>3</i>	<i>281.56</i>	<i>14.30</i>	<i>0.0003</i>
Residual	236.25	12	19.69		
<i>Lack of Fit</i>	<i>0.000</i>	<i>0</i>			
<i>Pure Error</i>	<i>236.25</i>	<i>12</i>	<i>19.69</i>		
Cor Total	1080.94	15			

Figure 2: ANOVA Table

- (b) Estimate the overall mean and the treatment effects. . (10 marks)
- (c) Compute a 95 percent interval estimate of the mean of coating type 4. Compute a 99 percent interval estimate of the mean difference between coating types 1 and 4. (5 marks)

4. Question

The response time in milliseconds was determined for three different types of circuits that could be used in an automatic valve shutoff mechanism. The results are shown in the following table.

Circuit Type				Response Time		
1	9	12	10	8	15	
2	20	21	23	17	30	
3	6	5	8	16	7	

Figure 3: Table of values

- (a) Test H_0 , that the three circuit types have the same response time at $\alpha = 0.01$. (10 marks)
- (b) Use Tukey's test to compare pairs of treatment means, $\alpha = 0.01$. The following information may be useful in your computations. (10 marks)

Treatment Means (Adjusted, If Necessary)		
	Estimated Mean	Standard Error
1-1	10.80	1.84
2-2	22.20	1.84
3-3	8.40	1.84

Figure 4: Tables of means

Also,

$$S_{\bar{y}_i} = \sqrt{MSE/n} \sqrt{1690/5} = 1.8385 \text{ and } t_0 = 9.266$$

5. Question

Here we quote an experiment that had been designed as a Latin square. The skins of rabbits' backs were inoculated with a diffusing factor in six separate sites. Six rabbits were therefore used and the order in which the sites were inoculated was done six different ways. The outcome measured was area of blister (*cm*). The overall objective was to see whether or not the order of administration affected this outcome. The experimental design and data are represented in the Latin square below.

- (a) Discuss the two main advantages and two disadvantages of the Latin square design. (8 marks)
- (b) From the Latin square test presented below, discuss the research findings (Strictly stick to the objective of the research as stated) 4 (7 marks)

Factors: Rabbit, Position, Order.

Source of Variation	Sum Squares	DF	Mean Square
Rows	3.833333	5	0.766667
Columns	12.833333	5	2.566667
Treatments	0.563333	5	0.112667
Residual	13.13	20	0.6565
Total	30.36	35	

$$F(\text{rows}) = 1.167809, P = .3592$$

$$F(\text{columns}) = 3.909622, P = .0124$$


$$F(\text{treatments}) = 0.171617, P = .9701$$

Figure 5: General ANOVA for a RCBD

- (c) Discuss the concepts of a Latin Square design. (5 marks)


END

The Standard Normal Distribution




z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.0000	0.0040	0.0080	0.0120	0.0160	0.0199	0.0239	0.0279	0.0319	0.0359
0.1	0.0398	0.0438	0.0478	0.0517	0.0557	0.0596	0.0636	0.0675	0.0714	0.0753
0.2	0.0793	0.0832	0.0871	0.0910	0.0948	0.0987	0.1026	0.1064	0.1103	0.1141
0.3	0.1179	0.1217	0.1255	0.1293	0.1331	0.1368	0.1406	0.1443	0.1480	0.1517
0.4	0.1554	0.1591	0.1628	0.1664	0.1700	0.1736	0.1772	0.1808	0.1844	0.1879
0.5	0.1915	0.1950	0.1985	0.2019	0.2054	0.2088	0.2123	0.2157	0.2190	0.2224
0.6	0.2257	0.2291	0.2324	0.2357	0.2389	0.2422	0.2454	0.2486	0.2517	0.2549
0.7	0.2580	0.2611	0.2642	0.2673	0.2704	0.2734	0.2764	0.2794	0.2823	0.2852
0.8	0.2881	0.2910	0.2939	0.2967	0.2995	0.3023	0.3051	0.3078	0.3106	0.3133
0.9	0.3159	0.3186	0.3212	0.3238	0.3264	0.3289	0.3315	0.3340	0.3365	0.3389
1.0	0.3413	0.3438	0.3461	0.3485	0.3508	0.3531	0.3554	0.3577	0.3599	0.3621
1.1	0.3643	0.3665	0.3686	0.3708	0.3729	0.3749	0.3770	0.3790	0.3810	0.3830
1.2	0.3849	0.3869	0.3888	0.3907	0.3925	0.3944	0.3962	0.3980	0.3997	0.4015
1.3	0.4032	0.4049	0.4066	0.4082	0.4099	0.4115	0.4131	0.4147	0.4162	0.4177
1.4	0.4192	0.4207	0.4222	0.4236	0.4251	0.4265	0.4279	0.4292	0.4306	0.4319
1.5	0.4332	0.4345	0.4357	0.4370	0.4382	0.4394	0.4406	0.4418	0.4429	0.4441
1.6	0.4452	0.4463	0.4474	0.4484	0.4495	0.4505	0.4515	0.4525	0.4535	0.4545
1.7	0.4554	0.4564	0.4573	0.4582	0.4591	0.4599	0.4608	0.4616	0.4625	0.4633
1.8	0.4641	0.4649	0.4656	0.4664	0.4671	0.4678	0.4686	0.4693	0.4699	0.4706
1.9	0.4713	0.4719	0.4726	0.4732	0.4738	0.4744	0.4750	0.4756	0.4761	0.4767
2.0	0.4772	0.4778	0.4783	0.4788	0.4793	0.4798	0.4803	0.4808	0.4812	0.4817
2.1	0.4821	0.4826	0.4830	0.4834	0.4838	0.4842	0.4846	0.4850	0.4854	0.4857
2.2	0.4861	0.4864	0.4868	0.4871	0.4875	0.4878	0.4881	0.4884	0.4887	0.4890
2.3	0.4893	0.4896	0.4898	0.4901	0.4904	0.4906	0.4909	0.4911	0.4913	0.4916
2.4	0.4918	0.4920	0.4922	0.4925	0.4927	0.4929	0.4931	0.4932	0.4934	0.4936
2.5	0.4938	0.4940	0.4941	0.4943	0.4945	0.4946	0.4948	0.4949	0.4951	0.4952
2.6	0.4953	0.4955	0.4956	0.4957	0.4959	0.4960	0.4961	0.4962	0.4963	0.4964
2.7	0.4965	0.4966	0.4967	0.4968	0.4969	0.4970	0.4971	0.4972	0.4973	0.4974
2.8	0.4974	0.4975	0.4976	0.4977	0.4977	0.4978	0.4979	0.4979	0.4980	0.4981
2.9	0.4981	0.4982	0.4982	0.4983	0.4984	0.4984	0.4985	0.4985	0.4986	0.4986
3.0	0.4987	0.4987	0.4987	0.4988	0.4988	0.4989	0.4989	0.4989	0.4990	0.4990

The t-distribution



df\p	0.40	0.25	0.10	0.05	0.025	0.01	0.005	0.0005
1	0.324920	1.000000	3.077684	6.313752	12.70620	31.82052	63.65674	636.6192
2	0.288675	0.816497	1.885618	2.919986	4.30265	6.96456	9.92484	31.5991
3	0.276671	0.764892	1.637744	2.353363	3.18245	4.54070	5.84091	12.9240
4	0.270722	0.740697	1.533206	2.131847	2.77645	3.74695	4.60409	8.6103
5	0.267181	0.726687	1.475884	2.015048	2.57058	3.36493	4.03214	6.8688
6	0.264835	0.717558	1.439756	1.943180	2.44691	3.14267	3.70743	5.9588
7	0.263167	0.711142	1.414924	1.894579	2.36462	2.99795	3.49948	5.4079
8	0.261921	0.706387	1.396815	1.859548	2.30600	2.89646	3.35539	5.0413
9	0.260955	0.702722	1.383029	1.833113	2.26216	2.82144	3.24984	4.7809
10	0.260185	0.699812	1.372184	1.812461	2.22814	2.76377	3.16927	4.5869
11	0.259556	0.697445	1.363430	1.795885	2.20099	2.71808	3.10581	4.4370
12	0.259033	0.695483	1.356217	1.782288	2.17881	2.68100	3.05454	4.3178
13	0.258591	0.693829	1.350171	1.770933	2.16037	2.65031	3.01228	4.2208
14	0.258213	0.692417	1.345030	1.761310	2.14479	2.62449	2.97684	4.1405
15	0.257885	0.691197	1.340606	1.753050	2.13145	2.60248	2.94671	4.0728
16	0.257599	0.690132	1.336757	1.745884	2.11991	2.58349	2.92078	4.0150
17	0.257347	0.689195	1.333379	1.739607	2.10982	2.56693	2.89823	3.9651
18	0.257123	0.688364	1.330391	1.734064	2.10092	2.55238	2.87844	3.9216
19	0.256923	0.687621	1.327728	1.729133	2.09302	2.53948	2.86093	3.8834
20	0.256743	0.686954	1.325341	1.724718	2.08596	2.52798	2.84534	3.8495
21	0.256580	0.686352	1.323188	1.720743	2.07961	2.51765	2.83136	3.8193
22	0.256432	0.685805	1.321237	1.717144	2.07387	2.50832	2.81876	3.7921
23	0.256297	0.685306	1.319460	1.713872	2.06866	2.49987	2.80734	3.7676
24	0.256173	0.684850	1.317836	1.710882	2.06390	2.49216	2.79694	3.7454
25	0.256060	0.684430	1.316345	1.708141	2.05954	2.48511	2.78744	3.7251
26	0.255955	0.684043	1.314972	1.705618	2.05553	2.47863	2.77871	3.7066
27	0.255858	0.683685	1.313703	1.703288	2.05183	2.47266	2.77068	3.6896
28	0.255768	0.683353	1.312527	1.701131	2.04841	2.46714	2.76326	3.6739
29	0.255684	0.683044	1.311434	1.699127	2.04523	2.46202	2.75639	3.6594
30	0.255605	0.682756	1.310415	1.697261	2.04227	2.45726	2.75000	3.6460
inf	0.253347	0.674490	1.281552	1.644854	1.95996	2.32635	2.57583	3.2905

F Table for alpha=0.05



$\frac{df_2}{df_1}$	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	INF
1	161.4476	199.5	215.7073	224.5832	230.1619	233.986	236.7684	238.8827	240.5433	241.8817	243.906	245.9499	248.0131	249.0518	250.0951	251.1432	252.1957	253.2529	254.3144
2	18.5128	19	19.1643	19.2468	19.2961	19.3395	19.3532	19.371	19.3848	19.3959	19.4125	19.4231	19.4458	19.4541	19.4624	19.4707	19.4791	19.4874	19.4957
3	10.128	9.5521	9.2766	9.1172	9.0135	8.9406	8.8867	8.8452	8.8123	8.7855	8.7446	8.7039	8.6602	8.6385	8.6166	8.5944	8.5772	8.5594	8.5364
4	7.7086	6.9443	6.594	6.3882	6.2561	6.1631	6.0942	6.041	5.9988	5.9644	5.9117	5.8578	5.8025	5.7744	5.7459	5.7117	5.6877	5.6581	5.6281
5	6.6079	5.7861	5.4095	5.1922	5.0503	4.9503	4.8759	4.8183	4.7725	4.7351	4.6777	4.6188	4.5581	4.5272	4.4957	4.4314	4.3985	4.365	
6	5.9874	5.1433	4.7571	4.5337	4.3874	4.2839	4.2057	4.1468	4.099	4.05	3.9999	3.9381	3.8742	3.8415	3.8082	3.7733	3.7398	3.7047	3.6689
7	5.5914	4.7374	4.3468	4.1203	3.9715	3.866	3.787	3.7257	3.6767	3.6365	3.5747	3.5107	3.4445	3.4105	3.3758	3.3404	3.3043	3.2674	3.2298
8	5.3177	4.459	4.0652	3.8379	3.6875	3.5806	3.5005	3.4381	3.3881	3.3472	3.2839	3.2184	3.1505	3.1152	3.0794	3.0428	3.0053	2.9669	2.9276
9	5.1174	4.2655	3.8625	3.6331	3.4817	3.3738	3.2927	3.2296	3.1789	3.1373	3.0729	3.0251	2.9365	2.8837	2.8229	2.7872	2.7475	2.7067	
10	4.9646	4.1028	3.7083	3.478	3.3258	3.2172	3.1355	3.0717	3.0204	2.9782	2.913	2.845	2.774	2.7372	2.6596	2.6609	2.6211	2.5801	2.5379
11	4.8443	3.9823	3.5874	3.3567	3.2039	3.0946	3.0123	2.948	2.8952	2.8536	2.7876	2.7186	2.6464	2.609	2.5705	2.5309	2.4901	2.448	2.4045
12	4.4742	3.8853	3.4903	3.2592	3.1059	2.9961	2.9134	2.8486	2.7954	2.6866	2.6169	2.5436	2.5055	2.4663	2.4259	2.3842	2.341	2.2962	
13	4.6572	3.8056	3.4105	3.1791	3.0254	2.9553	2.8321	2.7669	2.7144	2.671	2.6037	2.5331	2.4589	2.4202	2.3803	2.3392	2.2966	2.2524	2.2064
14	4.6001	3.7889	3.3459	3.1122	2.9582	2.8477	2.7642	2.6987	2.6458	2.6022	2.5342	2.483	2.3879	2.3487	2.3082	2.2664	2.2229	2.1778	2.1307
15	4.5431	3.6823	3.2874	3.0556	2.9013	2.7905	2.7056	2.6408	2.5876	2.5357	2.4753	2.4034	2.3275	2.2878	2.2468	2.2043	2.1601	2.1141	2.0658
16	4.494	3.6337	3.2389	3.0069	2.8524	2.7413	2.6572	2.5911	2.5377	2.4935	2.4247	2.3522	2.2756	2.2354	2.1938	2.1507	2.1058	2.0589	2.0096
17	4.4513	3.5915	3.1988	2.9547	2.81	2.6587	2.6143	2.548	2.4943	2.4499	2.3807	2.3077	2.2304	2.1898	2.1477	2.104	2.0584	2.0107	1.9604
18	4.4139	3.5546	3.1599	2.9277	2.7729	2.6613	2.5767	2.5102	2.4563	2.4117	2.3421	2.2666	2.1906	2.1497	2.1071	2.0529	2.0166	1.9581	1.9168
19	4.3807	3.5219	3.1274	2.8951	2.7401	2.6283	2.5435	2.4768	2.4227	2.3779	2.308	2.2341	2.1555	2.1141	2.0712	2.0264	1.9795	1.9302	1.878
20	4.3512	3.4928	3.0984	2.8661	2.7109	2.599	2.514	2.4471	2.3928	2.3479	2.2776	2.2033	2.1242	2.0825	2.0391	1.9938	1.9464	1.8963	1.8432
21	4.3248	3.4668	3.0775	2.8401	2.6848	2.5277	2.4876	2.4205	2.366	2.321	2.2504	2.1757	2.096	2.054	2.0102	1.9645	1.9165	1.8557	1.8117
22	4.3009	3.4343	3.0491	2.8167	2.6613	2.5491	2.4638	2.3965	2.3419	2.2967	2.2258	2.1508	2.0707	2.0283	1.9842	1.938	1.8894	1.838	1.7831
23	4.2793	3.4021	3.028	2.7925	2.64	2.5277	2.4422	2.3748	2.3201	2.2747	2.2036	2.1282	2.0476	2.005	1.9605	1.9139	1.8648	1.8128	1.757
24	4.2597	3.4028	3.0088	2.7763	2.6207	2.5082	2.4226	2.3551	2.3002	2.2547	2.1834	2.1077	2.0267	1.9838	1.939	1.892	1.8424	1.7895	1.733
25	4.2417	3.3952	2.9912	2.7587	2.603	2.4904	2.4047	2.3371	2.2821	2.2365	2.1649	2.0889	2.0075	1.9643	1.9192	1.8718	1.8217	1.7684	1.711
26	4.2252	3.369	2.9752	2.7426	2.5868	2.4741	2.3883	2.3205	2.2655	2.2197	2.1479	2.0716	1.9898	1.9464	1.901	1.8533	1.8027	1.7488	1.6906
27	4.21	3.3541	2.9604	2.7228	2.5719	2.4991	2.3732	2.3051	2.2501	2.1933	2.0558	1.9736	1.9299	1.8842	1.8361	1.7851	1.7306	1.6717	
28	4.196	3.3404	2.9467	2.7141	2.5581	2.4453	2.3593	2.2913	2.236	2.179	2.1179	2.0411	1.9586	1.9147	1.8687	1.8203	1.7689	1.7138	1.6541
29	4.183	3.3277	2.9394	2.7074	2.5454	2.4324	2.3463	2.2793	2.2229	2.1768	2.1045	2.0275	1.9446	1.9005	1.8593	1.8055	1.7537	1.6981	1.6276
30	4.1709	3.3158	2.9223	2.6896	2.5336	2.4205	2.3343	2.2662	2.2107	2.1564	2.0921	2.0148	1.9317	1.8874	1.8409	1.7918	1.7396	1.6835	1.6223
40	4.0847	3.2317	2.8387	2.606	2.4495	2.3359	2.249	2.1802	2.124	2.0772	2.0035	1.9245	1.8389	1.7929	1.7444	1.6938	1.6373	1.5766	1.5089
60	4.0012	3.1504	2.7581	2.5252	2.3683	2.2541	2.1665	2.097	2.0401	1.9926	1.9174	1.8364	1.748	1.7001	1.6491	1.5933	1.5343	1.4673	1.3893
120	3.9201	3.0718	2.6802	2.4472	2.2899	2.175	2.0868	2.0164	1.9588	1.905	1.8337	1.7505	1.6587	1.6084	1.5593	1.4952	1.429	1.3519	1.2539
inf	3.8415	2.9957	2.6049	2.3719	2.2141	2.0986	2.0096	1.9384	1.8799	1.8307	1.7522	1.6664	1.5705	1.5173	1.4591	1.394	1.318	1.2214	