

FACULTY OF HEALTH, NATURAL RESOURCES AND APPLIED SCIENCES

SCHOOL OF NATURAL AND APPLIED SCIENCES

DEPARTMENT OF BIOLOGY, CHEMISTRY AND PHYSICS

QUALIFICATION: BACHELOR OF SCIENCE **BACHELOR OF HUMAN NUTRITION** BACHELOR OF ENVIRONMENTAL HEALTH SCIENCES BACHELOR OF HEALTH INFORMATION SYSTEMS MANAGEMENT **BACHELOR OF MEDICAL LABORATORY SCIENCES** QUALIFICATION CODE: 07BOSC, LEVEL: 5 08BOHN, 08BOHS, 07BHIS, 08BBMS COURSE CODE: GNP501S **COURSE NAME: GENERAL PHYSICS 1A** HSP511S **HEALTH SCIENCE PHYSICS SESSION: JUNE 2023** PAPER: THEORY **DURATION: 3 HOURS MARKS: 100**

	FIRST OPPORTUNITY EXAMINATIONS QUESTION PAPER			
EXAMINER(S)	EXAMINER(S) DR MUNYARADZI ZIVUKU			
DR VAINO INDONGO				
MODERATOR:	PROF. DIPTI SAHU			

INSTRUCTIONS:

- 1. Answer all the questions in the booklet provided
- 2. Show clearly all the steps used in the calculations
- 3. All written work MUST be done in blue or black ink and sketches must be done in pencils.

PERMISSIBLE MATERIALS

Non-Programmable Calculator

THIS QUESTION PAPER CONSISTS OF 7 (INCLUDING THIS FRONT PAGE)

SECTIO	NA				[40]
QUESTI	ON 1				(40)
Multiple	choice qu	estions types: I	Each question carries	s two marks	
1.1 The c	limensions	of Volume are gi	iven by;		(2)
A. L ³		B. L ² T ²	C. dimensionless	D. MLT ⁻¹	
1.2	is t	he unit of impulse	Э.		(2)
A. W	,	B. Hz	C. Ns	D. NS	
1.3 One	of these is	the dimension of	force.		(2)
A. M	L^2	B. MLT ^{- 1}	C. M ² T ²	D. MLT ⁻²	
1.4	is	a unit of force.		9	(2)
A.	kg.m/s ²				
В.	kg				
C.	m/s				
D.	cm ³				
1.5Which	n of the foll	owing physical q	uantity is dimensionles	ss?	(2)
A.	Angle				
B.	Strain				
C.	Specific g	gravity			
D.	All of the	above			
1.6The	limensiona	l formula of angu	ılar velocity is		(2)
A.	MLT				
В.	MLT ²				
C.	$M^0L^0T^{-1}$				
D.	M-1LT-1				

1.711	ne a	imensions of WORK are;	(2)
	A.	MLT	
	В.	ML ² T ⁻²	
	C.	MLT ⁻¹	
	D.	ML ² T ⁻¹	
1.8Th	ne ra	ate of change of displacement of a particle is referred to as	(2)
	A.	speed	
	В.	velocity	
	C.	acceleration	
	D.	power	
		of the following is a physical quantity that has a magnitude but no	(2)
	A.	Vector	
	В.	Frame of reference	
	C.	Resultant	
	D.	Scalar	
1.10	Th	e difference between speed and velocity is:	(2)
	Α.	speed has no units	
	В.	they use different units to represent their magnitude	
	C.	speed shows only magnitude, while velocity represents both magnitude (strength) and direction	е
	D.	velocity has a higher magnitude	
1.11	А	dot product of any two vectors gives a	(2)
	A.	vector	
	В.	vector and scalar	
	C.	scalar	
	D.	unit vector	

1.12	is the rate	e of change of en	ergy?	(2)
	A. Work			
	B. Power			
	C. Frequency			
	D. Viscosity			
1.13	The forces of 20 N tow	ards north and 1	2 N towards south a	re acting on
	an object. What will be	resultant force?		(2)
	A. 32 N toward north			
	B. 20 N towards north			•
	C. 32 N towards south	I.		
	D. 8 N towards north			
1 14	A steel bar is precisely	1.6 m at 25 ⁰ C. A	at what temperature	will its length
1,17	be 1.4 mm longer?	1.0 m at 25 0.7	a what temperature	(2)
	bo 1.1 min longor.			(=)
	A. 48°C B.	98°K C. 4	18°K	D. 98°C
1.15	When a liquid freezes	to become a solic	d:	(2)
	A. it absorbs energy	B. its	temperature increas	es
	C. its temperature decre		D. it emits e	
				0.
1.16	How much heat is requ	uired to raise the	temperature of a 0.0	4 kg stainless
	steel cup from 20°C to 5	50°C if the specifi	c heat capacity of st	ainless
	steel is 0.50 kJ / kg.°C.			(2)
	A. 200 J	B. 400 J	C. 800 J	D. 1000 J
1 17	Is a vector the	at is tangential to	nath of an object in	a circle: (2)
1.17	is a vector the	at is tarigeritial to	pair of air object iii	(<i>L</i>)
	A. angular force		B. centripetal acc	eleration
	C. centripetal velocity		D. centripetal force	

when the rate of increase	e of velocity is cor	nstant, we say	
has occur:			(2)
A. deceleration		B. acceleration	
C. uniform retardation		D. uniform accele	ration
Which of these statement	s is not true aboເ	it why weight varies?	(2)
A. due to rotation of the ea	rth about its axis		
B. due to constant in densi	ty of earth		
C. due to elliptical shape of	f the earth		
D. due to variation in latitud	de		
Whenever a liquid is touch	ed slightly, small	ripples run across the	surface.
This statement is an evide	nce of		(2)
A. surface tension	B. capillarity	C. angle of contact	D. proxy
	has occur: A. deceleration C. uniform retardation Which of these statement A. due to rotation of the ea B. due to constant in densi C. due to elliptical shape of D. due to variation in latitud Whenever a liquid is touch This statement is an evide	has occur: A. deceleration C. uniform retardation Which of these statements is not true about the about the action of the earth about its axis. B. due to constant in density of earth. C. due to elliptical shape of the earth. D. due to variation in latitude. Whenever a liquid is touched slightly, small. This statement is an evidence of	has occur: A. deceleration C. uniform retardation D. uniform acceleration Which of these statements is not true about why weight varies? A. due to rotation of the earth about its axis B. due to constant in density of earth C. due to elliptical shape of the earth D. due to variation in latitude Whenever a liquid is touched slightly, small ripples run across the This statement is an evidence of

SECT	TION B	[60]
QUES	STION 2	(18)
2.1	Briefly differentiate between the following terms with examples	
	(i) Random errors and systematic errors	(2)
	(ii) Accuracy and precision	(2)
2.2	Derive the dimensions of:	
	(i) Density	(2)
	(ii) Momentum	(2)
2.3	Determine whether the following equation is dimensionally correct.	
	(i) $v = u + at^2$	(2)
2.4	Suppose $A = B^m C^n$, where A has dimension, LT, B has dimension $L^2 T^{-1}$, C has dimensions LT^2 . Determine the dimension of n and m values.	and (3)
2.5	The mass 'm' of the largest stone that can be moved by a flowing river de upon the velocity 'v' of water, density 'd' of water and acceleration due to g'g'. Use the method of dimensional analysis to deduce the expression m	gravity
	a stone	(7)
QUES	STION 3	(12)
3.1	Determine the angle between the two vectors using the dot product	
	approach:	(3)
	$\bar{\mathbf{A}} = 2 \mathbf{i} - 2 \hat{\mathbf{j}} + 3 \mathbf{k}$ and $\bar{\mathbf{B}} = -4 \mathbf{i} + 2 \hat{\mathbf{j}} - \mathbf{k}$	
3.2	Given that: $\hat{q} = -2\tilde{t} + 2\hat{j} - 2\tilde{k}$, find the magnitude of \hat{q} , and the unit vector	or
3.3	in the direction of \hat{q} . The position \bar{r} of an object is given by [(2.5t) \dot{i} + (2.5t – 4.9 t²) j] m (with	(3) t in
	seconds). Determine;	
	(i) the velocity when t = 2 seconds	(3)
	(iii) the magnitude of the velocity when $t = 2$ seconds	(3)

QUESTION 4	(15)
------------	------

4.1	A passenger plane accelerated from rest down a runway at a constant
	acceleration of 2.5 m.s ⁻² .

- (i) Determine the position and velocity of the plane 8 seconds after it starts to move. (3)
- (ii) If the speed of 45 m/s is required for take-off, what is the minimum length of runway required? (2)
- 4.2 A spacecraft of mass 300 kg land on the moon. Calculate the moon's gravitational acceleration, g, on the spacecraft. [Take mass of moon = 7.5 x 10^{22} kg, radius of the moon = 1.6 x 10^{6} m, G = 6.67 x 10^{-11} Nm 2 kg $^{-2}$]. (3)
- 4.3 A rocket of mass 150 kg is launched on planet Jupiter's surface into space.

 Calculate the
 - (i) energy required to overcome the gravitational force of Jupiter. (3)
 - (ii) velocity of rocket upon launching. (2)
- 4.4 A CD starts from rest and accelerates to an angular frequency of 12.5 rev/s. Determine the disc's average period T and centripetal velocity V_c of the edge of the a disc when the radius is 3.5×10^{-3} m. (2)

QUESTION 5 (15)

- 5.1 Explain the terms adhesion and cohesion. (2)
- 5.2 Suppose that a huge tank 50m high and filled with water is open to the atmosphere and is hit with a stray bullet. The bullet pierces one side of the tank allowing water to flow out. The hole is 2m above the ground. If the hole is so small in comparison with the size of the tank. How quickly will the water flow? Consider acceleration due to gravity to 9.8 m/s² (6)
- 5.3 Determine the density of a sphere material, given that it has a radius of 8.2 mm with mass of 200 g. (4)
- During the time when a man had flu, he ran a fever of 7.0°C above normal. His body temperature was 44.0°C instead of the normal 37.0°C. Assuming that the man has a mass of 40 kg and that the human body is mostly water, how much heat is required to raise his temperature? [Take specific heat capacity of liquid as, c = 4186 J / kg.°C]



NAMIBIA UNIVERSITY OF SCIENCE AND TECHNOLOGY

FACULTY OF HEALTH, NATURAL RESOURCES AND APPLIED SCIENCES

SCHOOL OF NATURAL AND APPLIED SCIENCES

DEPARTMENT OF BIOLOGY, CHEMISTRY AND PHYSICS

QUALIFICATION: BACHELOR OF SCIENCE		
BACHELOR OF HUM	AN NUTRITION	
BACHELOR OF ENVII	RONMENTAL HEALTH SCIENCES	
BACHELOR OF HEAL	TH INFORMATION SYSTEMS MANAGEMENT	
BACHELOR OF MEDI	CAL LABORATORY SCIENCES	
QUALIFICATION CODE: 07BOSC,	LEVEL: 5	
08BOHN, 08BOHS, 07BHIS, 08BBM S		
COURSE CODE: GNP501S	COURSE NAME: GENERAL PHYSICS 1A	
HSP511S	HEALTH SCIENCE PHYSICS	
SESSION: JUNE 2023	PAPER: THEORY	
DURATION: 3 HOURS	MARKS: 100	

FIRST OPPORTUNITY EXAMINATIONS QUESTION PAPER				
EXAMINER(S)	EXAMINER(S) DR MUNYARADZI ZIVUKU			
	DR VAINO INDONGO			
MODERATOR:	PROF. DIPTI SAHU			

INSTRUCTIONS:

- 1. Answer all the questions in the booklet provided
- 2. Show clearly all the steps used in the calculations
- 3. All written work MUST be done in blue or black ink and sketches must be done in pencils.

PERMISSIBLE MATERIALS

Mon-Programmable Calculator

THIS MEMO CONSISTS OF 7

(INCLUDING THIS FRONT PAGE)