



**NAMIBIA UNIVERSITY
OF SCIENCE AND TECHNOLOGY**

FACULTY OF COMMERCE, HUMAN SCIENCES AND EDUCATION

DEPARTMENT OF TECHNICAL AND VOCATIONAL EDUCATION AND TRAINING (TVET)

QUALIFICATION : MUST BRIDGING PROGRAMME - TVET AGRICULTURE SPECIALISATION	
QUALIFICATION CODE: 04NBTA	LEVEL: 4
COURSE CODE: FAS411S	COURSE NAME: FUNDAMENTALS OF AGRICULTURAL STATISTICS
SESSION: JUNE 2024	PAPER: 1
DURATION: 3 HOURS	MARKS: 100

FIRST OPPORTUNITY EXAMINATION QUESTION PAPER	
EXAMINER(S)	Ms. E MATALI
MODERATOR:	Mr. M Lubinda (Internal)

INSTRUCTIONS
1. For SECTION A write down the letter corresponding to the best option for each question
2. For SECTION B show clearly all your work
3. All written work MUST be done in blue or black ink
ATTACHMENT: Formula sheet, t-table, z-table, chi-square table
PERMISSIBLE MATERIALS: 1. Non-Programmable Calculator without the cover

THIS QUESTION PAPER CONSISTS OF 11 PAGES (Including this front page)

SECTION A

QUESTION 1

[20 marks]

Write down the letter corresponding to your choice next to the question number.

- 1.1. What does Central Limit Theorem state about the distribution of sample means?
a) It is normally distributed regardless of the population distribution
b) It is always skewed to the right
c) It is not affected by sample size
d) It is determined solely by the population standard deviation (2)
- 1.2. Primary data is a type of data that is collected by researchers directly from main sources through interviews, surveys or experiments.
a) True
b) False (2)
- 1.3. A confidence interval estimate for the population mean is constructed using:
a) Sample standard deviation
b) Population standard deviation
c) Both sample and population standard deviation
d) Mean deviation (2)
- 1.4. In hypothesis testing, the alternative hypothesis is always denoted by:
a) H_0
b) H_1
c) H_a
d) H_2 (2)
- 1.5. Which distribution is used when dealing with binary data?
a) Normal distribution
b) Binomial distribution
c) Poisson distribution
d) Exponential distribution (2)

- 1.6. If event A and event B cannot occur at the same time, then events A and B are said to be:
- Mutually exclusive
 - Statistically dependent
 - Joint events
 - Collectively exhaustive (2)
- 1.7. The coefficient of determination measures:
- The strength of the relationship between two variables
 - The slope of the regression line
 - The residual variance
 - The standard deviation (2)
- 1.8. Which sampling method involves dividing the population into groups and randomly selecting groups to sample?
- Simple random sampling
 - Stratified random sampling
 - Systematic sampling
 - Convenience sampling (2)
- 1.9. What is the formula to calculate the coefficient of variation (write out)?
- $CV = \frac{\text{Alpha } (a)}{\text{Sample Mean } (x)}$
 - $CV = \frac{\text{Standard Deviation } (s)}{\text{Sample Mean } (x)}$
 - $CV = \frac{\text{Standard Deviation } (s)}{\text{Alpha } (a)}$
 - $CV = \frac{\text{Alpha } (a)}{\text{Standard Deviation } (s)}$ (2)
- 1.10. All the events in the sample space that are not part of the specified event are called:
- Simple events
 - The sample spaces
 - Joint events
 - The complement of the event (2)

SECTION B

QUESTION 2

[26 marks]

2.1.

[8]

2.1.1. Using classes 20 to less than 30, 30 to less than 40, 40 to less than 50..., construct frequency distribution table for the data. **NB your frequency distribution table must include; less than cumulative frequency, percentage frequency and class midpoint.** As part of their national crusade to eradicate unemployment in Namibia. Meatco management recently employed some workers with the following ages.

25	32	21	60	22	30	42	45	50	50	36	25	32	21
43	52	64	40	44	40	55	48	46	59	60	43	52	64

(5)

2.1.2. Plot a histogram using the data of your frequency distribution table.

(3)

2.2. Over the course of 3 hours 55 batches of harvested crops arrive at a processing facility. The processing facility has been recording the delay in the arrival of each batch, measured in minutes. The number of minutes they were late is shown in the grouped frequency table below.

[18]

Minutes late	Frequency
0-10	5
10-20	10
20-30	7
30-40	27
40-50	4
50-60	2

2.1.1. Estimate the mean late arrival time for the batches of crop

(9)

2.1.2. Estimate the variance and the standard deviation for late arrival time for the batches of crop

(9)

Question 3**[28 marks]**

3.1. Namib Mills has submitted bids on two separate government contracts A and B. Namib Mills feels that it has 60% chance of winning contract A and 40% chance of winning contract B. Furthermore, it believes that winning contract A is independent of winning contract B.

[12]

3.1.1. Draw a tree diagram to represent the above experiment and list the possible outcomes (Hint: Use W to denote Win and F to denote Lose) (4)

3.1.2. Write down the sample space. (2)

3.1.3. What is the probability that Namib Mills will win both contracts? (3)

3.1.4. What is the probability that Namib Mills will win at least 1 of the contracts (3)

3.2. Five hundred farmworkers were selected from various agricultural enterprises within the Otjozondjupa region. The farmworkers were asked whether or not they have any retirement benefits provided as part of their employment package. The table below summarises the responses collected from the farmworkers. **[16]**

	Have Benefits	Have No Benefits
Men	225	75
Women	150	50

If one employee is selected at random from these 500 employees, what is the probability (P):

3.2.1. P(women) (2)

3.2.2. P (has retirement benefits) (3)

3.2.3. P (has retirement benefits given the employee is a men) (3)

3.2.4. P (women and has benefits) (3)

3.2.5. P (women or has benefits) (3)

3.2.6. Are the events “have benefits” and “have no benefits” mutually exclusive? Why or why not? (2)

Question 4

[26 marks]

4.1. A factory has a machine that dispenses 80 ml of fluid in a bottle. An employee believes the average amount of fluid is not 80 ml. Using 40 samples, he measures the average amount dispensed by the machine to be 78 mL with a standard deviation of 2.5. [10]

(a) State the null and alternative hypothesis. (2)

(b) At a 95% confidence level, is there enough evidence to support the idea that the machine is not working properly? (8)

4.2. Find the Quartile Deviation for the following observations on number of Mesta plants in 10 equi-sized plots: 13, 9, 16, 4, 8, 19, 7, 23, 21, 12 [10]

4.3. The sample variance for ages (in years) of a sample of 11 mopane trees in the northern part of Namibia, was estimated at 10.27 years. The interval estimation for the variance of the entire population of all mopane trees with a 90% degree of confidence is [6]

END OF PAPER [100]

FORMULA SHEET

$$M_e = L + \frac{c[0.5n - CF]}{f_{me}}$$

$$M_0 = L + \frac{c(f_m - f_{m-1})}{2f_m - f_{m-1} - f_{m+1}}$$

$$\bar{x} = \frac{\sum fx}{n}$$

$$Z = \frac{x - \mu}{\frac{\sigma}{\sqrt{n}}}$$

$$\bar{x} \pm Z_{\frac{\alpha}{2}} \left(\frac{\sigma}{\sqrt{n}} \right)$$

$$(p_1 - p_2) \pm Z_{\frac{\alpha}{2}} \left(\sqrt{\frac{p_1 q_1}{n_1} + \frac{p_2 q_2}{n_2}} \right)$$

$$t_{stat} = \frac{\bar{x} - \mu}{\frac{s}{\sqrt{n}}}$$

$$\frac{(n-1)S^2}{\chi^2_{\frac{\alpha}{2}, n-1}} < \sigma^2 < \frac{(n-1)S^2}{\chi^2_{1-\frac{\alpha}{2}, n-1}}$$

$$\chi^2_{stat} = \frac{(n-1)S^2}{\sigma^2}$$

$$\chi^2_{stat} = \sum \frac{(f_o - f_e)^2}{f_e}$$

$$E(X) = \sum x_i p_i$$

$$V(X) = \sum (x_i - \mu)^2 p(x_i)$$

$$P(X = x) = \binom{n}{x} p^x q^{n-x}$$

$$n = \frac{z^2(\sigma^2)}{E^2}$$

$$b = \frac{n \sum xy - \sum x \sum y}{n \sum x^2 - (\sum x)^2}$$

$$a = \bar{y} - b\bar{x}$$

$$\hat{\pi} = \frac{x_1 + x_2}{n_1 + n_2}$$

$$Z_{ov} = \frac{(p_1 - p_2) - (\pi_1 - \pi_2)}{\sqrt{\hat{\pi}(1-\hat{\pi}) \left(\frac{1}{n_1} + \frac{1}{n_2} \right)}}$$

$$\bar{x} = \frac{\sum x}{n}$$

$$s^2 = \frac{\sum (x_i - \bar{x})^2}{n-1}$$

$$n = \frac{z^2 p(1-p)}{E^2}$$

$$s^2 = \frac{\sum (x_i - \bar{x})^2 f_i}{n-1}$$

$$p \pm z \sqrt{\frac{pq}{n}}$$

$$\bar{x} \pm t_{\frac{\alpha}{2}, n-1} \left(\frac{s}{\sqrt{n}} \right)$$

$$Z = \frac{x - \mu}{\sigma}$$

$$(\bar{x}_A - \bar{x}_B) \pm t \sqrt{\frac{s_A^2}{n_A} + \frac{s_B^2}{n_B}}$$

$$P(X = k) = \frac{e^{-\theta} \theta^k}{k!}$$

$$t = \frac{(\bar{x}_1 - \bar{x}_2) - (\mu_1 - \mu_2)}{\sqrt{\frac{s_1^2}{n_1} + \frac{s_2^2}{n_2}}}$$

Z – Table

The table shows cumulative probabilities for the standard normal curve.

Cumulative probabilities for NEGATIVE z-values are shown first. SCROLL DOWN to the 2nd page for POSITIVE z

z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
-3.4	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0002
-3.3	.0005	.0005	.0005	.0004	.0004	.0004	.0004	.0004	.0004	.0003
-3.2	.0007	.0007	.0006	.0006	.0006	.0006	.0006	.0005	.0005	.0005
-3.1	.0010	.0009	.0009	.0009	.0008	.0008	.0008	.0008	.0007	.0007
-3.0	.0013	.0013	.0013	.0012	.0012	.0011	.0011	.0011	.0010	.0010
-2.9	.0019	.0018	.0018	.0017	.0016	.0016	.0015	.0015	.0014	.0014
-2.8	.0026	.0025	.0024	.0023	.0023	.0022	.0021	.0021	.0020	.0019
-2.7	.0035	.0034	.0033	.0032	.0031	.0030	.0029	.0028	.0027	.0026
-2.6	.0047	.0045	.0044	.0043	.0041	.0040	.0039	.0038	.0037	.0036
-2.5	.0062	.0060	.0059	.0057	.0055	.0054	.0052	.0051	.0049	.0048
-2.4	.0082	.0080	.0078	.0075	.0073	.0071	.0069	.0068	.0066	.0064
-2.3	.0107	.0104	.0102	.0099	.0096	.0094	.0091	.0089	.0087	.0084
-2.2	.0139	.0136	.0132	.0129	.0125	.0122	.0119	.0116	.0113	.0110
-2.1	.0179	.0174	.0170	.0166	.0162	.0158	.0154	.0150	.0146	.0143
-2.0	.0228	.0222	.0217	.0212	.0207	.0202	.0197	.0192	.0188	.0183
-1.9	.0287	.0281	.0274	.0268	.0262	.0256	.0250	.0244	.0239	.0233
-1.8	.0359	.0351	.0344	.0336	.0329	.0322	.0314	.0307	.0301	.0294
-1.7	.0446	.0436	.0427	.0418	.0409	.0401	.0392	.0384	.0375	.0367
-1.6	.0548	.0537	.0526	.0516	.0505	.0495	.0485	.0475	.0465	.0455
-1.5	.0668	.0655	.0643	.0630	.0618	.0606	.0594	.0582	.0571	.0559
-1.4	.0808	.0793	.0778	.0764	.0749	.0735	.0721	.0708	.0694	.0681
-1.3	.0968	.0951	.0934	.0918	.0901	.0885	.0869	.0853	.0838	.0823
-1.2	.1151	.1131	.1112	.1093	.1075	.1056	.1038	.1020	.1003	.0985
-1.1	.1357	.1335	.1314	.1292	.1271	.1251	.1230	.1210	.1190	.1170
-1.0	.1587	.1562	.1539	.1515	.1492	.1469	.1446	.1423	.1401	.1379
-0.9	.1841	.1814	.1788	.1762	.1736	.1711	.1685	.1660	.1635	.1611
-0.8	.2119	.2090	.2061	.2033	.2005	.1977	.1949	.1922	.1894	.1867
-0.7	.2420	.2389	.2358	.2327	.2296	.2266	.2236	.2206	.2177	.2148
-0.6	.2743	.2709	.2676	.2643	.2611	.2578	.2546	.2514	.2483	.2451
-0.5	.3085	.3050	.3015	.2981	.2946	.2912	.2877	.2843	.2810	.2776
-0.4	.3446	.3409	.3372	.3336	.3300	.3264	.3228	.3192	.3156	.3121
-0.3	.3821	.3783	.3745	.3707	.3669	.3632	.3594	.3557	.3520	.3483
-0.2	.4207	.4168	.4129	.4090	.4052	.4013	.3974	.3936	.3897	.3859
-0.1	.4602	.4562	.4522	.4483	.4443	.4404	.4364	.4325	.4286	.4247
0.0	.5000	.4960	.4920	.4880	.4840	.4801	.4761	.4721	.4681	.4641

Cumulative probabilities for POSITIVE z-values are shown below.


z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.5000	.5040	.5080	.5120	.5160	.5199	.5239	.5279	.5319	.5359
0.1	.5398	.5438	.5478	.5517	.5557	.5596	.5636	.5675	.5714	.5753
0.2	.5793	.5832	.5871	.5910	.5948	.5987	.6026	.6064	.6103	.6141
0.3	.6179	.6217	.6255	.6293	.6331	.6368	.6406	.6443	.6480	.6517
0.4	.6554	.6591	.6628	.6664	.6700	.6736	.6772	.6808	.6844	.6879
0.5	.6915	.6950	.6985	.7019	.7054	.7088	.7123	.7157	.7190	.7224
0.6	.7257	.7291	.7324	.7357	.7389	.7422	.7454	.7486	.7517	.7549
0.7	.7580	.7611	.7642	.7673	.7704	.7734	.7764	.7794	.7823	.7852
0.8	.7881	.7910	.7939	.7967	.7995	.8023	.8051	.8078	.8106	.8133
0.9	.8159	.8186	.8212	.8238	.8264	.8289	.8315	.8340	.8365	.8389
1.0	.8413	.8438	.8461	.8485	.8508	.8531	.8554	.8577	.8599	.8621
1.1	.8643	.8665	.8686	.8708	.8729	.8749	.8770	.8790	.8810	.8830
1.2	.8849	.8869	.8888	.8907	.8925	.8944	.8962	.8980	.8997	.9015
1.3	.9032	.9049	.9066	.9082	.9099	.9115	.9131	.9147	.9162	.9177
1.4	.9192	.9207	.9222	.9236	.9251	.9265	.9279	.9292	.9306	.9319
1.5	.9332	.9345	.9357	.9370	.9382	.9394	.9406	.9418	.9429	.9441
1.6	.9452	.9463	.9474	.9484	.9495	.9505	.9515	.9525	.9535	.9545
1.7	.9554	.9564	.9573	.9582	.9591	.9599	.9608	.9616	.9625	.9633
1.8	.9641	.9649	.9656	.9664	.9671	.9678	.9686	.9693	.9699	.9706
1.9	.9713	.9719	.9726	.9732	.9738	.9744	.9750	.9756	.9761	.9767
2.0	.9772	.9778	.9783	.9788	.9793	.9798	.9803	.9808	.9812	.9817
2.1	.9821	.9826	.9830	.9834	.9838	.9842	.9846	.9850	.9854	.9857
2.2	.9861	.9864	.9868	.9871	.9875	.9878	.9881	.9884	.9887	.9890
2.3	.9893	.9896	.9898	.9901	.9904	.9906	.9909	.9911	.9913	.9916
2.4	.9918	.9920	.9922	.9925	.9927	.9929	.9931	.9932	.9934	.9936
2.5	.9938	.9940	.9941	.9943	.9945	.9946	.9948	.9949	.9951	.9952
2.6	.9953	.9955	.9956	.9957	.9959	.9960	.9961	.9962	.9963	.9964
2.7	.9965	.9966	.9967	.9968	.9969	.9970	.9971	.9972	.9973	.9974
2.8	.9974	.9975	.9976	.9977	.9977	.9978	.9979	.9979	.9980	.9981
2.9	.9981	.9982	.9982	.9983	.9984	.9984	.9985	.9985	.9986	.9986
3.0	.9987	.9987	.9987	.9988	.9988	.9989	.9989	.9989	.9990	.9990
3.1	.9990	.9991	.9991	.9991	.9992	.9992	.9992	.9992	.9993	.9993
3.2	.9993	.9993	.9994	.9994	.9994	.9994	.9994	.9995	.9995	.9995
3.3	.9995	.9995	.9995	.9996	.9996	.9996	.9996	.9996	.9996	.9997
3.4	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9998

TABLE of CRITICAL VALUES for STUDENT'S t DISTRIBUTIONS

Column headings denote probabilities (α) above tabulated values.

d.f.	0.40	0.25	0.10	0.05	0.04	0.025	0.02	0.01	0.005	0.0025	0.001	0.0005
1	0.325	1.000	3.078	6.314	7.916	12.706	15.894	31.821	63.656	127.321	318.289	636.578
2	0.289	0.816	1.886	2.920	3.320	4.303	4.849	6.965	9.925	14.089	22.328	31.600
3	0.277	0.785	1.638	2.353	2.605	3.182	3.482	4.541	5.841	7.453	10.214	12.924
4	0.271	0.741	1.533	2.132	2.333	2.776	2.999	3.747	4.604	5.598	7.173	8.610
5	0.267	0.727	1.476	2.015	2.191	2.571	2.757	3.365	4.032	4.773	5.894	6.869
6	0.265	0.718	1.440	1.943	2.104	2.447	2.612	3.143	3.707	4.317	5.208	5.959
7	0.263	0.711	1.415	1.895	2.046	2.365	2.517	2.998	3.499	4.029	4.785	5.408
8	0.262	0.706	1.397	1.860	2.004	2.306	2.449	2.896	3.355	3.833	4.501	5.041
9	0.261	0.703	1.383	1.833	1.973	2.262	2.398	2.821	3.250	3.690	4.297	4.781
10	0.260	0.700	1.372	1.812	1.948	2.228	2.359	2.764	3.169	3.581	4.144	4.587
11	0.260	0.697	1.363	1.796	1.928	2.201	2.328	2.718	3.106	3.497	4.025	4.437
12	0.259	0.695	1.356	1.782	1.912	2.179	2.303	2.681	3.055	3.428	3.930	4.318
13	0.259	0.694	1.350	1.771	1.899	2.160	2.282	2.650	3.012	3.372	3.852	4.221
14	0.258	0.692	1.345	1.761	1.887	2.145	2.264	2.624	2.977	3.326	3.787	4.140
15	0.258	0.691	1.341	1.753	1.878	2.131	2.249	2.602	2.947	3.286	3.733	4.073
16	0.258	0.690	1.337	1.746	1.869	2.120	2.235	2.583	2.921	3.252	3.686	4.015
17	0.257	0.689	1.333	1.740	1.862	2.110	2.224	2.567	2.898	3.222	3.646	3.965
18	0.257	0.688	1.330	1.734	1.855	2.101	2.214	2.552	2.878	3.197	3.610	3.922
19	0.257	0.688	1.328	1.729	1.850	2.093	2.205	2.539	2.861	3.174	3.579	3.883
20	0.257	0.687	1.325	1.725	1.844	2.086	2.197	2.528	2.845	3.153	3.552	3.850
21	0.257	0.686	1.323	1.721	1.840	2.080	2.189	2.518	2.831	3.135	3.527	3.819
22	0.256	0.686	1.321	1.717	1.836	2.074	2.183	2.508	2.819	3.119	3.505	3.792
23	0.256	0.685	1.319	1.714	1.832	2.069	2.177	2.500	2.807	3.104	3.485	3.768
24	0.256	0.685	1.318	1.711	1.828	2.064	2.172	2.492	2.797	3.091	3.467	3.745
25	0.256	0.684	1.316	1.708	1.825	2.060	2.167	2.485	2.787	3.078	3.450	3.725
26	0.256	0.684	1.315	1.706	1.822	2.056	2.162	2.479	2.779	3.067	3.435	3.707
27	0.256	0.684	1.314	1.703	1.819	2.052	2.158	2.473	2.771	3.057	3.421	3.689
28	0.256	0.683	1.313	1.701	1.817	2.048	2.154	2.467	2.763	3.047	3.408	3.674
29	0.256	0.683	1.311	1.699	1.814	2.045	2.150	2.462	2.756	3.038	3.396	3.660
30	0.256	0.683	1.310	1.697	1.812	2.042	2.147	2.457	2.750	3.030	3.385	3.646
31	0.256	0.682	1.309	1.696	1.810	2.040	2.144	2.453	2.744	3.022	3.375	3.633
32	0.255	0.682	1.309	1.694	1.808	2.037	2.141	2.449	2.738	3.015	3.365	3.622
33	0.255	0.682	1.308	1.692	1.806	2.035	2.138	2.445	2.733	3.008	3.356	3.611
34	0.255	0.682	1.307	1.691	1.805	2.032	2.136	2.441	2.728	3.002	3.348	3.601
35	0.255	0.682	1.306	1.690	1.803	2.030	2.133	2.438	2.724	2.996	3.340	3.591
36	0.255	0.681	1.306	1.688	1.802	2.028	2.131	2.434	2.719	2.990	3.333	3.582
37	0.255	0.681	1.305	1.687	1.800	2.028	2.128	2.431	2.715	2.985	3.328	3.574
38	0.255	0.681	1.304	1.686	1.799	2.024	2.127	2.429	2.712	2.980	3.319	3.566
39	0.255	0.681	1.304	1.685	1.798	2.023	2.125	2.426	2.708	2.976	3.313	3.558
40	0.255	0.681	1.303	1.684	1.796	2.021	2.123	2.423	2.704	2.971	3.307	3.551
60	0.254	0.679	1.296	1.671	1.781	2.000	2.099	2.390	2.660	2.915	3.232	3.460
80	0.254	0.678	1.292	1.664	1.773	1.990	2.088	2.374	2.639	2.887	3.195	3.416
100	0.254	0.677	1.290	1.660	1.769	1.984	2.081	2.364	2.626	2.871	3.174	3.390
120	0.254	0.677	1.289	1.658	1.766	1.980	2.076	2.358	2.617	2.860	3.160	3.373
140	0.254	0.676	1.288	1.656	1.763	1.977	2.073	2.353	2.611	2.852	3.149	3.361
160	0.254	0.676	1.287	1.654	1.762	1.975	2.071	2.350	2.607	2.847	3.142	3.352
180	0.254	0.676	1.286	1.653	1.761	1.973	2.069	2.347	2.603	2.842	3.136	3.345
200	0.254	0.676	1.286	1.653	1.760	1.972	2.067	2.345	2.601	2.838	3.131	3.340
250	0.254	0.675	1.285	1.651	1.758	1.969	2.065	2.341	2.596	2.832	3.123	3.330
inf	0.253	0.674	1.282	1.645	1.751	1.960	2.054	2.326	2.576	2.807	3.090	3.290

APPENDIX E: The Chi-Square Distribution



α/p	.995	.990	.975	.950	.900	.750	.500	.250	.100	.050	.025	.010	.005
1	0.00004	0.00016	0.00098	0.00393	0.01579	0.10153	0.45494	1.32330	2.70554	3.84146	5.02389	6.63490	7.87944
2	0.01003	0.02010	0.05064	0.10259	0.21072	0.57536	1.38629	2.77259	4.60517	5.99146	7.37776	9.21034	10.59663
3	0.07172	0.11483	0.21580	0.35185	0.58437	1.21253	2.36597	4.10834	6.25139	7.81473	9.34840	11.34487	12.83816
4	0.20699	0.29711	0.48442	0.71072	1.06362	1.92256	3.35669	5.38527	7.77944	9.48773	11.14329	13.27670	14.86026
5	0.41174	0.55430	0.83121	1.14548	1.61031	2.67460	4.35146	6.62568	9.23636	11.07050	12.83250	15.08627	16.74960
6	0.67573	0.87209	1.23734	1.63538	2.20413	3.45460	5.34812	7.84080	10.64464	12.59159	14.44938	16.81189	18.54758
7	0.98926	1.23904	1.68987	2.16735	2.83311	4.25485	6.34581	9.03715	12.01704	14.06714	16.01276	18.47531	20.27774
8	1.34441	1.64650	2.17973	2.73264	3.48954	5.07064	7.34412	10.21885	13.36157	15.50731	17.53455	20.09024	21.95495
9	1.73493	2.08790	2.70039	3.32511	4.16816	5.89883	8.34283	11.38875	14.68366	16.91898	19.02277	21.66599	23.58935
10	2.15586	2.55821	3.24697	3.94030	4.86518	6.73720	9.34182	12.54886	15.98718	18.30704	20.48318	23.20925	25.18818
11	2.60322	3.05348	3.81575	4.57481	5.57778	7.58414	10.34100	13.70069	17.27501	19.67514	21.92005	24.72497	26.75685
12	3.07382	3.57057	4.40379	5.22603	6.30380	8.43842	11.34032	14.84540	18.54935	21.02607	23.33666	26.21697	28.29952
13	3.56503	4.10692	5.00875	5.89186	7.04150	9.29907	12.33976	15.98391	19.81193	22.36203	24.73560	27.68825	29.81947
14	4.07467	4.66043	5.62873	6.57063	7.78953	10.16531	13.33927	17.11693	21.06414	23.68479	26.11895	29.14124	31.31935
15	4.60092	5.22935	6.26214	7.26094	8.54676	11.03654	14.33886	18.24569	22.30713	24.99579	27.48839	30.57791	32.80132
16	5.14221	5.81221	6.90766	7.96165	9.31224	11.91222	15.33850	19.36886	23.54183	26.29623	28.84535	31.99993	34.26719
17	5.69722	6.40776	7.56419	8.67176	10.08519	12.79193	16.33818	20.48868	24.76904	27.58711	30.19101	33.40866	35.71847
18	6.26480	7.01491	8.23075	9.39046	10.86494	13.67529	17.33790	21.60489	25.98942	28.86930	31.52638	34.80531	37.15645
19	6.84397	7.63273	8.90652	10.11701	11.65091	14.56200	18.33765	22.71781	27.20357	30.14353	32.85233	36.19087	38.58226
20	7.43384	8.26040	9.59078	10.85081	12.44261	15.45177	19.33743	23.82769	28.41198	31.41043	34.16961	37.56623	39.99685
21	8.03365	8.89720	10.28290	11.59131	13.23960	16.34438	20.33723	24.93478	29.61509	32.67057	35.47838	38.93217	41.40106
22	8.64272	9.54249	10.98232	12.33801	14.04149	17.23962	21.33704	26.03927	30.81328	33.92444	36.78071	40.28936	42.79565
23	9.26042	10.19572	11.68855	13.09051	14.84796	18.13730	22.33688	27.14134	32.00690	35.17246	38.07563	41.63840	44.18128
24	9.88623	10.85636	12.40115	13.84843	15.65868	19.03725	23.33673	28.24115	33.19624	36.41503	39.36408	42.97982	45.55851
25	10.51965	11.52398	13.11972	14.61141	16.47341	19.93934	24.33659	29.33885	34.38159	37.65248	40.64647	44.31410	46.92789
26	11.16024	12.19815	13.84390	15.37916	17.29188	20.84343	25.33646	30.43457	35.56317	38.88514	41.92317	45.64168	48.28988
27	11.80759	12.87850	14.57338	16.15140	18.11390	21.74940	26.33634	31.52841	36.74122	40.11327	43.19451	46.96294	49.64492
28	12.46134	13.56471	15.30786	16.92788	18.93924	22.65716	27.33623	32.62049	37.91592	41.33714	44.46079	48.27824	50.99338
29	13.12115	14.25645	16.04707	17.70837	19.76774	23.56659	28.33613	33.71091	39.08747	42.55697	45.72229	49.58788	52.33562
30	13.78672	14.95346	16.79077	18.49266	20.59923	24.47761	29.33603	34.79974	40.25602	43.77297	46.97924	50.89218	53.67196