

13 Jackson Kaujeua Street T: +264 61 207 2970 Private Bag 13388 F: +264 61 207 9970 Windhoek E: dchs@nust.na NAMIBIA

W: www.nust.na

Faculty of Health, Natural Resources and Applied Sciences

School of Health Sciences

Department of Clinical **Health Sciences**

QUALIFICATION: BACHELOR OF MEDICAL LABORATORY SCIENCES OR BACHELOR OF HUMAN NUTRITION	
QUALIFICATION CODE: 08BMLS OR 08BOHN	LEVEL: 6
COURSE: BIOCHEMISTRY OR INTRODUCTION TO BIOCHEMISTRY	COURSE CODE: BIO521S OR IBC521S
DATE: NOVEMBER 2024	SESSION: 1
DURATION: 3 HOURS	MARKS: 100

FIRST OPPORTUNITY: QUESTION PAPER

EXAMINER:

Mr Junias Natangwe Jackson

MODERATOR:

Ms Vanessa Tijjenda

Mr George Waliomuzibu Mukisa

INSTRUCTIONS:

- 1. Answer all questions on the separate answer sheet.
- 2. Please write neatly and legibly.
- 3. Do not use the left side margin of the exam paper. This must be allowed for the examiner.
- 4. No books, notes and other additional aids are allowed.
- 5. Mark all answers clearly with their respective question numbers.

PERMISSIBLE MATERIALS:

1. Non-Programmable Calculator

ATTACHMENTS:

NONE

This paper consists of 6 pages including this front page

QUESTION 1: MULTIPLE CHOICE QUESTIONS

[10 MARKS]

Evaluate the statements in each numbered section and select the most appropriate answer or phrase from the given possibilities. Fill in the appropriate letter next to the number of the correct statement/phrase on your ANSWER SHEET. [10]

1.1. Which one of the following is a ketose:

[1]

1.2. Which of the following statements is correct about column chromatography?

[1]

- a) Resolution improves as column length increases.
- b) Mobile phase is a porous solid material kept in the column with appropriate chemical characteristics.
- c) Stationary phase is a buffered solution that percolates through the mobile phase.
- d) Large proteins exit the column faster than tiny proteins.
- 1.3. Which of the following catalyses the reversible degradation of 2-phosphoglycerate to phosphoenolpyruvate? [1]
 - a) Trypsin
 - b) Enolase
 - c) Chymotrypsin
 - d) Hexokinase
- 1.4. If the free energy change (ΔG) for a reaction is -50.45 kJ/mol, the reaction is:

[1]

- a) Exothermic
- b) Exergonic
- c) Endergonic
- d) At equilibrium
- 1.5. Which of the following is a choline-containing lipid:

[1]

- a) Phosphatidylethanolamine
- b) Phosphatidylserine
- c) Sphingomyelin
- d) Phosphatidylglycerol

1.6. W	hich of the following enzyme is responsible for the conversion of glucose 1-phosphat	e to
glı	ucose 6-phosphate:	[1]
a)	Epimerase	
b)	Phosphoglucomutase	
c)	Glycogen phosphorylase	
d)	Isomerase	
1.7. W	hich of the following condenses acyl and malonyl groups:	[1]
a)	Acetyl co-A ACP transacetylase	
b)	Malonyl co-A ACP transferase	
c)	β-ketoacyl ACP synthase	
d)	Acyl carrier protein	
	hich of the following is called "bad" Cholesterol: Cholesterol Triglyceride	[1]
c)	HDL	
d)	LDL	
1.9. W a)	hich of the following is a building block of proteins: Fatty acid	[1]
b)	Amino acid	
c)	Nucleotide	
d)	Monosaccharide	
1.10. V	What are enzymes:	[1]
a)	Proteins	
b)	Lipids	
c)	Carbohydrates	
d)	Nucleic acids	

QUESTION 2: TRUE/FALSE QUESTIONS [10 MARKS] Evaluate the statements and select whether the statement is true or false. Write the word 'True' or 'False' next to the corresponding number on your ANSWER SHEET. [10] 2.1 Glycogen, starch, and cellulose are all chains of amino acids. [1] 2.2 A simple sugar that is a building block of carbohydrates is called a polysaccharide. [1] 2.3 In uncompetitive inhibition, k_m increases as an inhibitor is added. [1] 2.4 Two monosaccharide are joined through a peptide bond to form a disaccharide. [1] 2.5 Amino acid is one of the major macromolecules. [1] 2.6 The chemical structure of a competitive inhibitor resembles that of the enzymes substrate [1] 2.7 Active transport requires energy and involves the movement of solute from the lower concentration side of a membrane to the higher concentration side. [1] 2.8 NADPH is an oxidising agent for fatty acid biosynthesis. [1] 2.9 The formation of "ketone bodies" occurs when acetyl-CoA from fatty acid metabolism is unable to enter the citric acid cycle due to a low concentration of oxaloacetate. [1] 2.10 The enzymes for glycolysis pathway and fatty acid biosynthesis occur in the cytosol. [1] SECTION B: SHORT/LONG ANSWER QUESTIONS [44 MARKS] Please answer ALL of the questions in this section. **QUESTION 3** [35] 3.1. Write a mechanism for the conversion of pyruvate to acetyl CoA. Assume all of the required coenzymes are present. [6] 3.2. Proteins provide many of the structural elements of a cell, and they help to bind cells together into tissues. [1] 3.2.1. What is protein denaturation? 3.2.2. Is there any change in the primary structure when a protein is denatured? [1] 3.2.3. What are some factors that can lead to protein denaturation? [2] 3.3. Describe allosteric regulation of enzyme activity? [4] 3.4. Determine the prosthetic group that hemoglobin and myoglobin's oxygen binding ability [1] depends on? [5] 3.5. Briefly explain the Cori cycle which is linked metabolic pathways. [3] 3.6. Define cooperativity to binding oxygen. 3.7. Define oxidative phosphorylation? [2] 3.8. List four (4) non covalent interaction in the biomolecules. [4]

3.9. How are proteins separated by electrophoresis?

[3]

3.10. Define glycolipids and determine their important functions?

[3]

QUESTION 4: CALCULATIONS

[9]

4.1. Calculate the [H+] of a solution with a pH of 4.5?

[3]

4.2. Briefly discuss your understanding about pK_a .

[2]

4.3. Calculate the pH of a buffer that contains 0.7 M ammonia and 0.9 M ammonium chloride.

$$(pK_a = 9.248).$$

[4]

SECTION C: SHORT/LONG ANSWER QUESTIONS

Please answer ALL of the questions in this section.

[36 MARKS]

QUESTION 5: ENZYMES

[10]

5.1 At what substrate concentration would an enzyme with a k_{cat} of 30.0 s^{-1} and a K_m of 0.0050 M operate at one-quarter of its maximum rate? [4]

5.2 Determine the fraction of V_{max} that would be obtained at the following substrate concentrations: $[S] = \frac{1}{2} k_m$, 2 k_m, and 10 k_m. [3]

5.3 What is meant by saturation of the enzyme?

[3]

QUESTION 6: CARBOHYDRATES

[14]

Figure 6. 1 shows a Fischer projection of D-glucose and three other structure.

Figure 6.1

6.1 Draw Haworth projections of any of its cyclic forms numbering the carbon atoms.

[5]

6.2 Indicate the anomeric carbon and draw its alpha and beta alternatives.

[4]

6.3 Determine two structure that are epimers and describe the epimerization.

[2]

6.4 Describe how glucose are joined together to make amylose, starches and glycogen.

[3]

QUESTION 7: LIPID [8]

Use the following chemical structure of a lipid to answer the following questions

- 7.1 To which type (class) of lipids does this compound belong? [1]
- 7.2 Give the names of the products that will be produced by the saponification of this lipid. [2]
- 7.3 What is the function of this type of lipid in living organisms? [2]
- 7.4 How is saponification done? [3]

QUESTION 8: PROTEINS AND AMINO ACIDS

[4]

Tuftsin is a tetrapeptide (Thr-Lys-Pro-Arg) produced by enzymatic cleavage of the Fc-domain of the heavy chain of immunoglobulin G. It is mainly produced in the spleen and its activity is related primarily to immune system function.

Draw the Fischer projections of the four L-amino acids that result from the acid hydrolysis of tuftsin.