



NAMIBIA UNIVERSITY
OF SCIENCE AND TECHNOLOGY

Faculty of Health, Natural
Resources and Applied
Sciences

School of Natural and Applied
Sciences

Department of Mathematics,
Statistics and Actuarial Science

13 Jackson Kaujeua Street T: +264 61 207 2913
Private Bag 13388 E: msas@nust.na
Windhoek W: www.nust.na
NAMIBIA

QUALIFICATION : BACHELOR OF SCIENCES IN APPLIED MATHEMATICS AND STATISTICS	
QUALIFICATION CODE: 07BAMS	LEVEL: 5
COURSE: STATISTICAL INFERENCE 1	COURSE CODE: SIN502S
DATE: NOVEMBER 2023	SESSION: 1
DURATION: 3 HOURS	MARKS: 100

FIRST OPPORTUNITY: EXAMINATION QUESTION PAPER

EXAMINERS: MR E. MWAHI, DR D. NTIRAMPEBA

MODERATOR: DR J. ONG'ALA

INSTRUCTIONS:

1. Answer all questions on the separate answer sheet.
2. Please write neatly and legibly.
3. Do not use the left side margin of the exam paper. This must be allowed for the examiner.
4. No books, notes and other additional aids are allowed.
5. Mark all answers clearly with their respective question numbers.

PERMISSIBLE MATERIALS:

1. Non-Programmable Calculator

ATTACHEMENTS:

1. T- Table
2. Normal distribution table
3. Chi-square table
4. F-table
5. Mann Whitney U table

This paper consists of 6 pages including this front page.

QUESTION 1**[20 MARKS]**

- 1.1 The mean is: [2]
- A. a summary of some data estimated by adding all the numbers and dividing by the number of observations minus one.
 - B. a summary of the data that is a measure of the population rather than a sample.
 - C. a summary of some data that is always halfway between the maximum and minimum value of the data.
 - D. none of the above
- 1.2 If data show “homogeneity of variance”, it means that: [2]
- A. They must be analysed with a chi-square test.
 - B. Scores in each group or condition show comparable amounts of variance.
 - C. The data are normally distributed.
 - D. They have been measured on an interval or ratio scale.
 - E. None of the above.
- 1.3 If you perform a one-tailed statistical test, your hypothesis is: [2]
- A. That the experiment was conducted double blind.
 - B. That the difference between your groups will be in a specific direction.
 - C. That the two different measurements are unpredictable from each other.
 - D. That the variance of two measurements does not differ significantly.
 - E. That the mean of two measurements does not differ significantly.
- 1.4 A type II error: [2]
- A. Is when one rejects the null hypothesis when in fact is true.
 - B. Is when one accepts the null hypothesis when it is false.
 - C. Is always the result of bias in the sample.
 - D. Is the error of using the wrong test.
 - E. IS the error of using the same data twice.
- 1.5 If a sample is unrepresentative, this implies: [2]
- A. That not enough data were collected.
 - B. The data are not normally distributed.
 - C. That one single measurement was not typical and therefore not useful.
 - D. That the sample should not be used to make inferences about the population.

QUESTION 2**[45 MARKS]**

- 2.1 Njako Investment Trust gives each of its employees an aptitude test. The scores on the test are normally distributed with a mean of 75 and a variance of 225. A simple random sample of 25 is taken from the population of 5000.
- 2.1.1 What is the probability that the average aptitude test score in the sample will be between 72.13 and 80.13? [6]
- 2.1.2 Find a value K , such that $P(\bar{x} \leq K) = 0.3994$ [4]
- 2.2 The operation manager wants to have 90% confidence of estimating the proportion of nonconforming newspapers to within ± 0.05 of its true value. In addition, because the publisher of the newspaper has not previously undertaken such a study, no information is available from past data. Determine the sample size. [5]
- 2.3 The personnel department of a large corporation wants to estimate the family dental expenses of its employees to determine the feasibility of providing a dental insurance. A random sample of 10 employees reveals the following family dental expenses for the year 2020.
- 110 362 246 85 510 208 173 425 316 179
- (a) Find the sample mean of these family dental expenses. [1]
- (b) Find the sample variance of these family dental expenses. [3]
- (c) Construct a 95% confidence interval estimate of the true population variance of family dental expenses. [6]
- 2.4 The table below shows data on type of school area and the student's choice of good grades, athletic ability, or popularity as most important.

Goals	Type of School Area		
	Urban	Suburban	Rural
Good grades	24	87	57
Athletic ability	6	42	50
Popularity	5	22	42

At the 5% level of significance, is there a relationship between the type of school area and the student's choice of good grades, athletic ability, or popularity as most important? [10]

- 2.5 A random sample of employees of a large company was asked the question, "Do you participate in the company's stock purchase plan?" The answers are shown below.

Yes	No	No	Yes	No	No	Yes	Yes	No	No
No	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes
No	Yes	Yes	No	Yes	Yes	No	Yes	Yes	Yes

Use a 99% confidence interval to estimate the proportion of all employees who do not participate in the company's stock purchase plan. [5]

- 2.6 Fifteen Smart Cars were randomly selected in Windhoek and the highway speed of each was noted. The analysis yielded a mean of 47 kilometres per hour and a standard deviation of 5 kilometres. Find and interpret a 90% confidence interval for the average highway speed of all Smart Cars in Windhoek. [5]

QUESTION 3 [20 MARKS]

- 3.1 A manufacturer claims that the average thickness of the spearmint gum it produces is 7.50 one-hundredths of an inch. A quality control specialist regularly checks this claim. On one production run, she took a random sample of $n = 10$ pieces of gum and measured their thickness. The measurements are assumed to be normally distributed and are recorded in the table below:

7.65	7.60	7.65	7.70	7.55
7.55	7.40	7.40	7.50	7.50

Using the above data obtained by the quality control specialist, test the manufacturer's claim at 5% level of significance. [8]

- 3.2 The M&N association has noted with concern that the number of typing errors their secretaries commit per page, on average, is significantly high. The authorities at the Institution organised a two-week training workshop for the secretaries after which they compile the following table showing the average errors each secretary committed per page before and after the training workshop.

Secretary	1	2	3	4	5	6	7	8	9	10
Before	8	7	6	8	11	4	8	3	10	12
After	5	4	5	10	8	0	9	3	8	10

Can the authorities be sure at 5% level of significance that, the training workshop helped the secretaries to improve typing skills? [12]

QUESTION 4

[25 MARKS]

- 4.1 A specialist teacher wanted to find out whether there were differences in the effectiveness of 3 methods of teaching reading to students with dyslexia. She divided the participants into 8 groups and subjected each group to a different method. The marks obtained by each group using different teaching methods are recorded in the following table:

Group	A	B	C	D	E	F	G	H
Method A	7	9	5	10	11	12	9	5
Method B	4	2	4	4	3	6	5	1
Method C	3	7	2	10	6	8	12	2

4.1.1 State the assumptions of the Analysis of Variance (ANOVA) [3]

4.1.2 Can the teacher conclude, at 5% level of significance, that there were significant differences in the effectiveness of the 3 methods? [15]


- 4.2 Is consumer reaction to a product marketing display different from one market to another? A company that manufactures kitchen appliances construct the same product display in large department stores in each of two different markets, A and B. 10 persons viewing the display randomly selected at each location and asked to rate the display on scale of 1 to 20. The 20 ratings are shown in the table below.

Market A	15	11	20	14	9	12	5	17	13	18
Market B	17	6	15	10	6	8	10	16	8	7

Using the Mann Whitney U test, do data provide sufficient evidence to indicate that, the levels of ratings differ between the two markets? Use alpha = 0.01 [7]


=====END OF EXAMINATION=====

F Table for alpha=0.05




df_2/df_1	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	INF
1	161.4476	199.5	215.7073	224.5832	230.1619	233.986	236.7684	238.8827	240.5433	241.8817	243.906	245.9499	248.0131	249.0518	250.0951	251.1432	252.1957	253.2529	254.3144
2	18.5128	19	19.1643	19.2468	19.2964	19.3295	19.3532	19.371	19.3848	19.3959	19.4125	19.4291	19.4458	19.4541	19.4624	19.4707	19.4791	19.4874	19.4957
3	10.128	9.5521	9.2766	9.1172	9.0135	8.9406	8.8867	8.8452	8.8123	8.7855	8.7446	8.7029	8.6602	8.6385	8.6166	8.5944	8.572	8.5494	8.5264
4	7.7086	6.9443	6.5914	6.3882	6.2561	6.1631	6.0942	6.041	5.9988	5.9644	5.9117	5.8578	5.8025	5.7744	5.7459	5.717	5.6877	5.6581	5.6281
5	6.6079	5.7861	5.4095	5.1922	5.0503	4.9503	4.8759	4.8183	4.7725	4.7351	4.6777	4.6188	4.5581	4.5272	4.4957	4.4638	4.4314	4.3985	4.365
6	5.9874	5.1433	4.7571	4.5337	4.3874	4.2839	4.2067	4.1468	4.099	4.06	3.9999	3.9381	3.8742	3.8415	3.8082	3.7743	3.7398	3.7047	3.6689
7	5.5914	4.7374	4.3468	4.1203	3.9715	3.866	3.787	3.7257	3.6767	3.6365	3.5747	3.5107	3.4445	3.4105	3.3758	3.3404	3.3043	3.2674	3.2298
8	5.3177	4.459	4.0662	3.8379	3.6875	3.5806	3.5005	3.4381	3.3881	3.3472	3.2839	3.2184	3.1503	3.1152	3.0794	3.0428	3.0053	2.9669	2.9276
9	5.1174	4.2565	3.8625	3.6331	3.4817	3.3738	3.2927	3.2295	3.1789	3.1373	3.0729	3.0061	2.9365	2.9005	2.8637	2.8259	2.7872	2.7475	2.7067
10	4.9646	4.1028	3.7083	3.478	3.3258	3.2172	3.1355	3.0717	3.0204	2.9782	2.913	2.845	2.774	2.7372	2.6996	2.6609	2.6211	2.5801	2.5379
11	4.8443	3.9823	3.5874	3.3567	3.2039	3.0946	3.0123	2.948	2.8962	2.8536	2.7876	2.7186	2.6464	2.609	2.5705	2.5309	2.4901	2.448	2.4045
12	4.7472	3.8853	3.4903	3.2592	3.1059	2.9961	2.9134	2.8486	2.7964	2.7534	2.6866	2.6169	2.5436	2.5055	2.4663	2.4259	2.3842	2.341	2.2962
13	4.6672	3.8056	3.4105	3.1791	3.0254	2.9153	2.8321	2.7669	2.7144	2.671	2.6037	2.5331	2.4589	2.4202	2.3803	2.3392	2.2966	2.2524	2.2064
14	4.6001	3.7389	3.3439	3.1122	2.9582	2.8477	2.7642	2.6987	2.6458	2.6022	2.5342	2.463	2.3879	2.3487	2.3082	2.2664	2.2229	2.1778	2.1307
15	4.5431	3.6823	3.2874	3.0556	2.9013	2.7905	2.7066	2.6408	2.5876	2.5437	2.4753	2.4034	2.3275	2.2878	2.2468	2.2043	2.1601	2.1141	2.0658
16	4.494	3.6337	3.2389	3.0069	2.8524	2.7413	2.6572	2.5911	2.5377	2.4935	2.4247	2.3522	2.2756	2.2354	2.1938	2.1507	2.1058	2.0589	2.0096
17	4.4513	3.5915	3.1968	2.9647	2.81	2.6987	2.6143	2.548	2.4943	2.4499	2.3807	2.3077	2.2304	2.1898	2.1477	2.104	2.0584	2.0107	1.9604
18	4.4139	3.5546	3.1599	2.9277	2.7729	2.6613	2.5767	2.5102	2.4563	2.4117	2.3421	2.2686	2.1906	2.1497	2.1071	2.0629	2.0166	1.9681	1.9168
19	4.3807	3.5219	3.1274	2.8951	2.7401	2.6283	2.5435	2.4768	2.4227	2.3779	2.308	2.2341	2.1555	2.1141	2.0712	2.0264	1.9795	1.9302	1.878
20	4.3512	3.4928	3.0984	2.8661	2.7109	2.599	2.514	2.4471	2.3928	2.3479	2.2776	2.2033	2.1242	2.0825	2.0391	1.9938	1.9464	1.8963	1.8432
21	4.3248	3.4668	3.0725	2.8401	2.6848	2.5727	2.4876	2.4205	2.366	2.321	2.2504	2.1757	2.096	2.054	2.0102	1.9645	1.9165	1.8657	1.8117
22	4.3009	3.4434	3.0491	2.8167	2.6613	2.5491	2.4638	2.3965	2.3419	2.2967	2.2258	2.1508	2.0707	2.0283	1.9842	1.938	1.8894	1.838	1.7831
23	4.2793	3.4221	3.028	2.7955	2.64	2.5277	2.4422	2.3748	2.3201	2.2747	2.2036	2.1282	2.0476	2.005	1.9605	1.9139	1.8648	1.8128	1.757
24	4.2597	3.4028	3.0088	2.7763	2.6207	2.5082	2.4226	2.3551	2.3002	2.2547	2.1834	2.1077	2.0267	1.9838	1.939	1.892	1.8424	1.7896	1.733
25	4.2417	3.3852	2.9912	2.7587	2.603	2.4904	2.4047	2.3371	2.2821	2.2365	2.1649	2.0889	2.0075	1.9643	1.9192	1.8718	1.8217	1.7684	1.711
26	4.2252	3.369	2.9752	2.7426	2.5868	2.4741	2.3883	2.3205	2.2655	2.2197	2.1479	2.0716	1.9898	1.9464	1.901	1.8533	1.8027	1.7488	1.6906
27	4.21	3.3541	2.9604	2.7278	2.5719	2.4591	2.3732	2.3053	2.2501	2.2043	2.1323	2.0558	1.9736	1.9299	1.8842	1.8361	1.7851	1.7306	1.6717
28	4.196	3.3404	2.9467	2.7141	2.5581	2.4453	2.3593	2.2913	2.236	2.19	2.1179	2.0411	1.9586	1.9147	1.8687	1.8203	1.7689	1.7138	1.6541
29	4.183	3.3277	2.934	2.7014	2.5454	2.4324	2.3463	2.2783	2.2229	2.1768	2.1045	2.0275	1.9446	1.9005	1.8543	1.8055	1.7537	1.6981	1.6376
30	4.1709	3.3158	2.9223	2.6896	2.5336	2.4205	2.3343	2.2662	2.2107	2.1646	2.0921	2.0148	1.9317	1.8874	1.8409	1.7918	1.7396	1.6835	1.6223
40	4.0847	3.2317	2.8387	2.606	2.4495	2.3359	2.249	2.1802	2.124	2.0772	2.0035	1.9245	1.8389	1.7929	1.7444	1.6928	1.6373	1.5766	1.5089
60	4.0012	3.1504	2.7581	2.5252	2.3683	2.2541	2.1665	2.097	2.0401	1.9926	1.9174	1.8364	1.748	1.7001	1.6491	1.5943	1.5343	1.4673	1.3893
120	3.9201	3.0718	2.6802	2.4472	2.2899	2.175	2.0868	2.0164	1.9588	1.9105	1.8337	1.7505	1.6587	1.6084	1.5543	1.4952	1.429	1.3519	1.2539
inf	3.8415	2.9957	2.6049	2.3719	2.2141	2.0986	2.0096	1.9384	1.8799	1.8307	1.7522	1.6664	1.5705	1.5173	1.4591	1.394	1.318	1.2214	1

APPENDIX C: The Standard Normal Distribution




z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.0000	0.0040	0.0080	0.0120	0.0160	0.0199	0.0239	0.0279	0.0319	0.0359
0.1	0.0398	0.0438	0.0478	0.0517	0.0557	0.0596	0.0636	0.0675	0.0714	0.0753
0.2	0.0793	0.0832	0.0871	0.0910	0.0948	0.0987	0.1026	0.1064	0.1103	0.1141
0.3	0.1179	0.1217	0.1255	0.1293	0.1331	0.1368	0.1406	0.1443	0.1480	0.1517
0.4	0.1554	0.1591	0.1628	0.1664	0.1700	0.1736	0.1772	0.1808	0.1844	0.1879
0.5	0.1915	0.1950	0.1985	0.2019	0.2054	0.2088	0.2123	0.2157	0.2190	0.2224
0.6	0.2257	0.2291	0.2324	0.2357	0.2389	0.2422	0.2454	0.2486	0.2517	0.2549
0.7	0.2580	0.2611	0.2642	0.2673	0.2704	0.2734	0.2764	0.2794	0.2823	0.2852
0.8	0.2881	0.2910	0.2939	0.2967	0.2995	0.3023	0.3051	0.3078	0.3106	0.3133
0.9	0.3159	0.3186	0.3212	0.3238	0.3264	0.3289	0.3315	0.3340	0.3365	0.3389
1.0	0.3413	0.3438	0.3461	0.3485	0.3508	0.3531	0.3554	0.3577	0.3599	0.3621
1.1	0.3643	0.3665	0.3686	0.3708	0.3729	0.3749	0.3770	0.3790	0.3810	0.3830
1.2	0.3849	0.3869	0.3888	0.3907	0.3925	0.3944	0.3962	0.3980	0.3997	0.4015
1.3	0.4032	0.4049	0.4066	0.4082	0.4099	0.4115	0.4131	0.4147	0.4162	0.4177
1.4	0.4192	0.4207	0.4222	0.4236	0.4251	0.4265	0.4279	0.4292	0.4306	0.4319
1.5	0.4332	0.4345	0.4357	0.4370	0.4382	0.4394	0.4406	0.4418	0.4429	0.4441
1.6	0.4452	0.4463	0.4474	0.4484	0.4495	0.4505	0.4515	0.4525	0.4535	0.4545
1.7	0.4554	0.4564	0.4573	0.4582	0.4591	0.4599	0.4608	0.4616	0.4625	0.4633
1.8	0.4641	0.4649	0.4656	0.4664	0.4671	0.4678	0.4686	0.4693	0.4699	0.4706
1.9	0.4713	0.4719	0.4726	0.4732	0.4738	0.4744	0.4750	0.4756	0.4761	0.4767
2.0	0.4772	0.4778	0.4783	0.4788	0.4793	0.4798	0.4803	0.4808	0.4812	0.4817
2.1	0.4821	0.4826	0.4830	0.4834	0.4838	0.4842	0.4846	0.4850	0.4854	0.4857
2.2	0.4861	0.4864	0.4868	0.4871	0.4875	0.4878	0.4881	0.4884	0.4887	0.4890
2.3	0.4893	0.4896	0.4898	0.4901	0.4904	0.4906	0.4909	0.4911	0.4913	0.4916
2.4	0.4918	0.4920	0.4922	0.4925	0.4927	0.4929	0.4931	0.4932	0.4934	0.4936
2.5	0.4938	0.4940	0.4941	0.4943	0.4945	0.4946	0.4948	0.4949	0.4951	0.4952
2.6	0.4953	0.4955	0.4956	0.4957	0.4959	0.4960	0.4961	0.4962	0.4963	0.4964
2.7	0.4965	0.4966	0.4967	0.4968	0.4969	0.4970	0.4971	0.4972	0.4973	0.4974
2.8	0.4974	0.4975	0.4976	0.4977	0.4977	0.4978	0.4979	0.4979	0.4980	0.4981
2.9	0.4981	0.4982	0.4982	0.4983	0.4984	0.4984	0.4985	0.4985	0.4986	0.4986
3.0	0.4987	0.4987	0.4987	0.4988	0.4988	0.4989	0.4989	0.4989	0.4990	0.4990

APPENDIX D: The t-distribution



df\p	0.40	0.25	0.10	0.05	0.025	0.01	0.005	0.0005
1	0.324920	1.000000	3.077684	6.313752	12.70620	31.82052	63.65674	636.6192
2	0.288675	0.816497	1.885618	2.919986	4.30265	6.96456	9.92484	31.5991
3	0.276671	0.764892	1.637744	2.353363	3.18245	4.54070	5.84091	12.9240
4	0.270722	0.740697	1.533206	2.131847	2.77645	3.74695	4.60409	8.6103
5	0.267181	0.726687	1.475884	2.015048	2.57058	3.36493	4.03214	6.8688
6	0.264835	0.717558	1.439756	1.943180	2.44691	3.14267	3.70743	5.9588
7	0.263167	0.711142	1.414924	1.894579	2.36462	2.99795	3.49948	5.4079
8	0.261921	0.706387	1.396815	1.859548	2.30600	2.89646	3.35539	5.0413
9	0.260955	0.702722	1.383029	1.833113	2.26216	2.82144	3.24984	4.7809
10	0.260185	0.699812	1.372184	1.812461	2.22814	2.76377	3.16927	4.5869
11	0.259556	0.697445	1.363430	1.795885	2.20099	2.71808	3.10581	4.4370
12	0.259033	0.695483	1.356217	1.782288	2.17881	2.68100	3.05454	4.3178
13	0.258591	0.693829	1.350171	1.770933	2.16037	2.65031	3.01228	4.2208
14	0.258213	0.692417	1.345030	1.761310	2.14479	2.62449	2.97684	4.1405
15	0.257885	0.691197	1.340606	1.753050	2.13145	2.60248	2.94671	4.0728
16	0.257599	0.690132	1.336757	1.745884	2.11991	2.58349	2.92078	4.0150
17	0.257347	0.689195	1.333379	1.739607	2.10982	2.56693	2.89823	3.9651
18	0.257123	0.688364	1.330391	1.734064	2.10092	2.55238	2.87844	3.9216
19	0.256923	0.687621	1.327728	1.729133	2.09302	2.53948	2.86093	3.8834
20	0.256743	0.686954	1.325341	1.724718	2.08596	2.52798	2.84534	3.8495
21	0.256580	0.686352	1.323188	1.720743	2.07961	2.51765	2.83136	3.8193
22	0.256432	0.685805	1.321237	1.717144	2.07387	2.50832	2.81876	3.7921
23	0.256297	0.685306	1.319460	1.713872	2.06866	2.49987	2.80734	3.7676
24	0.256173	0.684850	1.317836	1.710882	2.06390	2.49216	2.79694	3.7454
25	0.256060	0.684430	1.316345	1.708141	2.05954	2.48511	2.78744	3.7251
26	0.255955	0.684043	1.314972	1.705618	2.05553	2.47863	2.77871	3.7066
27	0.255858	0.683685	1.313703	1.703288	2.05183	2.47266	2.77068	3.6896
28	0.255768	0.683353	1.312527	1.701131	2.04841	2.46714	2.76326	3.6739
29	0.255684	0.683044	1.311434	1.699127	2.04523	2.46202	2.75639	3.6594
30	0.255605	0.682756	1.310415	1.697261	2.04227	2.45726	2.75000	3.6460
inf	0.253347	0.674490	1.281552	1.644854	1.95996	2.32635	2.57583	3.2905

APPENDIX E: The Chi-Square Distribution



df\p	.995	.990	.975	.950	.900	.750	.500	.250	.100	.050	.025	.010	.005
1	0.00004	0.00016	0.00098	0.00393	0.01579	0.10153	0.45494	1.32330	2.70554	3.84146	5.02389	6.63490	7.87944
2	0.01003	0.02010	0.05064	0.10259	0.21072	0.57536	1.38629	2.77259	4.60517	5.99146	7.37776	9.21034	10.59663
3	0.07172	0.11483	0.21580	0.35185	0.58437	1.21253	2.36597	4.10834	6.25139	7.81473	9.34840	11.34487	12.83816
4	0.20699	0.29711	0.48442	0.71072	1.06362	1.92256	3.35669	5.38527	7.77944	9.48773	11.14329	13.27670	14.86026
5	0.41174	0.55430	0.83121	1.14548	1.61031	2.67460	4.35146	6.62568	9.23636	11.07050	12.83250	15.08627	16.74960
6	0.67573	0.87209	1.23734	1.63538	2.20413	3.45460	5.34812	7.84080	10.64464	12.59159	14.44938	16.81189	18.54758
7	0.98926	1.23904	1.68987	2.16735	2.83311	4.25485	6.34581	9.03715	12.01704	14.06714	16.01276	18.47531	20.27774
8	1.34441	1.64650	2.17973	2.73264	3.48954	5.07064	7.34412	10.21885	13.36157	15.50731	17.53455	20.09024	21.95495
9	1.73493	2.08790	2.70039	3.32511	4.16816	5.89883	8.34283	11.38875	14.68366	16.91898	19.02277	21.66599	23.58935
10	2.15586	2.55821	3.24697	3.94030	4.86518	6.73720	9.34182	12.54886	15.98718	18.30704	20.48318	23.20925	25.18818
11	2.60322	3.05348	3.81575	4.57481	5.57778	7.58414	10.34100	13.70069	17.27501	19.67514	21.92005	24.72497	26.75685
12	3.07382	3.57057	4.40379	5.22603	6.30380	8.43842	11.34032	14.84540	18.54935	21.02607	23.33666	26.21697	28.29952
13	3.56503	4.10692	5.00875	5.89186	7.04150	9.29907	12.33976	15.98391	19.81193	22.36203	24.73560	27.68825	29.81947
14	4.07467	4.66043	5.62873	6.57063	7.78953	10.16531	13.33927	17.11693	21.06414	23.68479	26.11895	29.14124	31.31935
15	4.60092	5.22935	6.26214	7.26094	8.54676	11.03654	14.33886	18.24509	22.30713	24.99579	27.48839	30.57791	32.80132
16	5.14221	5.81221	6.90766	7.96165	9.31224	11.91222	15.33850	19.36886	23.54183	26.29623	28.84535	31.99993	34.26719
17	5.69722	6.40776	7.56419	8.67176	10.08519	12.79193	16.33818	20.48868	24.76904	27.58711	30.19101	33.40866	35.71847
18	6.26480	7.01491	8.23075	9.39046	10.86494	13.67529	17.33790	21.60489	25.98942	28.86930	31.52638	34.80531	37.15645
19	6.84397	7.63273	8.90652	10.11701	11.65091	14.56200	18.33765	22.71781	27.20357	30.14353	32.85233	36.19087	38.58226
20	7.43384	8.26040	9.59078	10.85081	12.44261	15.45177	19.33743	23.82769	28.41198	31.41043	34.16961	37.56623	39.99685
21	8.03365	8.89720	10.28290	11.59131	13.23960	16.34438	20.33723	24.93478	29.61509	32.67057	35.47888	38.93217	41.40106
22	8.64272	9.54249	10.98232	12.33801	14.04149	17.23962	21.33704	26.03927	30.81328	33.92444	36.78071	40.28936	42.79565
23	9.26042	10.19572	11.68855	13.09051	14.84796	18.13730	22.33688	27.14134	32.00690	35.17246	38.07563	41.63840	44.18128
24	9.88623	10.85636	12.40115	13.84843	15.65868	19.03725	23.33673	28.24115	33.19624	36.41503	39.36408	42.97982	45.55851
25	10.51965	11.52398	13.11972	14.61141	16.47341	19.93934	24.33659	29.33885	34.38159	37.65248	40.64647	44.31410	46.92789
26	11.16024	12.19815	13.84390	15.37916	17.29188	20.84343	25.33646	30.43457	35.56317	38.88514	41.92317	45.64168	48.28988
27	11.80759	12.87850	14.57338	16.15140	18.11390	21.74940	26.33634	31.52841	36.74122	40.11327	43.19451	46.96294	49.64492
28	12.46134	13.56471	15.30786	16.92788	18.93924	22.65716	27.33623	32.62049	37.91592	41.33714	44.46079	48.27824	50.99338
29	13.12115	14.25645	16.04707	17.70837	19.76774	23.56659	28.33613	33.71091	39.08747	42.55697	45.72229	49.58788	52.33562
30	13.78672	14.95346	16.79077	18.49266	20.59923	24.47761	29.33603	34.79974	40.25602	43.77297	46.97924	50.89218	53.67196

Critical Values of the Mann-Whitney U
 (Two-Tailed Testing)

n ₂	α	n ₁																		
		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
3	.05	--	0	0	1	1	2	2	3	3	4	4	5	5	6	6	7	7	8	
	.01	--	0	0	0	0	0	0	0	0	1	1	1	2	2	2	2	3	3	
4	.05	--	0	1	2	3	4	4	5	6	7	8	9	10	11	11	12	13	14	
	.01	--	--	0	0	0	1	1	2	2	3	3	4	5	5	6	6	7	8	
5	.05	0	1	2	3	5	6	7	8	9	11	12	13	14	15	17	18	19	20	
	.01	--	--	0	1	1	2	3	4	5	6	7	7	8	9	10	11	12	13	
6	.05	1	2	3	5	6	8	10	11	13	14	16	17	19	21	22	24	25	27	
	.01	--	0	1	2	3	4	5	6	7	9	10	11	12	13	15	16	17	18	
7	.05	1	3	5	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	
	.01	--	0	1	3	4	6	7	9	10	12	13	15	16	18	19	21	22	24	
8	.05	2	4	6	8	10	13	15	17	19	22	24	26	29	31	34	36	38	41	
	.01	--	1	2	4	6	7	9	11	13	15	17	18	20	22	24	26	28	30	
9	.05	2	4	7	10	12	15	17	20	23	26	28	31	34	37	39	42	45	48	
	.01	0	1	3	5	7	9	11	13	16	18	20	22	24	27	29	31	33	36	
10	.05	3	5	8	11	14	17	20	23	26	29	33	36	39	42	45	48	52	55	
	.01	0	2	4	6	9	11	13	16	18	21	24	26	29	31	34	37	39	42	
11	.05	3	6	9	13	16	19	23	26	30	33	37	40	44	47	51	55	58	62	
	.01	0	2	5	7	10	13	16	18	21	24	27	30	33	36	39	42	45	48	
12	.05	4	7	11	14	18	22	26	29	33	37	41	45	49	53	57	61	65	69	
	.01	1	3	6	9	12	15	18	21	24	27	31	34	37	41	44	47	51	54	
13	.05	4	8	12	16	20	24	28	33	37	41	45	50	54	59	63	67	72	76	
	.01	1	3	7	10	13	17	20	24	27	31	34	38	42	45	49	53	56	60	
14	.05	5	9	13	17	22	26	31	36	40	45	50	55	59	64	67	74	78	83	
	.01	1	4	7	11	15	18	22	26	30	34	38	42	46	50	54	58	63	67	
15	.05	5	10	14	19	24	29	34	39	44	49	54	59	64	70	75	80	85	90	
	.01	2	5	8	12	16	20	24	29	33	37	42	46	51	55	60	64	69	73	
16	.05	6	11	15	21	26	31	37	42	47	53	59	64	70	75	81	86	92	98	
	.01	2	5	9	13	18	22	27	31	36	41	45	50	55	60	65	70	74	79	
17	.05	6	11	17	22	28	34	39	45	51	57	63	67	75	81	87	93	99	105	
	.01	2	6	10	15	19	24	29	34	39	44	49	54	60	65	70	75	81	86	
18	.05	7	12	18	24	30	36	42	48	55	61	67	74	80	86	93	99	106	112	
	.01	2	6	11	16	21	26	31	37	42	47	53	58	64	70	75	81	87	92	
19	.05	7	13	19	25	32	38	45	52	58	65	72	78	85	92	99	106	113	119	
	.01	3	7	12	17	22	28	33	39	45	51	56	63	69	74	81	87	93	99	
20	.05	8	14	20	27	34	41	48	55	62	69	76	83	90	98	105	112	119	127	
	.01	3	8	13	18	24	30	36	42	48	54	60	67	73	79	86	92	99	105	