



NAMIBIA UNIVERSITY  
OF SCIENCE AND TECHNOLOGY

Faculty of Health, Natural  
Resources and Applied  
Sciences

School of Natural and Applied  
Sciences

Department of Mathematics,  
Statistics and Actuarial Science

13 Jackson Kaujeua Street    T: +264 61 207 2913  
Private Bag 13388                E: msas@nust.na  
Windhoek                        W: www.nust.na  
NAMIBIA

**QUALIFICATION: Bachelor of science in Applied Mathematics and Statistics**

<b>QUALIFICATION CODE:</b> 07BSAM	<b>LEVEL:</b> 6
<b>COURSE CODE:</b> SIN601S	<b>COURSE NAME:</b> STATISTICAL INFERENCE 2
<b>SESSION:</b> NOVEMBER 2023	<b>PAPER:</b> THEORY
<b>DURATION:</b> 3 HOURS	<b>MARKS:</b> 100

**FIRST OPPORTUNITY EXAMINATION QUESTION PAPER**

<b>EXAMINER</b>	Dr D. B. GEMECHU
<b>MODERATOR:</b>	Dr D. NTIRAMPEBA

**INSTRUCTIONS**

1. There are 5 questions, answer ALL the questions by showing all the necessary steps.
2. Write clearly and neatly.
3. Number the answers clearly.
4. Round your answers to at least four decimal places, if applicable.

**PERMISSIBLE MATERIALS**

1. Nonprogrammable scientific calculators with no cover.

**THIS QUESTION PAPER CONSISTS OF 3 PAGES** (including this front page) and **4 EXTRA ATTACHED STATISTICAL TABLES** ( $Z$ -,  $t$ -,  $\chi^2$ - and F-distribution tables)

### Question 1 [20 marks]

1. Let  $Y_1 < Y_2 < \dots < Y_{11}$  be the order statistics of 11 independently and identically distributed continuous random variables  $X_1, X_2, \dots, X_{11}$  with pdf  $f$  given by

$$f_X(x) = \begin{cases} \frac{1}{3}, & \text{for } 0 < x < 3 \\ 0, & \text{otherwise} \end{cases}$$

Then find

1.1. The pdf of the  $r^{th}$  order statistics. Hint:  $f_{Y_r}(y) = \frac{n!}{(n-r)!(r-1)!} [F_X(y)]^{r-1} [1 - F_X(y)]^{n-r} f_X(y)$  [3]

1.2. The pdf of the minimum order statistics [3]

1.3. The pdf of the maximum order statistics [3]

1.4. The pdf of the median [3]

1.5. The joint pdf of  $Y_1, Y_2, \dots, Y_{11}$  [3]

1.6. If the number of random variables is reduced to 3, thus,  $X_1, X_2, X_3$ , then find the joint pdf of the minimum and maximum order statistics. [4]

$$\text{Hint: } f_{Y_i, Y_j}(y_i, y_j) = \frac{n!}{(i-1)!(j-i-1)!(n-j)!} [F(y_i)]^{i-1} f(y_i) [F(y_j) - F(y_i)]^{j-i-1} f(y_j) [1 - F(y_j)]^{n-j}$$

### Question 2 [22 marks]

- 2.1. If the random variables  $X_1, \dots, X_m$  are independent and if  $X_i$  has the  $\chi^2$  distribution with  $k$  degrees of freedom ( $i = 1, \dots, m$ ), then show, using the moment generating function, that the sum  $Y = X_1 + \dots + X_m$  has the  $\chi^2$  distribution with  $km$  degrees of freedom. Hint:

$$\text{use } M_{X_i}(t) = \left(\frac{1}{1-2t}\right)^{\frac{k}{2}}. \quad [8]$$

- 2.2. If  $z_1, \dots, z_{20}$  denote a random sample from a standard normal distribution, find the value of  $c$  such that  $P(\sum_{i=1}^{20} z_i^2 \leq c) = 0.25$  [4]

- 2.3. Consider two independent samples of size  $n_1 = 8$  and  $n_2 = 12$  from two normal populations with populations variances  $\sigma_1^2 = 3\sigma_2^2$ . Then, find the value of  $b$  such that  $P\left(\frac{s_1^2}{s_2^2} \leq b\right) = 0.95$ . [5]

- 2.4. Let the random sample  $X_1, X_2, \dots, X_n \sim N(\mu, \sigma^2)$  where both  $\mu$  and  $\sigma^2$  are unknown. Derive the  $100(1 - \alpha)\%$  CI for  $\mu$  using the pivotal quantity method. [5]

### Question 3 [25 marks]

- 3.1. Let  $X_1, X_2, \dots, X_n$  denote a random sample a Rayleigh distribution with parameter  $\theta$ .

$$f_X(x_i|\theta) = \begin{cases} 2\theta x_i e^{-\theta x_i^2}, & \text{for } x_i > 0 \text{ and } \theta > 0 \\ 0, & \text{otherwise} \end{cases}$$

- 3.1.1. Find the maximum likelihood estimator of  $\theta$  [6]

- 3.1.2. Find the maximum likelihood estimator of  $g(\theta) = \sqrt{\theta} + 2$  [3]

- 3.1.3. Show that  $\sum_{i=1}^n x_i^2$  is sufficient for  $\theta$  [4]

- 3.2. Let  $\theta > 0$  and let  $X_1, \dots, X_n$  be a random sample of size  $n$  from a distribution of pdf

$$f(x; \theta) = \frac{3}{\theta^3} x^2, \quad \text{for } 0 < x < \theta$$

Find the estimator of  $\theta$  using the method of moments. [6]

- 3.3. Let  $Y_1, Y_2, \dots, Y_n$  be n independent random variables such that each  $Y_i \sim Poisson(\beta x_i)$ , where  $\beta$  is an unknown parameter. If  $\{(y_1, x_1), (y_2, x_2), \dots, (y_n, x_n)\}$  is a dataset where  $y_1, y_2, \dots, y_n$  are the observed values based on  $x_1, x_2, \dots, x_n$ , then find the least estimator of  $\beta$ . [6]

#### Question 4 [12 marks]

4. Let  $X_1, \dots, X_n$  be Poisson random variables with parameter  $\beta$  with probability mass function

$$f(x|\beta) = \frac{\beta^x e^{-\beta}}{x!} \text{ for } x = 0, 1, 2, \dots$$

Assume that  $\beta$  has an exponential prior distribution with  $\theta = 1$  and probability density function

$$h(\beta) = \begin{cases} e^{-\beta}, & \beta > 0 \\ 0, & \text{elsewhere.} \end{cases}$$

- 4.1. Show that the posterior distribution of  $\beta$  is a  $\Gamma(\sum_{i=1}^n x_i + 1, n + 1)$ . Hint: If  $X \sim \Gamma(\alpha, \beta)$ , then

$$f_X(x|\alpha, \beta) = \begin{cases} \frac{\beta}{\Gamma(\alpha)} x^{\alpha-1} e^{-\beta x}, & x \geq 0, \alpha, \beta > 0 \\ 0, & \text{elsewhere} \end{cases} \quad \text{with } E(X) = \frac{\alpha}{\beta} \quad [8]$$

- 4.2. Compute the posterior mean of  $\beta$

[4]

#### QUESTION 5 [21 marks]


5. If  $X_1, X_2, \dots, X_n$  be a random sample from the Poisson distribution with the parameter  $\theta$ , then

- 5.1. Show that the mean and variance of  $X_i$  are  $\theta$ . Hint:  $M_{X_i}(t) = e^{\theta(e^t - 1)}$  [6]

- 5.2. Show that  $\bar{X}$  is a minimum variance unbiased estimator (MVUE) of  $\theta$ . [12]


- 5.3. Show that  $\bar{X}$  is also a consistent estimator of  $\theta$ . [3]

Area between 0 and z




	<b>0.00</b>	<b>0.01</b>	<b>0.02</b>	<b>0.03</b>	<b>0.04</b>	<b>0.05</b>	<b>0.06</b>	<b>0.07</b>	<b>0.08</b>	<b>0.09</b>
<b>0.0</b>	0.0000	0.0040	0.0080	0.0120	0.0160	0.0199	0.0239	0.0279	0.0319	0.0359
<b>0.1</b>	0.0398	0.0438	0.0478	0.0517	0.0557	0.0596	0.0636	0.0675	0.0714	0.0753
<b>0.2</b>	0.0793	0.0832	0.0871	0.0910	0.0948	0.0987	0.1026	0.1064	0.1103	0.1141
<b>0.3</b>	0.1179	0.1217	0.1255	0.1293	0.1331	0.1368	0.1406	0.1443	0.1480	0.1517
<b>0.4</b>	0.1554	0.1591	0.1628	0.1664	0.1700	0.1736	0.1772	0.1808	0.1844	0.1879
<b>0.5</b>	0.1915	0.1950	0.1985	0.2019	0.2054	0.2088	0.2123	0.2157	0.2190	0.2224
<b>0.6</b>	0.2257	0.2291	0.2324	0.2357	0.2389	0.2422	0.2454	0.2486	0.2517	0.2549
<b>0.7</b>	0.2580	0.2611	0.2642	0.2673	0.2704	0.2734	0.2764	0.2794	0.2823	0.2852
<b>0.8</b>	0.2881	0.2910	0.2939	0.2967	0.2995	0.3023	0.3051	0.3078	0.3106	0.3133
<b>0.9</b>	0.3159	0.3186	0.3212	0.3238	0.3264	0.3289	0.3315	0.3340	0.3365	0.3389
<b>1.0</b>	0.3413	0.3438	0.3461	0.3485	0.3508	0.3531	0.3554	0.3577	0.3599	0.3621
<b>1.1</b>	0.3643	0.3665	0.3686	0.3708	0.3729	0.3749	0.3770	0.3790	0.3810	0.3830
<b>1.2</b>	0.3849	0.3869	0.3888	0.3907	0.3925	0.3944	0.3962	0.3980	0.3997	0.4015
<b>1.3</b>	0.4032	0.4049	0.4066	0.4082	0.4099	0.4115	0.4131	0.4147	0.4162	0.4177
<b>1.4</b>	0.4192	0.4207	0.4222	0.4236	0.4251	0.4265	0.4279	0.4292	0.4306	0.4319
<b>1.5</b>	0.4332	0.4345	0.4357	0.4370	0.4382	0.4394	0.4406	0.4418	0.4429	0.4441
<b>1.6</b>	0.4452	0.4463	0.4474	0.4484	0.4495	0.4505	0.4515	0.4525	0.4535	0.4545
<b>1.7</b>	0.4554	0.4564	0.4573	0.4582	0.4591	0.4599	0.4608	0.4616	0.4625	0.4633
<b>1.8</b>	0.4641	0.4649	0.4656	0.4664	0.4671	0.4678	0.4686	0.4693	0.4699	0.4706
<b>1.9</b>	0.4713	0.4719	0.4726	0.4732	0.4738	0.4744	0.4750	0.4756	0.4761	0.4767
<b>2.0</b>	0.4772	0.4778	0.4783	0.4788	0.4793	0.4798	0.4803	0.4808	0.4812	0.4817
<b>2.1</b>	0.4821	0.4826	0.4830	0.4834	0.4838	0.4842	0.4846	0.4850	0.4854	0.4857
<b>2.2</b>	0.4861	0.4864	0.4868	0.4871	0.4875	0.4878	0.4881	0.4884	0.4887	0.4890
<b>2.3</b>	0.4893	0.4896	0.4898	0.4901	0.4904	0.4906	0.4909	0.4911	0.4913	0.4916
<b>2.4</b>	0.4918	0.4920	0.4922	0.4925	0.4927	0.4929	0.4931	0.4932	0.4934	0.4936
<b>2.5</b>	0.4938	0.4940	0.4941	0.4943	0.4945	0.4946	0.4948	0.4949	0.4951	0.4952
<b>2.6</b>	0.4953	0.4955	0.4956	0.4957	0.4959	0.4960	0.4961	0.4962	0.4963	0.4964
<b>2.7</b>	0.4965	0.4966	0.4967	0.4968	0.4969	0.4970	0.4971	0.4972	0.4973	0.4974
<b>2.8</b>	0.4974	0.4975	0.4976	0.4977	0.4978	0.4979	0.4980	0.4981		
<b>2.9</b>	0.4981	0.4982	0.4982	0.4983	0.4984	0.4984	0.4985	0.4986	0.4986	
<b>3.0</b>	0.4987	0.4987	0.4987	0.4988	0.4988	0.4989	0.4989	0.4990	0.4990	

t table with right tail probabilities




df	p	0.40	0.25	0.10	0.05	0.025	0.01	0.005	0.0005
		t (p, df)							
1	0.324920	1.000000	3.077684	6.313752	12.70620	31.82052	63.65674	636.6192	
2	0.288675	0.816497	1.885618	2.919986	4.30265	6.96456	9.92484	31.5991	
3	0.276671	0.764892	1.637744	2.353363	3.18245	4.54070	5.84091	12.9240	
4	0.270722	0.740697	1.533206	2.131847	2.77645	3.74695	4.60409	8.6103	
5	0.267181	0.726687	1.475884	2.015048	2.57058	3.36493	4.03214	6.8688	
6	0.264835	0.717558	1.439756	1.943180	2.44691	3.14267	3.70743	5.9588	
7	0.263167	0.711142	1.414924	1.894579	2.36462	2.99795	3.49948	5.4079	
8	0.261921	0.706387	1.396815	1.859548	2.30600	2.89646	3.35539	5.0413	
9	0.260955	0.702722	1.383029	1.833313	2.26216	2.82144	3.24984	4.7809	
10	0.260185	0.699812	1.372184	1.812461	2.22814	2.76377	3.16927	4.5869	
11	0.259556	0.697445	1.363430	1.795885	2.20099	2.71808	3.10581	4.4370	
12	0.259033	0.695483	1.356217	1.782288	2.17831	2.68100	3.05454	4.3178	
13	0.258591	0.693829	1.350171	1.770933	2.16037	2.65031	3.01228	4.2208	
14	0.258213	0.692417	1.345030	1.761310	2.14479	2.62449	2.97684	4.1405	
15	0.257885	0.691197	1.340606	1.753050	2.13145	2.60248	2.94671	4.0728	
16	0.257599	0.690132	1.336757	1.745884	2.11991	2.58349	2.92078	4.0150	
17	0.257347	0.689195	1.333379	1.739607	2.10982	2.56693	2.89823	3.9651	
18	0.257123	0.688364	1.330391	1.734064	2.10092	2.55238	2.87844	3.9216	
19	0.256923	0.687621	1.327728	1.729133	2.09302	2.53948	2.86093	3.8834	
20	0.256743	0.686954	1.325341	1.724718	2.08596	2.52798	2.84534	3.8495	
21	0.256580	0.686352	1.323188	1.720743	2.07961	2.51765	2.83136	3.8193	
22	0.256432	0.685805	1.321237	1.717144	2.07387	2.50832	2.81876	3.7921	
23	0.256297	0.685306	1.319460	1.713872	2.06866	2.49987	2.80734	3.7676	
24	0.256173	0.684850	1.317836	1.710882	2.06390	2.49216	2.79694	3.7454	
25	0.256060	0.684430	1.316345	1.708141	2.05954	2.48511	2.78744	3.7251	
26	0.255955	0.684043	1.314972	1.705618	2.05553	2.47863	2.77871	3.7066	
27	0.255858	0.683685	1.313703	1.703288	2.05183	2.47266	2.77068	3.6896	
28	0.255768	0.683353	1.312527	1.701131	2.04841	2.46714	2.76326	3.6739	
29	0.255684	0.683044	1.311434	1.699127	2.04523	2.46202	2.75639	3.6594	
30	0.255605	0.682756	1.310415	1.697261	2.04227	2.45726	2.75000	3.6460	

Right tail areas for the Chi-square Distribution



dArea	.995	.990	.975	.950	.900	.750	.500	.250	.100	.050	.025	.010	.005
1	0.00004	0.00016	0.00098	0.00393	0.01579	0.10153	0.45494	1.32330	2.70554	3.84146	5.02389	6.63490	7.87944
2	0.01003	0.02010	0.05064	0.10259	0.21072	0.57536	1.38629	2.77259	4.60517	5.99146	7.37776	9.21034	10.59663
3	0.07172	0.11483	0.21580	0.35185	0.58437	1.21253	2.36597	4.10834	6.25139	7.81473	9.34840	11.34487	12.83816
4	0.20699	0.29711	0.48442	0.71072	1.06362	1.92256	3.35669	5.38527	7.77944	9.48773	11.14329	13.27670	14.86026
5	0.41174	0.55430	0.83121	1.14548	1.61031	2.67460	4.35146	6.62568	9.23636	11.07050	12.83250	15.08627	16.74960
6	0.67573	0.87209	1.23734	1.63538	2.20413	3.45460	5.34812	7.84080	10.64464	12.59159	14.44938	16.81189	18.54758
7	0.93926	1.23904	1.68987	2.16735	2.83311	4.25485	6.34381	9.03715	12.01704	14.06714	16.01276	18.47531	20.27774
8	1.34441	1.64650	2.17973	2.73264	3.48954	5.07064	7.34412	10.21885	13.36157	15.50731	17.53455	20.09024	21.95495
9	1.73493	2.08790	2.70039	3.32511	4.16816	5.89883	8.34283	11.38875	14.68366	16.91898	19.02277	21.66599	23.58935
10	2.15586	2.55821	3.24697	3.94030	4.86518	6.73720	9.34182	12.54886	15.98718	18.30704	20.48318	23.20925	25.18818
11	2.60322	3.05348	3.81575	4.57481	5.57778	7.58414	10.34100	13.70069	17.27501	19.67514	21.92005	24.72497	26.75685
12	3.07382	3.57057	4.40379	5.22603	6.30380	8.43842	11.34032	14.84540	18.54935	21.02607	23.33666	26.21697	28.29952
13	3.56503	4.10692	5.00875	5.89186	7.04150	9.29907	12.33976	15.98391	19.81193	22.36203	24.73560	27.68825	29.81947
14	4.07467	4.66043	5.62873	6.57063	7.78953	10.16531	13.33927	17.11693	21.06414	23.68479	26.11895	29.14124	31.31935
15	4.60092	5.22935	6.26214	7.26094	8.54676	11.03654	14.33886	18.24209	22.30713	24.99279	27.48839	30.57791	32.80132
16	5.14221	5.81221	6.90766	7.96165	9.31224	11.91222	15.33850	19.36886	23.54183	26.29623	28.84553	31.99993	34.26719
17	5.69722	6.40776	7.56419	8.67176	10.08519	12.79193	16.33818	20.48868	24.76904	27.58711	30.19101	33.40866	35.71847
18	6.26480	7.01491	8.23075	9.39046	10.86494	13.67529	17.33790	21.60489	25.98942	28.86930	31.52638	34.80531	37.15645
19	6.84397	7.63273	8.90652	10.11701	11.65091	14.56200	18.33765	22.71781	27.20357	30.14353	32.85233	36.19087	38.53226
20	7.43384	8.26040	9.59078	10.85081	12.44261	15.45177	19.33743	23.82769	28.41198	31.41043	34.16961	37.56623	39.99685
21	8.03365	8.89720	10.28290	11.59131	13.23960	16.34438	20.33723	24.93478	29.61509	32.67057	35.47888	38.93217	41.40106
22	8.64272	9.54249	10.98232	12.33801	14.04149	17.23962	21.33704	26.03927	30.81328	33.92444	36.78071	40.28936	42.79565
23	9.26042	10.19572	11.68855	13.09051	14.84796	18.13730	22.33688	27.14134	32.00690	35.17246	38.07563	41.63840	44.18128
24	9.88623	10.85636	12.40115	13.84843	15.65868	19.05725	23.33673	28.24115	33.19624	36.41503	39.36408	42.97982	45.55851
25	10.51965	11.52398	13.11972	14.61141	16.47341	19.93934	24.33659	29.33885	34.38159	37.63248	40.64647	44.31410	46.92789
26	11.16024	12.19815	13.84390	15.37916	17.29188	20.84343	25.33646	30.43457	35.56317	38.88514	41.92317	45.64168	48.28988
27	11.80759	12.87850	14.57338	16.15140	18.11390	21.74940	26.33634	31.52841	36.74122	40.11327	43.19451	46.96294	49.64492
28	12.46134	13.56471	15.30786	16.92788	18.93924	22.65716	27.33623	32.62049	37.91592	41.33714	44.46079	48.27824	50.99338
29	13.12115	14.25645	16.04707	17.70837	19.76774	23.56659	28.33613	33.71091	39.08747	42.55697	45.72229	49.58788	52.33562
30	13.78672	14.95346	16.79077	18.49266	20.59923	24.47761	29.33603	34.79974	40.25602	43.77297	46.97924	50.89218	53.67196

Table for  $\alpha=.05$



df2/df1	1	2	3	4	5	6	7	8	9	10	12
1	161.448	199.500	215.707	224.583	230.162	233.986	236.768	238.883	240.543	241.882	243.906
2	18.513	19.000	19.164	19.247	19.296	19.329	19.353	19.371	19.384	19.396	19.413
3	10.128	9.552	9.277	9.117	9.014	8.941	8.887	8.845	8.812	8.786	8.745
4	7.709	6.944	6.591	6.388	6.256	6.163	6.0942	6.041	5.998	5.964	5.912
5	6.608	5.786	5.409	5.192	5.050	4.950	4.876	4.818	4.772	4.735	4.678
6	5.987	5.143	4.757	4.533	4.387	4.284	4.207	4.147	4.099	4.060	3.999
7	5.591	4.737	4.347	4.120	3.972	3.866	3.787	3.726	3.676	3.637	3.575
8	5.318	4.459	4.066	3.838	3.688	3.581	3.501	3.438	3.388	3.347	3.284
9	5.117	4.256	3.863	3.633	3.482	3.374	3.293	3.229	3.178	3.137	3.073
10	4.965	4.103	3.708	3.478	3.326	3.217	3.136	3.072	3.020	2.978	2.913
11	4.844	3.982	3.587	3.358	3.204	3.095	3.012	2.948	2.896	2.854	2.788
12	4.747	3.885	3.490	3.259	3.106	2.996	2.913	2.849	2.796	2.753	2.687
13	4.667	3.806	3.411	3.179	3.025	2.915	2.832	2.767	2.714	2.671	2.604
14	4.600	3.739	3.344	3.112	2.958	2.848	2.764	2.699	2.645	2.602	2.534
15	4.543	3.682	3.287	3.056	2.901	2.791	2.707	2.641	2.587	2.544	2.475
16	4.494	3.634	3.239	3.007	2.852	2.741	2.657	2.591	2.537	2.494	2.425
17	4.451	3.591	3.197	2.965	2.810	2.699	2.614	2.548	2.494	2.450	2.381
18	4.414	3.555	3.160	2.928	2.773	2.661	2.577	2.510	2.456	2.412	2.342
19	4.381	3.522	3.127	2.895	2.740	2.628	2.544	2.477	2.423	2.378	2.308
20	4.351	3.493	3.098	2.866	2.711	2.599	2.514	2.441	2.393	2.348	2.278